

COPY FOR
STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 040895
Unit Surface Unit
I-See. No. 731
SW 1/4 South 1/2 Section 5
Designated Drilling Unit

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|---|-------------------------------------|---|--|
| NOTICE OF INTENTION TO DRILL..... | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, August 28, 1952

Well No. 14 is located 990 ft. from N line and 990 ft. from W line of SW 1/4 of Section 5
(1/4 Sec. and Sec. No.) T-26-N R-10-W NMPN
(Twp.) (Range) (Meridian)
Wildcat San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (To be reported later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 2200 feet. Rotary tools will be used to total depth. Casing will be set on top of pay. Pictured Cliffs formation will be drilled with gas and cleaned out with gas after shot with SNB.

The following casing program is proposed:

| Size | Depth | Comment | Remarks |
|--------|-------|---------|--|
| 9-5/8" | 100 | 100 | 175% of calculated amount to circulate. |
| 5-1/2" | 2100 | 150 | 100% of calculated amount to fill 895' above shoe. |

Copies of location plate are attached. A copy of any survey taken will be submitted upon completion of the well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas Company

Address Box 487
Farmington, New Mexico

By E. R. Volt
Title Field Superintendent