Form 9-331 (Feb. 1951)	8
---------------------------	---

1		
1		
1		
	į	į

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa Fe
Lease No.	077980-A
Unit Ha	erfano Unit

NOTICE OF INTER NOTICE OF INTER NOTICE OF INTER NOTICE OF INTER	ITION TO DRILL ITION TO CHANGE PLANS ITION TO TEST WATER SH ITION TO RE-DRILL OR R ITION TO SHOOT OR ACII ITION TO PULL OR ALTER ITION TO ABANDON WELL	HUT-OFF	SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN	IT REPORT OF SHO IT REPORT OF ALT: IT REPORT OF ABA IT REPORT OF ABA	TER SHUT-OFF OTING OR ACIDIZII ERING CASING, DRILLING OR BEPA NDONMENT	NG
NOTICE OF INTE			ARK NATURE OF REPO	ORT, NOTICE, OR OT	HER DATA)	
					August (كار , 196
Vell No. 1	is located	1100 ft. fro	om. S line ar		from $\frac{E}{E}$ line	e of sec5
/4 Sec. 5	d Sec. No.)	ZÓN (Twp.)	(Range)	M.M.F.M. (Meridian)	······	
sin Dekot			Juan		State or Terri	too
(F1	eld)	(Coun	nty or Subdivision)		(5000)	- N
						43 / L. () \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
he elevation	of the derrick flo	or above sea	level is 644	£ft.	i de la compania del compania del compania de la compania del compania de la compania de la compania del compania de la compania de la compania de la compania del compania	. 19
he elevation	of the derrick flo		level is 6449		4-41 1	1 1961
tate names of an	nd expected depths to obj	DET ective sands; show ing points, and a	TAILS OF WO	PRK lengths of proposed proposed work)		· · · · · /
1=61 Tot 04=6690; 0 pr. 2000	al Depth 6013'	DET ective sands; show ing points, and s C.O.T.D 0-6756; 67	TAILS OF WO wises, weights, and is all other important positions. 6760°. We consider the pr. 3700° tr. pr. pr. pr. 3700° tr. pr. pr. pr. pr. pr. pr. pr. pr. pr. p	PRK lengths of proposed work) ster fracts 0,000 gallo	red Dakots	perf int.
1=61 Tot 1=6903 (al Depth 6813' 6694-6700; 675	DET ective sands; show ing points, and s C.O.T.D 0-6756; 67	TAILS OF WO wises, weights, and is all other important positions. 6760°. We consider the pr. 3700° tr. pr. pr. pr. 3700° tr. pr. pr. pr. pr. pr. pr. pr. pr. pr. p	PRK lengths of proposed work) ster fracts 0,000 gallo	red Dakots	perf int.
1=61 Tot 1=6903 (al Depth 6813' 6694-6700; 675	DET ective sands; show ing points, and s C.O.T.D 0-6756; 67	TAILS OF WO wises, weights, and is all other important positions. 6760°. We consider the pr. 3700° tr. pr. pr. pr. 3700° tr. pr. pr. pr. pr. pr. pr. pr. pr. pr. p	PRK lengths of proposed work) ster fracts 0,000 gallo	red Dakots	perf int.
1=61 Tot 1=6903 (al Depth 6813' 6694-6700; 675	DET ective sands; show ing points, and s C.O.T.D 0-6756; 67	TAILS OF WO wises, weights, and is all other important positions. 6760°. We consider the pr. 3700° tr. pr. pr. pr. 3700° tr. pr. pr. pr. pr. pr. pr. pr. pr. pr. p	PRK lengths of proposed work) ster fracts 0,000 gallo	red Dakots	perf int.
1=61 Tot 1=6903 (al Depth 6813' 6694-6700; 675	DET ective sands; show ing points, and s C.O.T.D 0-6756; 67	TAILS OF WO wises, weights, and is all other important positions. 6760°. We consider the pr. 3700° tr. pr. pr. pr. 3700° tr. pr. pr. pr. pr. pr. pr. pr. pr. pr. p	PRK lengths of proposed work) ster fracts 0,000 gallo	red Dakots	perf int.
1-61 Total 64-6690; 9 pr. 2000 11lons. D	al Depth 6813* 6694-6700; 675 7, max. pr. 40 ropped 3 sets	DET ective sands; show ing points, and a . C.O.T.D C-6756; 67: OC#, avg. of 24 ball	FAILS OF WOwsizes, weights, and all other important possible. 6760°. We 660-6766 w/60 tr. pr. 3700.s for 4 stages	engths of proposed work) ter fractual, 000 gallo	red Dakota ns water & 8.5 BPM.	pert int.
1-61 Total-6690; () pr. 2000; llons. D	al Depth 6813' 6694-6700; 675' 675, max. pr. 40 ropped 3 acts	DET ective sands; show ing points, and a . C.O.T.D C-6756; 67: OC#, avg. of 24 ball	FAILS OF WOwsizes, weights, and all other important possible. 6760°. We 660-6766 w/60 tr. pr. 3700.s for 4 stages	engths of proposed work) ter fractual, 000 gallo	red Dakota ns water & 8.5 BPM.	pert int.
1-61 Total pr. 2000 illons. D	al Depth 6813' 6694-6700; 675' 675, max. pr. 40 ropped 3 acts	DET ective sands; show ing points, and a . C.O.T.D C-6756; 67: OC#, avg. of 24 ball	FAILS OF WOwsizes, weights, and all other important possible. 6760°. We 660-6766 w/60 tr. pr. 3700.s for 4 stages	engths of proposed work) ter fractual, 000 gallo	red Dakota ns water & 8.5 BPM.	pert int.
I understand to Company	al Depth 6013* 6694-6700; 675 7, max. pr. 40 ropped 3 sets	DET ective sands; show ing points, and a C.O.T.D 0-6756; 67: 0C#, avg. of 24 ball. ust receive approve	FAILS OF WOwsizes, weights, and all other important possible. 6760°. We 660-6766 w/60 tr. pr. 3700.s for 4 stages	lengths of proposed proposed work) ter fractu ,000 gallo T.R. 2	red Dakota ns water & 8.5 BPM.	Plush 2400