


Form 9-381a
(Feb. 1961)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Delta Fe
Lease No. 001102-A
Unit Frontier

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 29, 1957


Well No. 1 is located 1850 ft. from N line and 1850 ft. from E line of sec. 26
SW Sec. 46 26N 12W N.M.P.M.
(Field) (Twp.) (Range) (Meridian)
Wildcat San Juan New Mexico
(County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5907 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

5-25-57. Total Depth 5275'. COED 5000'. Sand-oil fractured Gallup perforated intervals 4900-4980 with 37000 gallons oil and 33,000 sand. Breakdown pressure 1650#, maximum pressure 3000#, average treating pressure 1700-1900-2400-1500#. Injection rate 47.0 bbls./min. Flush 8778 gallons. Injected 37 rubber balls in each of 3 stages.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997
Farmington, New Mexico

By Original Signed D. C. Johnson
Title Petroleum Engineer