



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 87 078953  
Unit J. W. Goddard

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<u>Production</u>	<u>X</u>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING		
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT		
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY		
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of Perforations</u>		<u>X</u>
	<u>Report of Sand-Fracing</u>		<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 27, 1956

J. W. Goddard  
Well No. 2 is located 1980 ft. from S line and 1940 ft. from W line of sec. 1

N/2-SW/4 Section 1 26N 12W N.M.P.M.  
( $\frac{1}{4}$  Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Undesignated (Callup) San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6007 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran & set  $5\frac{1}{2}$ " casing at 5311' & cemented with 125 sacks regular cement & 125 cubic feet of stratacrete.

Perforated  $5\frac{1}{2}$ " casing 5174-75' with 4 jet shots to test cement job. Cement job tested O.K. Perforated  $5\frac{1}{2}$ " casing 5095-5110', 5115-5125' & 5169-74' with 4 jet shots per foot. Total perforations 31', 124 jet shots.

Froed Gallup formation down  $5\frac{1}{2}$ " casing through  $5\frac{1}{2}$ " casing perforations 5095-5110', 5115-5125' & 5169-75' with 40,000# 20-40 sand & 40,320 gals. of lease oil using 60 rubber free balls. BDP 2800#, broke to 2600#, Max. TP 2800#, Min. TP 2500#. Shut down pressure 250#. Inj. rate 57.6 BPM. Time of treatment 21 minutes.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company \_\_\_\_\_

Address \_\_\_\_\_

By \_\_\_\_\_

Title District Superintendent