

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.

SF - 080384-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

EL PASO PRODUCTS COMPANY

3. ADDRESS OF OPERATOR

P. O. Box 1550, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

2310'/N, 1980'/W, Section 3, Township 26 North, Range 12 West

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6065' GR

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Hickman A

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

Gallegos Gallup

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 3-26N-12W NMPM

12. COUNTY OR PARISH

San Juan

13. STATE

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Start Operations 7-23-68, Finish 7-25-68

1. Load hole with mud laden fluid.
2. Squeeze perforations 5233-5063', 20 sx cmt.
3. Shoot pipe at free point - 2580'.
4. Spot 30 sx cmt, 4% gel, 2632-2487' in and out of stub.
5. Spot 30 sx cmt, 4% gel, 1391-1281' - Top Pictured Cliffs.
6. Spot 30 sx cmt, 4% gel, 317-207' base Ojo Alamo.
7. Place 10 sx cmt in top surface casing with welded marker in place.
8. Clean location.

RECEIVED

SEP 27 1968

U.S. GEOLOGICAL SURVEY

18. I hereby certify that the foregoing is true and correct

Original SIGNED by: Jim Payne

TITLE Agent

DATE August 15, 1968

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See instructions on Reverse Side