

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office New Mexico  
Lease No. 01074  
Unit Huerfano Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL

NOTICE OF INTENTION TO CHANGE PLANS

NOTICE OF INTENTION TO TEST WATER SHUT-OFF

NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL

NOTICE OF INTENTION TO SHOOT OR ALIDIZE

NOTICE OF INTENTION TO PULL OR ALTER CASING

NOTICE OF INTENTION TO ABANDON WELL

SUBSEQUENT REPORT OF WATER SHUT-OFF

SUBSEQUENT REPORT OF SHOOTING OR ALIDIZING

SUBSEQUENT REPORT OF ALTERING CASING

SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR

SUBSEQUENT REPORT OF ABANDONMENT

SUPPLEMENTARY WELL HISTORY

XX

RECEIVED

NOV 2 1962

U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA

November 1, 1962

Well No. 9 is located 1650 ft. from ~~N~~ line and 1650 ft. from ~~E~~ line of sec. 1

NE/4 Sec. 1  
(1/4 Sec. and Sec. No.)

26N  
Twp.)

11W  
(Range)

N.M.P.M.  
(Meridian)

West Kutz Pictured Cliffs  
(Field)

San Juan  
(County or subdivision)

New Mexico  
(State or Territory)


The elevation of the derrick floor above sea level is 6485 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands, show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to plug and abandon this well in the following manner:

1. Pull tubing and spot a 35 sk. cement plug in open hole (2005-2130').
2. Find free point on 7" casing and cut.
3. Spot a 20 sk. cement plug across cut-off & pull 7" casing.
4. Spot a 20 sk. cement plug in top of surface casing and install a 4' x 4" dry hole marker.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 990

Farmington, New Mexico

By

*H. E. McAnally*

Title Petroleum Engineer