| Form | 9-881 | a |
|------|---------|---|
| (Feb | . 1951) | |

| L | | |
|---|--|--|

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Land Office | Senta Fe | |
|-------------|----------|--|
| Lease No | 078571 | |
| Unit | Day | |

GPO 9 18 507

| SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ALTERING CASING. SUBSCULT TERMS CASING. SUBSCULT TERMS CASING. SUBSCULT TERMS | | S AND REPORTS ON WELLS |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERI | TICE OF INTENTION TO DRILL | SURSPONENT DEPORT OF WATER CHIEF OFF |
| SUBSEQUENT REPORT OF ALTERING CASING STREE OF INTENTION TO REDRILL OR REPAIR WELL TICE OF INTENTION TO SHOOT OR REDIZE TICE OF INTENTION TO SHOOT OR REPAIR WELL TICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF READMONMENT SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF ALTERING SUBSEQUENT REPORT | | The state of the s |
| Subsequent report of Re-Drilling or Repair Well Subsequent report of Re-Drilling or Repair Report of Report of Report Report of Repair Report of Report Report of Repair Report of Report Report of Repair Report of Repair Report of Report Report Report of Report Report of Report Report Report Report of Report Report Report Report | | STOCKE OF SCOTTING OR ACIDIZING |
| Subsequent report of Abandonment. Supplementary well history. Water Free. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Water Free. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Water Free. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) No. 2-3 is located 890 ft. from Siline and 1090 ft. from Willine of sec. In May 5. No. 2-8 is located 890 ft. from Siline and 1090 ft. from Willine of sec. In May 6. Sec. 7 27M Siline and 1090 ft. from Willine of sec. In May 6. (Kange) (Margine) (Margine | | THE STATE OF ALTERING CASING |
| SUPPLEMENTARY WELL HISTORY (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (I | | The Difference of Repair |
| No. 2-3 is located 890 ft. from Sine and 1090 ft. from When to sec. 7 Sec. 7 (Range) (Range) (Range) (Range) (Range) (Pield) (County or Subdivision) (State or Territory) clevation of the derrick floor above sea level is 6789 ft. DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 1, 1958, Total Depth 5341'. C.O.T.D. 5317'. Water fractured Point Lookout for 83,380 gallons water and 60,000f sand. B.D.P. Kone, max. pr. 2900f, avg. 2000-2100-2300-2600f. I.R. 58 B.P.N. Flush 8400 gallons. Injected 15 balls. 1, 1958. Total Depth 5341'. Temporary Bridge Plug at 5000'. Water fractured Rollons water fractured Cliffs perforated intervals 5152-70; balls, injected 15 balls. | | |
| (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) MAY 7 1958 58 No. 2-3 is located 890 ft. from S line and 1090 ft. from W line of sec. 7 Sec. 7 278 88 N.M.P.M. (14 Sec. and Sec. No.) (Twp.) (Range) (Meridian) DEC M. V. 250. Blanco P.C. San Juan (County or Subdivision) (State or Territory) elevation of the derrick floor above sea level is 6789 ft. DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 1, 1958, Total Depth 5341'. C.O.T.D. 5317'. Water fractured Point Lookout for State intervals 5152-70; 5192-5200; 5208-30; 5258-66; 5274-84; 5304-12 (2) a 63,830 gallons water and 60,000 sand. B.D.P. Hone, max. pr. 2300, avg. 2000-2100-2300-2600 ft. R. 58 B.P.M. Flush 3600 gallons. Injected 15 balls are defined intervals 5341'. Temporary Bridge Plug at 5000'. Hater fracture is the county of the count | | national individual in |
| No. 2-3 is located 890 ft. from S line and 1090 ft. from W line of sec. 7 Sec. 7 (W. Sec. and Sec. No.) (County or Subdivision) (State or Territory) County or Subdivision) (State or Territory) County or Subdivision) DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 1, 1958, Total Depth 5341'. C.O.T.D. 5317'. Water fractured Point Lockout furnated intervals 5152-70; 5192-5200; 5208-30; 5258-66; 5274-84; 5304-12 (2 in 68,380 gallons water and 60,000 sand. B.D.P. Hone, max. pr. 2500, avg. 2000-2100-2300-2500 ft. I.R. 58 B.P.M. Flush 8500 gallons. Injected 15 balls. 1, 1958. Total Depth 5341'. Temporary Bridge Plug at 5000'. Water fracture is the county ball of the county of th | | Water Frac. |
| Sec. 7 278 SN N.M.P.M. (% Sec. and Sec. No.) (Prior) (County or Subdivision) (County or Subdivision) (State or Territory) elevation of the derrick floor above sea level is 6789 ft. DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) 1, 1958, Total Depth 5341'. C.O.T.D. 5317'. Water fractured Point Lookout forested intervals 5152-70; 5192-5200; 5208-30; 5258-66; 5274-84; 5304-12 (2: 66,880 gallons water and 60,000 sand. B.D.P. Hone, max. pr. 2900 ft, avg. 2000-2100-2300-2800 ft. I.R. 58 B.P.M. Flush 8400 gallons. Injected 15 balls. 1, 1958. Total Depth 5341'. Despoyably Bridge Plug at 5000'. Water fractured Cliffs perforated intervals 2866-94 (2 SPF) with 35,280 gallons water | (INDICATE ABOVE BY CHECK I | MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) MAY 7 1958 58 |
| (K Sec. and Sec. No.) (Twp.) (Range) (Meridian) (Meridian) (Meridian) (Meridian) (Meridian) (Range) (Meridian) (Meridian) (Meridian) (Meridian) (State or Territory) (State or Territory) (County or Subdivision) (State or Territory) (State or Territory) (County or Subdivision) (State or Territory) (DETAILS OF WORK (State or Territory) (State or Territory) (DETAILS OF WORK (Amanes of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) 1, 1958, Total Depth 5341'. C.O.T.D. 5317'. Water fractured Point Lookout of County intervals 5152-70; 5192-5200; 5208-30; 5258-66; 5274-84; 5304-12 (2 168,380 gallons water and 60,000f sand. B.D.P. Hone, max. pr. 2900f, avg. 2000-2100-2300-2600f. I.R. 58 B.P.M. Flush Stoo gallons. Injected 15 balls. 1, 1958. Total Depth 5341'. Temporary Bridge Plug at 5000'. Water fractured Cliffs perforated intervals 2866-94 (2 SPF) with 35,280 gallons water | 8 | (S) (W) mic or sect |
| (Field) (Field) (Country or Subdivision) (State or Territory) | | |
| (Field) (County or Subdivision) (State or Territory) elevation of the derrick floor above sea level is 6789 ft. DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 1, 1958, Total Depth 5341'. C.O.T.D. 5317'. Water fractured Point Lookout forested intervals 5152-70; 5192-5200; 5208-30; 5258-66; 5274-84; 5304-12 (2 states of the content of the conten | (= 112.) | (mange) (Meridian) |
| elevation of the derrick floor above sea level is 6789 ft. DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 1, 1958, Total Depth 5341'. C.O.T.D. 5317'. Water fractured Point Lookout forested intervals 5152-70; 5192-5200; 5208-30; 5258-66; 5274-64; 5304-12 (2 to 68,380 gallons water and 60,000f sand. B.D.P. Hone, max. pr. 2900f, avg. 2000-2100-2300-2600f. I.R. 58 B.P.N. Flush 3400 gallons. Injected 15 balls etted 10 balls, injected 5 balls, injected 15 balls. 1, 1958. Total Depth 5341'. Temporary Bridge Plug at 5000'. Water fractured Cliffs perforated intervals 2846-94 (2 SPF) with 35,280 gallons water | | |
| | names of and expected depths to objective sands; sho ing points, and | ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- i all other important proposed work) |
| | 1, 1958, Total Depth 5341'. (forested intervals 5152-70; 519; 68,880 gallons water and 60,0 2000-2100-2300-2800#. I.R. 58 seted 10 balls, injected 5 ball 1, 1958. Total Depth 5341'. Sured Cliffs perforated interval 44,000# send. B.D.P. 1600#, not in the control of the control | C.O.T.D. 5317'. Water fractured Point Lookout 2-5200; 5208-30; 5258-66; 5274-84; 5304-12 (2 000% sand. B.D.P. Home, max. pr. 2900%, avg. 8 B.P.M. Flush 3000 gallons. Injected 15 balls, injected 15 balls. Temporary Bridge Plug at 5000'. Water fracturals 2846-94 (2 SPF) with 35,280 gallons water als 2846-94 (2 SPF) with 35,280 gallons water 3000%, avg. tr. pr. 1500-1700-2000-22 gallons. Injected 4 sets balls (15 balls/setallin writing by the Geological Survey before operations and becampenced. |
| Dany MAY 8 1959 | 1, 1958, Total Depth 5341'. (forsted intervals 5152-70; 519; 68,880 gallons unter and 60,0 2000-2100-2300-2600f. I.R. 50 seted 10 balls, injected 5 ball 1, 1958. Total Depth 5341'. Exted Cliffs perforated intervals 54,000f send. B.D.P. 1600f, a ball 1.R. 64 B.P.M. Flush 5880 and S.P.M. | C.O.T.D. 5317'. Water fractured Point Lookout 2-5200; 5208-30; 5258-66; 5274-84; 5304-12 (2 000% sand. B.D.P. Mone, MEX. pr. 2900%, avg. 8 B.P.N. Flush 3400 gallons. Injected 15 balls, injected 15 balls. Temporary Bridge Plug at 5000'. Water fracturals 2846-94 (2 SFF) with 35,280 gallons water als 2846-94. (2 SFF) with 35,280 gallons water gallons. Injected 4 sets balls (15 balls/set) gallons. Injected 4 sets balls (15 balls/set) |
| MAV R 1070 | 1, 1958, Total Depth 5341'. (forested intervals 5152-70; 5194 68,880 gallons water and 60,0 2000-2100-2300-2800#. I.R. 55 seted 10 balls, injected 5 ball 1, 1958. Total Depth 5341'. Mared Cliffs perforated intervals 44,000# send. B.D.P. 1600#, not 1.R. 64 B.P.N. Flush 5880 setes and 60,0 an | C.O.T.D. 5317'. Water fractured Point Lookout 2-5200; 5208-30; 5258-66; 5274-84; 5304-12 (2 000% sand. B.D.P. Mone, max. pr. 2900%, avg. 8 B.P.N. Flush 3400 gallons. Injected 15 balls, injected 15 balls. Temporary Bridge Plug at 5000'. Water fracturals 2846-94 (2 SFF) with 35,280 gallons water als 2846-94 (2 SFF) with 35,280 gallons water gallons. Injected 4 sets balls (15 balls/set) gallons. Injected 4 sets balls (15 balls/set) |