OIL CONSERVATION COMMISSION

1000 RIO BRAZOS ROAD AZTEC, NEW MEXICO

November 16, 1961

Ar. Jim Whitfield
Dil Jonservation Commission
Box 871
Santa Fe, New Mexico

Re: Non-standard Location application

EPNG #20 Schwerdtfeger "A", Basin

Dakota Pool

オーユリガ

Dear Jim:

Subject location is on top of a very narrow ridge. The attached plat indicates the location and other completed wells in the quarter-section.

Il Paso has a policy of staying at least 600' from a shallower well when drilling, to avoid contamination of the producing zone in the shallow well.

I recommend approval of the application

Yours very truly

A. H. Kendrick Engineer, District #3

ARE: 12

attachnent

DIL CONSERVATION DOMMISSION

ODD RIC GRAZOS ROAD AZTED, NEW MEXICO

1.5

o negativa e por espera de la filipa de la compania del compania de la compania de la compania del compania de la compania del compania

10 N 1 N 14

్రామం కార్యాలు కార్య మార్క్ కార్యాలు కార్ మార్క్ కార్యాలు కార్యాలు

of fire but a perity of the first four forms of the first of the first

in the same of the contract of the contract of

NAS MELLON

សំណាក់ ស្គ សេខ្សាំង**ជាខ**ែក សុខ ខេត្តទំន

1.24

a de roimeo.o.

State of New Wexico Oil Conservation Commission

LAND COMMISSIONER
E. S. JOHNNY WALKER
MEMBER



STATE GEOLOGIST

A. L. PORTER, JR.

SECRETARY - DIRECTOR

P. O. BOX 871 SANTA FE

November 7, 1961



Mr. Emery Arnold District Supervisor Oil Conservation Commission 1000 Rio Brazos Road Aztec, New Mexico

Dear Emery:

Reference is made to El Paso's request for administrative approval of an unorthodox location for its Schwerdtfeger "A" Well No. 20 to be located 2080 feet from the North line and 1900 feet from the East line of Section 8, Township 27 North, Range 8 West, Basin-Dakota Pool, San Juan County, data North 3, (%).

Would you please verify El Paso's need for the unorthodox location; the plat would indicate that an unorthodox location would not be needed.

Let me know at your earliest convenience.

Thank you -

JIM WHITFIELD

JEW/esr

Showing to a 12 12 1000 1000 1000/E