## NEW MEXICO OIL CONSERVATION COMMISSION

Form C-122

MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Revised 12-1-55

Pool	South B1	anco	Fc	rmation_	Pictur	ed Cliff	•	_County_	San .	fuen	
Init	ialX	Ann	ual		Spec	ial		_Date of	Test	12-5-57	
Comp	any Northwe	st Product	ionCorpo	ration I	ease	San Juan	27-8	Wel	1 No	6-11	
Unit	I S	Sec. 11 T	wp. 27N	Rge	8W	Purc	haser No	t connect	ed		
Casi	ng 54 W	t. 15.5	I.D.	Set	at 306	5.92 Pe	rf. 293	10	To_ 2	2972	
	ng 1k W								-		
										ess	
	ucing Thru:										
	of Complet					Sin	gle-Brade	nhead-G.	G. or G	3.0. Dual	
			T. C.		OBSERV	ED DATA					
[est	ed Through	<u>(\$16461)</u>		<u>(46464)</u>				Туре Тар	s		
	(Prover)	Flow I (Choke)		Diff	Temp	Tubing	Data Temp.	Casing D		Duration	
Vo.	(Line)	(Orifice)		Į	-				o <sub>F</sub> .	of Flow	
SI	Size	Size	psig	h <sub>w</sub>	°F.	psig <b>878</b>	r.	psig 878	· ·	Hr.	
		3/4"				70			<b> </b>		
2 <b>.</b> [ 3. [		3/4"				40	48	302	<del> </del>	3 hr	
· · · · · · · · · · · · · · · · · · ·											
Vo.	Coefficient (24-Hour) √ h <sub>w</sub>		Pressure		FLOW CALCULATIO Flow Temp. Factor Ft		Gravity	Factor Factor			
2.								<del></del>			
3. [	12,3650			52	1.01	17	.9608	1.011		632	
avi	iquid Hydro ty of Liqui	d Hydrocarb		·	SSURE CA	ALCU'ATI(	Speci	fic Gravi		rator Gas ving Fluid 92.1	
lo.	P <sub>w</sub>	Pt F	F <sub>c</sub> Q	(F <sub>c</sub> Q) <sup>2</sup>	(F <sub>0</sub>	Q) <sup>2</sup> e-s)	P <sub>w</sub> 2	P <sub>c</sub> -P <sub>w</sub> <sup>2</sup>	1	P <sub>W</sub> P <sub>C</sub>	
	314				1		98.6	693,5		1.1422	
3.								W-493	+	10.1746	
bso OMP DDRI	ESS 2	orthwest Pr 04 North Or	roduction chard			n .85/	1.1196				
	exerexeete Exerex agen	Farmingto	n, New		Aget '	Nela Pa					
	ANY	w IIII	240 %6	PA 10 ST C.		ARKS				PAN Cuts.	

## INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

## NOMENCLATURE

- Q I Actual rate of flow at end of flow period at W. H. working pressure ( $P_W$ ). MCF/da. @ 15.025 psia and 600 F.
- $P_c$ = 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater. psia
- Pw- Static wellhead working pressure as determined at the end of flow period. (Casing if flowing thru tubing, tubing if flowing thru casing.) psia
- $P_{t-}$  Flowing wellhead pressure (tubing if flowing through tubing, casing if flowing through casing.) psia
- Pf Meter pressure, psia.
- hw Differential meter pressure, inches water.
- Fg Gravity correction factor.
- FtT Flowing temperature correction factor.
- Fpv Supercompressability factor.
- n I Slope of back pressure curve.

Note: If  $P_{\rm W}$  cannot be taken because of manner of completion or condition of well, then  $P_{\rm W}$  must be calculated by adding the pressure drop due to friction within the flow string to  $P_{\rm t}$ .

## DRILLING DEPARTMENT

					COMPANY Northwe			st Production Corp.		
					LEASI	E	en Juan 2	7-8	_ WELL NO.	6-11
					DATE	OF TE	ST Decemb	er 5,	1957	
SHUT	IN PRESSURE	(PSIG): TUBING	878	_ CASING _						DAYS
SIZE	BLOW NIPPLE					_				
FLOW	THROUGH	3/4" CK en	tubing		WORKING	PRESS	URES FROM	Casi	ng	
HOURS	TIME S MINUTES	PRESSURE		CFD) SIA & 60°F					TEMP	
3	0	40				302			48	
	<del></del>									
		<del></del>								
OT A D		1.20 ==4					4.20 mg			
			<u> </u>	E	ND TEST	AT	4:20 PM		· · · · · · · · · · · · · · · · · · ·	
REMAF	RKS: Wet	with H <sub>2</sub> O through	out test							
-								1 1	MAN	-
								· ·	L con co	S. S
									Estate Company	-
					TESTED	BY: _	L. R. Gil	bert	ادر به المارين المارين المارين	r P
					WITNESS	i:	······································			

	EC_DIS			- 10	<u>.                                    </u>
No. Com	19 disp.	a vedi.	. r . n a		
·		49.			
	***			1 2	
1.00					
Jeg Kartie			1	-	
					•
* - * -					
		-	ż		
112.5.					
rile	-		;		 [/