oz ()	m 9- Peb. 1	881 a 961)	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa Pe
Lease No	C7:571
Unit	Dev

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDETING
NOTICE OF INTENTION TO TEST WATER SE	HUT-OFF SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR R	REPAIR WELL SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACII	JAN 10 1º
NOTICE OF INTENTION TO PULL OR ALIEF	
NOTICE OF INTENTION TO ABANDON WELL	U. S. GEOLOGICAL S
(INDICATE AF	BOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FAILL INCIUN, NEW II
	January 5
ell No. 5-B is located	550 ft. from [N] line and 650 ft. from E line of sec. 7
E/4 Sec. 7	THE SE H.M. P.M.
(34 Sec. and Sec. No.)	(Twp.) (Range) (Meridian)
Lanco Mesa Verde Ext. (Field)	(County or Subdivision) (State of Territory)
, ,	
he elevation of the derrick flo	or above sea level is 6151 ft. JAN 1 1 1000
	DETAILS OF WORK
A L L L L L L L L L L L L L L L L L L L	COW
tate names of and expected depths to obje	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comensing points, and all other important proposed work)
	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment- ing points, and all other important proposed work)
a 12-19-59 Total depth :	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comensing points, and all other important proposed work) 4448*. -55, 26.40°, casing (4434*) set as 4445* with 250 sucks
a 12-19-59 Wotal depth and 137 joints 7 5/8°, J	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4446. 455, 26.40, casing (4434) set as 445 vith 250 sucks B Diamix, 1/4 ft/sk. Strata-Crete 6, 25 Gel, followed
a 12-19-59 Total Copth and 137 Joints 7 5/8", Jugalar commant, 250 and the 50 secks Mest communications	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4446. 455, 26.40, casing (4434) set as 445 vith 250 sucks B Diamix, 1/4 ft/sk. Strata-Crete 6, 25 Gel, followed
a 12-19-59 Total Copth and 137 Joints 7 5/8", Jugallar compat, 250 and ith 50 sacks Ment comental 10003/36 minutes.	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448. -55, 25.402, casing (4434') set as 4445' with 250 sucks as Diamix, 1/2 ft/sk. Strata-Crete 6, 25 Gel, followed t.
a 12-19-59 Total depth and 137 joints 7 5/8", Jugaler compat, 250 and 1th 50 sacks Ment comental 10007/36 minutes.	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448. (-55, 25.40%, casing (4434') set at 4445' with 250 sucks is Discrete, 1/2 ft/sk. Strata-Crete 6, 2% Gel, followed it.
a 12-19-59 Total depth and 137 joints 7 5/8", Jugaler comment, 250 and ith 50 sacks Ment comment 1000/30 minutes. op of comment by temperar 2-22-59 Total Lepth 479	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448. (-55, 25.40%, casing (4434') set at 4445' with 250 sucks is Directly, 1/2 ft/sk. Strata-Crete 6, 25 Gel, followed it.
a 12-19-59 Total depth an 137 joints / 5/8°, J. sepilar cement, 750 stoke 1th 50 sacks Mert cement ald 10007/30 minutes. op of cement by temperat 2-22-59 Total Lepth 479 an 10 joints 5 1/2°, J-	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448'. -55, 26.40s', casing (4434') set at 4445' with 250 sucks is Diamix, 1/4 ft/sk. Strata-Crete 6', 25 Gel, followed it. ture survey at 2600'. 55, 15.55 liner (421') set from 4369' to 4790' with 15
a 12-15-59 Total depth an 137 joints 7 5/8°, J. regular cement, 250 and ith 50 sacks Ment cement and 10007/30 minutes. op of cement by temperar 2-22-59 Total Lepth 479 and 10 joints 5 1/2°, J. sacks regular cement, 15	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448. (-55, 25.40%, casing (4434') set at 4445' with 250 sucks is Directly, 1/2 ft/sk. Strata-Crete 6, 25 Gel, followed it.
a 12-15-59 Total depth an 137 joints 7 5/8°, J. egular cement, 250 and 1th 50 sacks Mert cement ald 10007/30 minutes. op of cement by temperar 2-22-59 Total Depth 479 an 10 joints 5 1/2°, J-	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448'. -55, 26.40s', casing (4434') set at 4445' with 250 sucks is Diamix, 1/4 ft/sk. Strata-Crete 6', 25 Gel, followed it. ture survey at 2600'. 55, 15.55 liner (421') set from 4369' to 4790' with 15
a 12-19-59 Total depth an 137 joints 7 5/8", Japan 137 joints 7 5/8", Japan 14 50 sacks Ment comental 10003/30 minutes. The second by temperatures of community temperatures and 10 joints 5 1/2", Japan 15 japan 10003/30 minutes.	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448. (-55, 25.40%, casing (4434') set at 4445' with 250 sucks is Dismix, 1/2 ft/sk. Strata=Crete 6', 2% Gel, followed: (ture survey at 2600'. 3'. 55, 15.5% liner (421') set from 4369' to 4790' with 15 sucks Dismix, 1/5% Piccele/sk. & 6% Gel, followed w/50
a 12-19-59 Total depth an 137 joints 7 5/8", Japan 137 joints 7 5/8", Japan 14 50 sacks Mest comen and 10003/30 minutes. The second by temperary 2-22-59 Total Depth 479 and 10 joints 5 1/2", Japan 15 acks Feat coment.	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448'. -55, 26.40s', casing (4434') set at 4445' with 250 sucks is Diamix, 1/4 ft/sk. Strata-Crete 6', 25 Gel, followed it. ture survey at 2600'. 55, 15.55 liner (421') set from 4369' to 4790' with 15
a 12-19-59 Total depth an 137 joints 7 5/8", Japan 137 joints 7 5/8", Japan 14 50 sacks Mest comen and 10003/30 minutes. The second by temperary 2-22-59 Total Depth 479 and 10 joints 5 1/2", Japan 15 acks Feat coment.	ective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 4448'. -55, 25.40g, casing (4434') set at 4445' with 250 sucks is Directly, 1/2 ft/sk. Strata-Crete 6', 25 Gel, fcllowed it. -55, 15.5# liner (421') set from 4369' to 4790' with 15 sucks Dismix, 1/0g Florele/sk. & 65 Gel, fcllowed w/50 sucks Dismix, 1/0g Florele/sk. & 65 Gel, fcllowed w/50 streets approval in writing by the Geological Survey before operations may be commenced.
a 12-19-59 Total depth an 137 joints 7 5/8, Jegular cement, 250 a minutes. The sacks Heat cement and 10007/30 minutes. The sacks regular cement, 15 acks regular cement, 15 acks Heat cement. 10 10009/30 minutes. The of cement by temperates acks Heat cement.	ective sands; show sizes, weights, and lengths of proposed casings; indicate mandding jobs, comenting points, and all other important proposed work) 4446'. -55, 25.40g, casing (4436') set at 4445' with 250 sucks is Diamix, 1/2 ft/sk. Strata-Crete 6', 25 Gel, followed it. ture survey at 2600'. 55, 15.5g liner (421') set from 4369' to 4790' with 15 sneks Diamix, 1/2 Florele/sk. & 6% Gel, followed w/50 streets survey at 4369'. streets survey at 4369'. streets survey at 4369'. streets survey at 4369'.
a 12-15-59 Total depth an 137 joints 7 5/8", J. segular cement, 750 a mixital ith 50 sacks Heat cement and 10007/30 minutes. op of cement by temperar 2-22-59 Total Depth 479; and 10 joints 5 1/2", J-; sacks regular cement, 15 acks Heat cement. and 10009/30 minutes. op of cement by temperar I understand that this plan of work must company.	ective sands; show sizes, weights, and lengths of proposed casings; indicate mandding jobs, comenting points, and all other important proposed work) 4448'. -55, 25.40', casing (4434') set at 4445' with 250 sucks is District, 1/2 ft/six. Strata-Crete 6', 25 Gel, followed it. Sture survey at 2600'. 55, 15.55 liner (421') set from 4369' to 4790' with 15 sancks Dismix, 1/0 Florele/sk. a 65 Gel, followed w/50 to receive approval in writing by the Geological Survey before operations may be commenced. 10. Company
a 12-19-59 Total depth an 137 joints 7 5/8, Junta 7 5/8, Junta 7 5/8, Junta 137 joints 7 5/8, Junta 1478, and 10008/36 minutes. Op of coment by temperary 2-22-59 Total Lepth 479, and 10 joints 5 1/2", Junta 10 joints 5 1/2", Junta 15 acks regular coment. It is a local to temperary of coment by temperary 15 acks for coment. I understand that this plan of work must company 17 page 18 turnel Grand Grand Box 997 acks Box 997	ective sands; show sizes, weights, and lengths of proposed casings; indicate mandding jobs, comenting points, and all other important proposed work) 4446'. -55, 25.40g, casing (4436') set at 4445' with 250 sucks is Diamix, 1/2 ft/sk. Strata-Crete 6', 25 Gel, followed it. ture survey at 2600'. 55, 15.5g liner (421') set from 4369' to 4790' with 15 sneks Diamix, 1/2 Florele/sk. & 6% Gel, followed w/50 streets survey at 4369'. streets survey at 4369'. streets survey at 4369'. streets survey at 4369'.