



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **079319**
Unit **Schwerdtfeger "A"**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 25, 1951

Well No. 17 is located 910 ft. from N line and 1190 ft. from E line of sec. 6

N.E. Section 6
($\frac{1}{4}$ Sec. and Sec. No.)

27-N
(Twp.)

8-W
(Range)

N.M.P.M.
(Meridian)

Basin Dakota
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6435 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 5-12-51 Total Depth 7250'.

This well was plugged and abandoned in the following manner:

1. Set 125 sack cement plug from 7230-6800'.
2. Set 75 sack cement plug from 5250-5100'.
3. Set 75 sack cement plug from 4400-4250'.
4. Set 75 sack cement plug from 3800-3650'.
5. Set 75 sack cement plug from 1950-1800'.
6. Set 25 sack cement plug at surface.
7. Installed 4' x 4" pipe as permanent marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 930

Farmington, New Mexico

Original Signed R. G. MILLER

By _____

Title Petroleum Engineer