


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078555
Unit San Juan 20-7 Unit
14-00-001-459



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Water Fracture</u> <u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 6, 1957

Well No. 66 is located 1800 ft. from N line and 1800 ft. from TE line of sec. 4


14 section 8 27N 7E 141M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
So. Blanco Ext. Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5545 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

10-31-56 Total Depth 3430'. Plug back T.D. 3350'.
Water Fractured Pictured Cliffs perf. int. 3348-66 with 23,400 gallons
water & 25,000# sand. Breakdown pressure 2700#, maximum pressure 2700#,
average treating pressure 1800#. Injection rate 58 BPM. Flush 3500 gallons.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company


Address Box 997

Farmington, N.M.

By _____

Title Petroleum Engineer

OR ORIGINAL SIGNED U.S. OFFICER



Vertical line separator

Vertical line separator