

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☒MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Southern Union Production Company

3. ADDRESS OF OPERATOR

P. O. Box 808, Farmington, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

990 ft. from the North line and 1950 ft. from the East
line, 1450

At proposed prod. zone

Same as above.

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

30 miles South of Bloomfield, New Mexico

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. line, if any)

1190 ft.

16. NO. OF ACRES IN LEASE

2480.36

17. NO. OF ACRES ASSIGNED
TO THIS WELL

320

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

130 ft.

19. PROPOSED DEPTH

6675 ft.

20. ROTARY OR CABLE TOOLS

Rotary Tools

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

673 1/2 ft. Ungraded ground level.

22. APPROX. DATE WORK WILL START*

June 6, 1966

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/8"	8-5/8"	24.04	300 ft.	250 cu. ft.
7-7/8"	4-1/2"	10.54	6675 ft.	1400 cu. ft.

We propose to drill a well to the Dakota formation. Anticipated total depth 6675 ft.

1. Casing Program:

Surface: 8-5/8", 24.04, J-55 set at 300 ft. Cemented to surface w/250 cu. ft.

Production: 4-1/2", 10.504, J-55 set at T.D. of 6675 ft. 1st stage cemented w/approx. 1400 cu. ft. cement; Stage Collar set under Mesquite at approx. 1450 ft. Cemented w/400 cu. ft. cement; Stage Collar set under Pictured Cliffs at approx 2100 ft. Cemented w/800 cu. ft. cement.

2. Well will be mud drilled from surface to total depth with Rotary tools.

3. Dakota formation will be perforated and sand fraced to stimulate production.

4. 1-1/2", E.U.E., 2.904, JCM Tubing will be landed at approx. 6550 ft.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

Gilbert D. Noland, Jr.

TITLE

Drilling Superintendent

DATE

May 31, 1966

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE


APPROVED BY

Gu

TITLE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side



Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACERAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section

Operator SOUTHERN UNION PRODUCTION COMPANY		Lease NEWSOM		Well No. 15	
Unit Letter B	Section 18	Township 26 NORTH	Range 8 WEST	County SAN JUAN	
Actual Footage Location of Well: 990 feet from the NORTH line and 1450 feet from the EAST line					
Ground Level Elev. 6734.40	Producing Formation DAKOTA	Pool EAST DAKOTA	Dedicated Acreage 300 Acres		

- Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
- If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
- If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

() Yes () No If answer is "yes," type of consolidation

If answer is "no," list the owners and tract descriptions which have actually consolidated. (Use reverse side of this form if necessary.)

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non standard unit, eliminating such interests, has been approved by the Commission.

CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Gilbert D. Noland, Jr.
Name

Gilbert D. Noland, Jr.
Position

Drilling Superintendent
Company

Southern Union Production Co.
Date


May 21, 1966

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

May 27, 1966
Date Surveyed

[Signature]
Registered Professional Engineer
and/or Land Surveyor
JAMES E. HARRIS

1463
Certificate No.



SCALE—4 INCHES EQUALS 1 MILE

SAN JUAN ENGINEERING COMPANY, FARMINGTON, N. M.