DEPUTY OIL & GAS INSPECTOR

DEC 2 9 1997

Meter Number:95149
Location Name:NEWSOM A #3
Location:TN-26 RG-08
SC-04 UL-M
2 - Federal
NMOCD Zone:OUTSIDE
Hazard Ranking Score:00

PECETVED APR 1 4 1997 OIL COLL DIV.

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM


GENERAL	Meter: 95/49 Location: Newson A No. 3 Operator #: OZIX Operator Name: Merdian P/L District: Ballard Coordinates: Letter: M Section 4 Township: 26N Range: 8W Or Latitude Longitude Pit Type: Dehydrator X Location Drip: Line Drip: Other: Site Assessment Date: 6-17-94 Area: 1/ Run: 62						
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside Outside Outside (2) Depth to Groundwater Less Than 50 Feet (20 points) State (2) Fee (3) Mellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? Horizontal Distance to Surface Water Body Less Than 1000 Ft (10 points) (3) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (3) Name of Surface Water Body (Surface Water Body (Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100' TOTAL HAZARD RANKING SCORE: POINTS						
SS	Remarks: Two pits - one with liner. Dehypit is dry						
REMARKS							
REN	Outside V.Z. on Redire of Topo						

REMARKS

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North <u>52</u> Footage from Wellhead <u>182</u>

b) Length: 19 Width: 13 Depth: 2



Remarks: Photos-1345 hrs

Completed By:

Signature

6-17-94

Date

FIEL PIT REMEDIATION/CLOSC.E.FORM

GENERAL	Meter: 95/49 Dewsom ##3 Coordinates: Letter: M. Section 4 Township: 26 Range: 8 Or Latitude Longitude —— Date Started: 9.30-94 Run: 11 12
FIELD UBSERVATIONS	Sample Number(s): 12/8 Feet Sample Depth: 2/8 Feet Final PID Reading Depth 2/8 Feet Yes No Groundwater Encountered
CLOSURE	Remediation Method: Excavation
REMARKS	Remarks: 8' Sand stone 10 yls
	Signature of Specialist: Walk Wilson (SP3191) 03/16/94



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

	SAMPLE	IDENTIFICA	HON	<u> </u>			
	Field ID			Lab ID			
SAMPLE NUMBER:	ا ما على ا	946					
MTR CODE SITE NAME:		95149		N/A			
SAMPLE DATE TIME (Hrs):	9:30 - 94		10				
SAMPLED BY:	N/A						
DATE OF TPH EXT. ANAL.:	10-3-94 NIA						
DATE OF BTEX EXT. ANAL.:			N				
TYPE DESCRIPTION:	v G-		Brown	tor Sa	416		
RESULTS PARAMETER RESULT UNITS QUALIFIERS DF Q M(g)							
TPH (418.1)	74.3	MG/KG			$\begin{array}{c c} M(g) & V(ml) \\ \hline 2, C_1 & 38 \end{array}$		
HEADSPACE PID	95	РРМ				-	
PERCENT SOLIDS	93,0	%					
arrative: F = Dilution Factor Used		TPH is by EPA Metho	d 418.1				

(************************ Test Method for Oil and Grease and Petroleum Hydrocarbons in Water and Soil Perkin-Elmer Model 1600 FT-IR Analysis Report 15:50 74/10/03 Sample identification 446291 Taitinh hase of sending go one

3996

1200

ILLEC!BLE

2890

on"