

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 41-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

N00-C-14-20-2727

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Navajo Tribe "AP"

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Tocito Field11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA**Sec. 26-T26N-R18W**1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Texaco Inc.**Attention: T. Bliss**

3. ADDRESS OF OPERATOR

P. O. Box 2100, Denver, Colorado 802014. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

NE 1/4 Sec. 26**1980' FSL & 1980' FWL, Sec. 26**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5580' Gr.

12. COUNTY OR PARISH

San Juan

13. STATE

N. Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐PULL OR ALTER CASING ☐WATER SHUT-OFF ☐REPAIRING WELL ☐FRACTURE TREAT ☐MULTIPLE COMPLETE ☐FRACTURE TREATMENT ☐ALTERING CASING ☐SHOOT OR ACIDIZE ☐ABANDON* ☐SHOOTING OR ACIDIZING ☐ABANDONMENT* ☐REPAIR WELL ☐CHANGE PLANS ☐


(Other)

Surface Casing☒

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-18-73: Spudded 11:45 p.m.**10-19-73: Ran 13-3/8" OD, 48#, ST&C csg set at 97' KB, cemented with 110 sacks regular cement with 3% CaCl. Cement circulated to surface. Completed 9:15 a.m.****10-21-73: Ran 9-5/8" OD, 43.5# buttress casing set at 1625' KB, cemented with 600 sacks Class "A" with 1/4# Flocele per sack & 2% CaCl, followed with 100 sacks regular with 2% CaCl. Cement failed to circulate. Bradenhead squeezed with 200 sacks regular cement with 3% CaCl. Completed 1:30 p.m. Tested BOPE and casing with 1000 psi for 30 minutes. No loss in pressure.**

18. I hereby certify that the foregoing is true and correct

SIGNED

*T. Bliss*TITLE **District Superintendent** DATE **10-26-73**

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

USGS (3)**OGCC (2)****TB****ARM****CGH****The Navajo Tribe****Farmington Aztec**

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1963—O-485229

947 - 485



LTR



Job separation sheet

K 26-26-18

Navajo Tribe "BP" Well No. 2

Record of Deviation Tests

96	$\frac{1}{4}$
470	$\frac{1}{4}$
890	1
1431	1
1558	1
1625	1
2135	$1\frac{1}{4}$
2742	$\frac{3}{4}$
3060	$1\frac{1}{2}$
3568	$1\frac{3}{4}$
3702	$2\frac{3}{4}$
4362	2
4885	$2\frac{1}{2}$
5400	$1\frac{3}{4}$
5900	$1\frac{1}{2}$
6246	$1\frac{3}{4}$
6460	$1\frac{3}{4}$

State of New Mexico

County of San Juan

Before me the undersigned authority, on this day personally appeared C. G. Hogue known to me to be the person whose name is subscribed to this statement, who being duly sworn on the status that he has knowledge of the facts reported herein, and that this is true and correct.

TEXACO Inc.

by C. G. Hogue

Subscribed and sworn to before me this 13th Day of November, 1973.

Jo. Spack
Notary Public

My Commission expires July 15, 1976

