

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☒	GAS WELL ☐	DRY ☐	Other _____		
b. TYPE OF COMPLETION:		NEW WELL ☒	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	Other _____
2. NAME OF OPERATOR Texaco Inc. Attention: T. Bliss						5. LEASE DESIGNATION AND SERIAL NO. NOO-C-14-20-2727	
3. ADDRESS OF OPERATOR P. O. Box 2100, Denver, Colorado 80201						6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo Tribe "BP"	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface SW$\frac{1}{4}$ SW$\frac{1}{4}$ Sec. 26 At top prod. interval reported below 660' FSL & 660' FWL, Sec. 26 At total depth						7. UNIT AGREEMENT NAME 8	
14. PERMIT NO. _____ DATE ISSUED _____						10. FIELD AND POOL, OR WILDCAT Tocito Dome	
15. DATE SPUDDED 2-21-74						11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec. 26 T26N-R18W	
16. DATE T.D. REACHED 3-17-74						12. COUNTY OR PARISH San Juan	
17. DATE COMPL. (Ready to prod.) 3-27-74						13. STATE New Mexico	
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 5607' KB						19. ELEV. CASINGHEAD 5595' GR	
20. TOTAL DEPTH, MD & TVD 6425'		21. PLUG, BACK T.D., MD & TVD 6360'		22. IF MULTIPLE COMPL., HOW MANY* - -		23. INTERVALS DRILLED BY Surface to TD	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Barker Creek Top 6252' Bottom TD						25. WAS DIRECTIONAL SURVEY MADE No	
26. TYPE ELECTRIC AND OTHER LOGS RUN IES, BHC-Sonic-GR						27. WAS WELL CORED Yes	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE	
13-3/8"		54.5#		82'		17-1/2"	
9-5/8"		36#		1579'		12-1/4"	
7"		23 & 26#		6411'		8-3/4"	
CEMENTING RECORD		AMOUNT PULLED					
125 sacks							
700 sacks							
300 sacks							
29. LINER RECORD							
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*	
NONE							
30. TUBING RECORD							
SIZE		DEPTH SET (MD)		PACKER SET (MD)			
		2-7/8"					
31. PERFORATION RECORD (Interval, size and number)							
SEE ATTACHED							
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.							
DEPTH INTERVAL (MD)				AMOUNT AND KIND OF MATERIAL USED			
SEE ATTACHED							
33.* PRODUCTION							
DATE FIRST PRODUCTION 3-27-74		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing				WELL STATUS (Producing or shut-in) Producing	
DATE OF TEST 4-4-74		HOURS TESTED 24		CHOKE SIZE 24/64"		PROD'N. FOR TEST PERIOD 453	
FLOW. TUBING PRESS. 280		CASING PRESSURE - -		CALCULATED 24-HOUR RATE - -		OIL—BBL. 436	
GAS—MCF. - -		WATER—BBL. - -		OIL GRAVITY-API (CORR.) 45.0			
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold						TEST WITNESSED BY W. L. Wilson	
35. LIST OF ATTACHMENTS							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED <i>Ammonie Bliss</i>		TITLE District Superintendent		DATE May 31, 1974			

*(See Instructions and Spaces for Additional Data on Reverse Side)

USGS (3) OGCC (2) TB ARM CGH The Navajo Tribe
Farmington Aztec

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formations and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	NAME	MEAS. DEPTH	TRUE VERT. DEPTH

NAVAJO TRIBE "BP" NO. 8

WELL COMPLETION HISTORY

- 3-23-74 Cleaned out to 6360' PSTD. Perforated Barker Creek intervals 6289-97' & 6312-36' with 2 JSPP. Ran tubing and packer to 6255'. Spotted 200 gal BDA acid over perfs and set 1/2 hr. Acidized with 6000 gal 28% NE HCl acid in 3 stages using 2 unibead TDA plugs (1 - 300 gal & 1 - 500 gal plugs). Maximum pressure 3600#, minimum pressure 1500#, maximum rate 12 BPM, minimum rate 5 BPM, ISIP 1000#, 5 minutes 0 psi. Swab tested.
- 3-27-74 Shut-in 15 hrs, Tubing Pressure 600 psi. Flowed 6 hrs, recovered 145 BO & 15 BW 28/64" choke, TP 300#.
- 4-4-74 IP: Flowed 24 hrs. 453 BO & 0 BW, GOR 980, 24/64" choke, 280# TP, gravity 45.0 @ 60°.

ELECTRIC LOG TOPS

Dakota	774'	Honaker Trail	5510'
Morrison	1005'	Ismay	5963'
Todilto	2035'	Desert Creek	6073'
Entrada	2057'	Akah	6177'
DeChelly	3702'	Barker Creek	6252'

DSTs

No DSTs were taken.



CORES

Core No. 1	Barker Creek	6275-6291'	Cut 16',	Rec. 0'
Core No. 2	Barker Creek	6291-6297'	Cut 6',	Rec. 6'
Core No. 3	Barker Creek	6297-6322'	Cut 25',	Rec. 25'
Core No. 4	Barker Creek	6322-6374'	Cut 52',	Rec. 52'

...OM "S" ...CLAVIN

APR 11 1964

[illegible]

2-7-74 6:00 AM - 8:00 AM, Lapping Pressure 800 psi, Flow 8 gals.
2-7-74 8:00 AM - 9:00 AM, Lapping Pressure 800 psi, Flow 8 gals.

---76: 70: 1980-1981, 1982-1983, 1984-1985, 1986-1987, 1988-1989, 1990-1991, 1992-1993, 1994-1995, 1996-1997, 1998-1999, 2000-2001, 2002-2003, 2004-2005, 2006-2007, 2008-2009, 2010-2011, 2012-2013, 2014-2015, 2016-2017, 2018-2019, 2020-2021, 2022-2023, 2024-2025, 2026-2027, 2028-2029, 2030-2031, 2032-2033, 2034-2035, 2036-2037, 2038-2039, 2040-2041, 2042-2043, 2044-2045, 2046-2047, 2048-2049, 2050-2051, 2052-2053, 2054-2055, 2056-2057, 2058-2059, 2060-2061, 2062-2063, 2064-2065, 2066-2067, 2068-2069, 2070-2071, 2072-2073, 2074-2075, 2076-2077, 2078-2079, 2080-2081, 2082-2083, 2084-2085, 2086-2087, 2088-2089, 2090-2091, 2092-2093, 2094-2095, 2096-2097, 2098-2099, 2100-2101, 2102-2103, 2104-2105, 2106-2107, 2108-2109, 2110-2111, 2112-2113, 2114-2115, 2116-2117, 2118-2119, 2120-2121, 2122-2123, 2124-2125, 2126-2127, 2128-2129, 2130-2131, 2132-2133, 2134-2135, 2136-2137, 2138-2139, 2140-2141, 2142-2143, 2144-2145, 2146-2147, 2148-2149, 2150-2151, 2152-2153, 2154-2155, 2156-2157, 2158-2159, 2160-2161, 2162-2163, 2164-2165, 2166-2167, 2168-2169, 2170-2171, 2172-2173, 2174-2175, 2176-2177, 2178-2179, 2180-2181, 2182-2183, 2184-2185, 2186-2187, 2188-2189, 2190-2191, 2192-2193, 2194-2195, 2196-2197, 2198-2199, 2200-2201, 2202-2203, 2204-2205, 2206-2207, 2208-2209, 2210-2211, 2212-2213, 2214-2215, 2216-2217, 2218-2219, 2220-2221, 2222-2223, 2224-2225, 2226-2227, 2228-2229, 2230-2231, 2232-2233, 2234-2235, 2236-2237, 2238-2239, 2240-2241, 2242-2243, 2244-2245, 2246-2247, 2248-2249, 2250-2251, 2252-2253, 2254-2255, 2256-2257, 2258-2259, 2260-2261, 2262-2263, 2264-2265, 2266-2267, 2268-2269, 2270-2271, 2272-2273, 2274-2275, 2276-2277, 2278-2279, 2280-2281, 2282-2283, 2284-2285, 2286-2287, 2288-2289, 2290-2291, 2292-2293, 2294-2295, 2296-2297, 2298-2299, 2300-2301, 2302-2303, 2304-2305, 2306-2307, 2308-2309, 2310-2311, 2312-2313, 2314-2315, 2316-2317, 2318-2319, 2320-2321, 2322-2323, 2324-2325, 2326-2327, 2328-2329, 2330-2331, 2332-2333, 2334-2335, 2336-2337, 2338-2339, 2340-2341, 2342-2343, 2344-2345, 2346-2347, 2348-2349, 2350-2351, 2352-2353, 2354-2355, 2356-2357, 2358-2359, 2360-2361, 2362-2363, 2364-2365, 2366-2367, 2368-2369, 2370-2371, 2372-2373, 2374-2375, 2376-2377, 2378-2379, 2380-2381, 2382-2383, 2384-2385, 2386-2387, 2388-2389, 2390-2391, 2392-2393, 2394-2395, 2396-2397, 2398-2399, 2400-2401, 2402-2403, 2404-2405, 2406-2407, 2408-2409, 2410-2411, 2412-2413, 2414-2415, 2416-2417, 2418-2419, 2420-2421, 2422-2423, 2424-2425, 2426-2427, 2428-2429, 2430-2431, 2432-2433, 2434-2435, 2436-2437, 2438-2439, 2440-2441, 2442-2443, 2444-2445, 2446-2447, 2448-2449, 2450-2451, 2452-2453, 2454-2455, 2456-2457, 2458-2459, 2460-2461, 2462-2463, 2464-2465, 2466-2467, 2468-2469, 2470-2471, 2472-2473, 2474-2475, 2476-2477, 2478-2479, 2480-2481, 2482-2483, 2484-2485, 2486-2487, 2488-2489, 2490-2491, 2492-2493, 2494-2495, 2496-2497, 2498-2499, 2500-2501, 2502-2503, 2504-2505, 2506-2507, 2508-2509, 2510-2511, 2512-2513, 2514-2515, 2516-2517, 2518-2519, 2520-2521, 2522-2523, 2524-2525, 2526-2527, 2528-2529, 2530-2531, 2532-2533, 2534-2535, 2536-2537, 2538-2539, 2540-2541, 2542-2543, 2544-2545, 2546-2547, 2548-2549, 2550-2551, 2552-2553, 2554-2555, 2556-2557, 2558-2559, 2560-2561, 2562-2563, 2564-2565, 2566-2567, 2568-2569, 2570-2571, 2572-2573, 2574-2575, 2576-2577, 2578-2579, 2580-2581, 2582-2583, 2584-2585, 2586-2587, 2588-2589, 2590-2591, 2592-2593, 2594-2595, 2596-2597, 2598-2599, 2600-2601, 2602-2603, 2604-2605, 2606-2607, 2608-2609, 2610-2611, 2612-2613, 2614-2615, 2616-2617, 2618-2619, 2620-2621, 2622-2623, 2624-2625, 2626-2627, 2628-2629, 2630-2631, 2632-2633, 2634-2635, 2636-2637, 2638-2639, 2640-2641, 2642-2643, 2644-2645, 2646-2647, 2648-2649, 2650-2651, 2652-2653, 2654-2655, 2656-2657, 2658-2659, 2660-2661, 2662-2663, 2664-2665, 2666-2667, 2668-2669, 2670-2671, 2672-2673, 2674-2675, 2676-2677, 2678-2679, 2680-2681, 2682-2683, 2684-2685, 2686-2687, 2688-2689, 2690-2691, 2692-2693, 2694-2695, 2696-2697, 2698-2699, 2700-2701, 2702-2703, 2704-2705, 2706-2707, 2708-2709, 2710-2711, 2712-2713, 2714-2715, 2716-2717, 2718-2719, 2720-2721, 2722

RECEIVED 1965

774	Donker Trail	774	Donker Trail
1008	Lamay	1008	Lamay
1085	Desert Creek	1085	Desert Creek
1087	Alan	1087	Alan
3702	Parker Creek	3702	Parker Creek

27-01

00 0220 104 4141 0000

Core 1	4	Banker Creek	4822-4874	Core 1	4	Banker Creek	4822-4874
Core 2	3	Banker Creek	4875-4927	Core 2	3	Banker Creek	4875-4927
Core 3	2	Banker Creek	4928-4980	Core 3	2	Banker Creek	4928-4980
Core 4	1	Banker Creek	4981-5033	Core 4	1	Banker Creek	4981-5033

