12-1/4"

8-5/8"

9-5/8"

7"

SUBMIT IN TRIPLICATE*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

30-045-21445

UNITED STATES

DEPARI	5. LEASE DESIGNATION	AND SERIAL NO.				
	SEOLOGICAL SURVEY			14-20-0603	8-8103	
APPLICATION FOR PER	MIT TO DRILL, DE	EPEN, OR PLUG E	BACK	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME	
1a. TYPE OF WORK DRILL X	DEEPEN 🗆	PLUG BA	ск 🗆	7. UNIT AGREEMENT NA	ME	
	THER	SINGLE MULTIF	'LE	8. FARM OR LEASE NAM		
2. NAME OF OPERATOR				Navajo Tri	Lbe "AR"	
Texaco Inc.	Attention:	T. Bliss		9. WELL NO.		
3. ADDRESS OF OPERATOR	_			6		
P. O. Box 2100, De	nver, Colorado	80201		10. FIELD AND POOL, OI		7
4. LOCATION OF WELL (Report location cle At surface	early and in accordance with a	ny State requirements.*)		Tocito Do	ne femind	ex (
SWISE SEC.	27			11. SEC., T., R., M., OR B AND SURVEY OR AR	LK.	
-	SL. 1980'FEL SE	C. 27				
At proposed prod. none				Sec. 27-T	26N-R18W	
14. DISTANCE IN MILES AND DIRECTION F	ROM NEAREST TOWN OR POST O	FFICE*		12. COUNTY OR PARISH	13. STATE	
				San Juan	N. Mex.	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if an	6601	3. NO. OF ACRES IN LEASE	TOTH	F ACRES ASSIGNED IS WELL O (Second We		
8. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL DRILLING COMPLETED.				OTARY OR CABLE TOOLS ROTARY		
21. ELEVATIONS (Show whether DF, RT, GF				22. APPROX. DATE WOL	RK WILL START*	
5610' Gr.				3-15-74		
23.	PROPOSED CASING	AND CEMENTING PROGR.	AM	-		
SIZE OF HOLE SIZE OF CAS	SING WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEMENT		
17-1/2" New 13-3/8	3" 48# H-40	100 *	Circ	to surface		

Propose to drill subject well to increase dil recovery from Tocito Dome Field. Samples will be taken at 10' intervals from 3600' to TD. A 60' core is planned in the Barker Creek. Logs will be run from surface casing to TD. Prospective zones will be perforated and treated as necessary. Blowout preventer equipment will be as indicated on the attached Exhibit, and will be tested at regular intervals. Necessary steps will be taken to protect the environment.

40# K-55

26# K-55

1600'

6345'

Circ to surface

Cmt to 600' above pay zone

zone. If proposal is to d preventer program, if any.	PROPOSED PROGRAM: If propose rill or deepen directionally, give.						
Signed Signed	: Tommie Bliss	TITLE	District	Super	intendent _{DATE}	March	1, 1974
(This space for Federa	al or State office use)		APPROVAL DAT	6			
APPROVED BYCONDITIONS OF APPROVA	L, IF ANY:	TITLE			DATE _		FAR S 11-
JSGS (3) Parmington	OGCC (2) Aztec	TB	ARM	CGH	The Navajo	Tribe	CON. CL
-	*	See Instructi	ons On Reverse	Side			DIST. 3

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and bases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone. Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

¢ GPO 782-931

All distances must be from the outer boundaries of the Section

Operator			Lease		Well No.		
Texaco Inc.			Navajo Tribe	"AR"	6		
Unit Letter	Section	Township	Range	County			
0	27	26 North	18 West	San Juan			
Actual Footage Loc			0				
660		outh line and	 	t from the East	line		
Ground Level Elev: 5610	Producing For		Pool	· · · · · · · · · · · · · · · · · · ·	cated Acreage:		
2010	Pennsy.	lvanian	Tocito Dome	Penn "D" ExT	160 Acres		
1. Outline th	e acreage dedica	ted to the subject w	ell by colored pencil	or hachure marks on the pl	at below.		
	2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).						
		ifferent ownership is initization, force-pooli		, have the interests of all	owners been consoli-		
Yes	No If a	nswer is "yes," type o	f consolidation				
	. 44 44	•					
		owners and tract desc	riptions which have a	ctually been consolidated	. (Use reverse side of		
	f necessary.)	11 11 1		1.1 . 2 .0	•••		
	-			consolidated (by commun ch interests, has been app			
	1		1	CE	RTIFICATION		
	1		İ				
Į.	1		1	1 1	y that the information con-		
1	1		1		s true and complete to the		
ł				I I	wledge and belief. Ommie Bliss		
	† }		ATI HIVEN	225	2mm'x 0 D'7 190		
į.	!		\K[PTIATE	Nome			
	+		7	Tommie	Bliss		
	1		MAR 6 1974	Position			
	į.		1 """	District	Superintendent		
			OIL CON. COM	Compony			
	i .		bist. 3	Texaco	Inc.		
·	1			Date			
	!	Section 27	i	Febru	ary 27, 1974		
	<u> </u>	06001011 21					
	!		1				
			1	II 1	ify that the well-location _		
	\$ •		1	и II I	plat was plotted from field		
<u> </u>	1		1 0	notes of actua	ol surveys made by me or		
ļ	i		1	11 1	rvision, and that the same		
	1		1	knowledge and	orrect to the best of my		
1	1				puridit		
Γ							
ļ	1		1	Date Survered			
1	 		, ,	Rebruci	107h		
	1	∥ ⊚	1980		ssional Engineer		
	; ;	66)	and Land Sur			
				Certificate po	There are a second		
0 330 660	90 1320 1650 191	0 2310 2640 2000	1500 1000	500 0 308	The state of the s		
- 555 660	-3 -320 1000 191	2000			The same of the sa		



FREE CONTRACTOR STATEMENT CONT

THEKACO HIS. B. O. MOX 8100 DENVIR, COLORÁDO 80801

March 1, 1974

MAVAJO TRIBE "AR" NO. 6
SWASSA SEC. 27
SAN JUAN COUNTY, NEW MEXICO
6.34

Mr. P. T. McGrath (3)
District Engineer
U. S. Geological Survey
P. O. Box 959
Farmington, New Mexico 87401

Dear Mr. McGrath:

As requested by your office, the Surface Use Development Plan for Navajo Tribe "AR" No. 6, San Juan County, New Mexico, is as follows:

- Existing roads and exit to the location are shown on the attached plat.
- 2. Approximately one-quarter mile of access road will be required as shown on attached plat. The road surface will be compacted soil.
- 3. Nearest producing well is located 1,300' to the northeast in Section 27.
- 4. Lateral roads in the vicinity of the location are shown on the attached plat.
- 5. The flowline for the proposed well will run to an existing battery located two-thirds mile to the west of the location (see attached plat).
- 6. Water for drilling operations will be obtained from the bradenhead annulus of Texaco's Mavajo Tribe "AL"
 No. 2, located one mile to the southwest.

MAR 6 1974

OIL CON. COM.
DIST. 3



Trems that the control of the

ers en gûne het da

TREACO HE. B. O. BOX 8000 DERIVER, COLONADO 80001

COLUMN DESCRIPTION OF THE COLUMN DESCRIPTION

(1) control (1) The significance of the signi

CAL TOP ROLL MADE

ార్లో ప్రాంత్రం అంటు అందిని మండు కార్లో ప్రాంతం ప్రాంత్రులో ప్రాంత్రులో మండు ప్రాంత్రులో ప్రాంత్రులో ప్రాంత్రు మండు ప్రాంత్రులోని ప్రాంత్రులో ప్రాంత్రులోని కూడికి ప్రాంత్రులోని ప్రాంత్రులోని ప్రాంత్రులోని ప్రాంత్రులో ప్రాం మండు ప్రాంత్రులోని ప్రాంత్రులో ప్రాంత్రులోని ప్రాంత్రులోని మండు ప్రాంత్రులోని ప్రాంత్రులోని ప్రాంత్రులోని మండు

- ార్కు కార్లు మూర్ అయ్యాల్లో ఉంది. కార్డికి మార్డికి మండ్రి అంది. అన్ని కట్టుండి. కుడ్డి కట్టి మండ్రికి కట్టుకు కారణ కట్టి కట్టి
- - out of the manage of the control of
 - ు కూడా మాక్సామ్మాట్ కొరుగుకుకు కార్యా కృష్ణా కొరువు కొరువు కొరువుకుండి కొరువుకుండి. ఇక్కోండ్ కార్యా కార్యా కొరువుకుండి కొరువుకు కొరువుకు
- ుడు మంగా కన్నిందు మేదు కుర్యాలు, మండ్లు అది మండి ఎందికోవడు కుర్నారు. ఎంది అంగా కుర్నారు. ఇవ్రాణ జూరుకు కూడ్ కూడు కుర్వారు. ఈ కృష్ణాలు అంది కూడు కూడు మంగా కుర్వారు. మండికు కుర్వారు. ఈ మూరికి మూరికు మూరికు మండికి కొన్న కుర్వారు.
- unist was some med tites american kin sellet, so wood your life This time of american sellet so and the tensely based as a life of the constant which all of the constant

MAR 6 1974

OIL CON, COM

- 7. All waste material will be contained by earthen and steel pits. Earthen pits are to be subsequently backfilled and buried.
- 8. No separate drill campsites are proposed.
- 9. There are no FAA registered airstrips in the vicinity of the location.
- 10. The drillsite location will be laid bare and will be approximately 250' x 300'. Proper grading will be used to control erosion on the location. A plat showing the location and rig layout is attached.
- 11. All surfaces not used in normal well servicing and maintenance will be cleaned and graded, where necessary.
- 12. The wellsite is located on flat, sandy, barren ground, with widely scattered clumps of sage brush, and/or tumbleweeds.

Yours very truly,

Signed: Tommie Bliss

Tommie Bliss District Superintendent

MDS :JIM

Attach.

CC: Oil & Gas Conservation Commission (2) 1000 Rio Brazos Road Aztec, New Mexico 87501



- The market of the entertainment of the second year many and the second governmenter ed or sin when assured .asia isa. ... The Royal Book South Control
 - AND STORE OF BLE STOLE STOLE SECTION OF SECT
 - A. T. LEGG CRE IN THE TOTAL COLUMN OF THE PROPERTY OF THE COLUMN - Polaton Sat To Markey
 - S. . Physical Principles of the compact of the base only of the Car one san agence, . 186 of the Colors and a second and the considerate of the control of the transfer of the enables as as server yer bus a compatible and the con-
 - To be a process for the Bon Mr bush of anomical grounds. · 我有一句 (1) \$6.50 (2) 一面女子的主义 \$1.50 (2) (1) (2) (2) (2) (2) (2)
 - I The Affect a believe that well be established in county which is separated and along the property Later Star and I was the

Y are very kuly.

digned: Teamie Bliss POWER BLEE nimerine de elintante.

HIL: M.

4.5

(1) of teamers, wereavened was a line of a 1903 Ri Brazos insso The All occursing was a policy.




Minimum equipment requirements are:

Blowout preventers must be capable of being operated both mechanically and hydraulically. Controls must be located so that the blowout preventer can be operated outside the drilling rig substructure. All steel tubing and connections must be used between the hydraulic controls and the blowout preventer.

Contract to the second second second bearing to the second
- 2. Pressure rating of the blowout preventer and associated connections must be proportional to depth and pressure expectations. Use Figure 1 as a guide in unknown areas. 10" SERIES 600
- Distance "A" must be sufficient to accommodate a Hydril preventer if required.
- 4. Chokes, valves, manifold piping and kill line must be flanged and designed equal to or above the pressure rating of the blowout preventer.
- Kelly cock must be used at all times and should be checked daily.







DRILLING FLUID


WATER AND WATER-BASE MUD

NOTE: BLOWOUT PREVENTER MUST HAVE DOUBLE RAMS; ONE BLIND & ONE PIPE RAM OR THE EQUIPMENT MUST CONSIST OF TWO BLOWOUT PREVENTERS. ONE EQUIPPED WITH BLIND RAMS & THE OTHER WITH PIPE RAMS. ALWAYS PLACE THE BLIND RAMS IN THE TOP PREVENTER.

NAVAJO TRIBE "AR" NO. 6 SAN JUAN COUNTY, NEW MEXICO







В. scattered sage brush and/or tumbleweeds

A.

Location and Rig Layout Plat Navajo Tribe "AR" No. 6 San Juan County, New Mexico 化二烯基甲基磺酸丁二甲二二二甲基丁基磺酸二甲甲二