

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42 R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SF078481-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Graham

9. WELL NO.

30-A

10. FIELD AND POOL, OR WILDCAT

South Blanco P. C.

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec 10-T27N-R8W

NMPM

12. COUNTY OR PARISH

San Juan

13. STATE

N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. ☐ OIL WELL ☐ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

R&G Drilling Co.

3. ADDRESS OF OPERATOR

Farmington

c/o Walsh Eng. and Prod. Corp. P.O. Box 254 N.M. 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

790' FSL 1050' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5877' GL. 5888' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)


17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spud well November 28, 1975

November 29, 1975

Ran 8-5/8", 24.0#, K-55 casing set at 222' with 140 sacks cement.
Cement circulated. Test with 500 psig - 30 minutes. Test O. K.

December 2, 1975

Ran 4-1/2", 11.60#, K-55 casing set at 2345' with 432 sacks Halliburton
Lite with 12-1/2 lb. Gilsonite per sack followed by 135 sacks 50/50
Pozmix. Cement circulated.

RECEIVED

FEB 9 1976

U. S. GEOLOGICAL SURVEY
FARMINGTON, N.M.

For: R & G Drilling Co.

18. I hereby certify that the foregoing is true and correct

SIGNED *Samuel M. Walsh* P.E.President, Walsh Engineering
& Production Corporation

DATE 2-4-76

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side