DEPARTMENT OF THE INTERIOR (Offer Instructions on region)  GEOLOGICAL SURVEY  SUNDRY-NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)  OIL WELL WELL OTHER  NAME OF OPERATOR  KIT'DY EXPLORATION COMPANY  ADDRESS OF OPERATOR  P.O. BOX 1745, HOUSTON, Texas 77001  Location of well (Report location clearly and in accordance with any State requirements.*  See also space 17 below.)  At surface  10. FIELD A  Nipp P  11. sec., 7.  Sec 20—  1800' FSL and 1600' FEL  4. PERNIT NO.  15. ELEVATIONS (Show whether DF, RT, GR, etc.)  6035 GR  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF PULL OR ALTER CASING MATER SHUT-OFF FRACTURE TREATMENT  PULL OR ALTER CASING MATER SHUT-OFF FRACTURE TREATMENT	orm approved. odget Bureau No. 42–R1424.
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  (The well of the proposals of the propos	ESIGNATION AND SERIAL NO.
SUNDRY-NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "AFFLICATION FOR PERMIT" for such proposals.)  7. UNIT AGE  VELL GAB. WELL OTHER  NAME OF OPERATOR  NAME OF OPERATOR  NAME OF OPERATOR  PLOCATION OF WELL (Report location clearly and in accordance with any State requirements.*  Nee all space 17 below.)  10. FIELD A  Nipp P  11. sec. T.  Sec. 20-  12. COUNTY  SOUTH TO STATE THEAT  NOTICE OF INTENTION TO:  TERT WATER SHUT-OFF  FRACTURE TREAT  SHOOT OR ACIDIZE  REPAIR WELL  (Other)  1. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including set proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for resent to this work.)  DETAIL FIRST WATER SHUT-OFF  FRACTURE TREAT  SHOOT OR ACIDIZE  ABANDON*  CHAPPING FLANS  C	560223
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.    CAS   WELL   CAS   WELL   WOTHER	N, ALLOTTEE OR TRIBE NAME
NAME OF OPERATOR  Kirby Exploration Company  ADDRESS OF OPERATOR  P.O. BOX 1745, Houston, Texas 77001  LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*  See also space 17 below.)  At surface  1800' FSL and 1600' FEL  1 FERNIT NO.  18 ELEVATIONS (Show whether DF, RT, GR, etc.)  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTERNTON TO:  TEST WATER SHUT-OFF FRACTURE TREAT  SHOOT OR ACIDIZE  ARANDON*  CHANGE PLANS  CHANGE PL	
NAME OF OPERATOR  Kirby Exploration Company  Richton Exploration Company  P.O. Box 1745, Houston, Texas 77001  LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*  See also space 17 below.)  At surface  10. FIELD  10. ELEVATIONS (Show whether DF, RT, OR, etc.)  11. SEC, 20.  12. COUNTY  13. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  Check Appropriate Complete ABARDON* CHANGE PLANS  CHANGE PL	REEMENT NAME
NAME OF OPERATOR  Kirby Exploration Company  P.O. Box 1745, Houston, Texas 77001  Location of well (Report location clearly and in accordance with any State requirements.*  See also space 17 below.)  At surface  1800' FSL and 1600' FEL  16. ELEVATIONS (Show whether DF, RT, CR, etc.)  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  Checkappropriate Complete ABANDON* CHANGE PLANS	
DORESTS OF OPERATOR  P.O. BOX 1745, Houston Texas 77001  P.O. Box 1745, Houston Texas 77001  At surface  10. FIELD At surface  11. Sec. 17. Sec. 17	LEASE NAME
P.O. Box 1745, Houston, Texas 77001  LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*  See also space 17 below.)  At surface  1800' FSL and 1600' FEL  Sec 20-  11. ELEVATIONS (Show whether DF, RT, OR, etc.)  12. COUNTY  San Jua  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  Change Flans (Other)  Fracture Treatment  SHOOTING OR ACIDIZING (Other)  Change Flans (Other)  Change Flans (Other)  Fracture Treatment  SHOOTING OR ACIDIZING (Other)  Change Flans (Other)  Change Flans (Other)  Fracture Flans (Other)  Change Flans (Other)  Change Flans (Other)  Fracture Flans (Other)  Fracture Flans (Other)  Change Flans (Other)  Change Flans (O	Federal
Norther of Intention to:  Tebt water shut-off perations of Aribuse Treat water than the shut-off processed on Completing of Change Plans  Chan	1
See also space 17 below.)  At surface    Nipp P   11. 826. T. 8URY.	<u> </u>
1800' FSL and 1600' FEL  15. ELEVATIONS (Show whether DP, RT, GR, etc.)  16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  T. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including est proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6½" hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½" OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl2. Ep.m. 6-25-76. Wait on cement. Wait on completion rig.	ND POOL, OR WILDCAT
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* (Other)  Change Plans (Other)  Describe Proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6¼ hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½ 10 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl.  P. M. M. T. Elevations (Show whether DF, RT, OR, etc.)  12. COUNTY  San Jua  12. County  WATER SHUT-OFF X  FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other)  (Other)  (Other)  (Other)  (Other)  (Other)  (Noth: Report results of multiple completion or Recompletion Report of this work.)  Describe Proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6¼ hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½ 10 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl.  P. M. T. COUNTY  PRACTURE TREATMENT SHOOTING OR COUNTY  PRACTURE TREATMENT SHOOTING OR COUNTY  MATER SHUT-OFF X  WATER SHUT-OFF X  FRACTURE TREATMENT SHOOTING OR COUNTY  (Other)  (Other)  (Other)  (Other)  (Other)  (Other)  (Other)  (Other)  (NOTH: Report results of multiple of Completion or Recompletion Report of Completion or Recompletion Proposed work if well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)	Picture Cliff Extens, R., M., OR BLK. AND EY OR AREA
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* (Other)  Change Plans (Other)  Describe Proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6¼ hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½ 10 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl.  P. M. M. T. Elevations (Show whether DF, RT, OR, etc.)  12. COUNTY  San Jua  12. County  WATER SHUT-OFF X  FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other)  (Other)  (Other)  (Other)  (Other)  (Other)  (Noth: Report results of multiple completion or Recompletion Report of this work.)  Describe Proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6¼ hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½ 10 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl.  P. M. T. COUNTY  PRACTURE TREATMENT SHOOTING OR COUNTY  PRACTURE TREATMENT SHOOTING OR COUNTY  MATER SHUT-OFF X  WATER SHUT-OFF X  FRACTURE TREATMENT SHOOTING OR COUNTY  (Other)  (Other)  (Other)  (Other)  (Other)  (Other)  (Other)  (Other)  (NOTH: Report results of multiple of Completion or Recompletion Report of Completion or Recompletion Proposed work if well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)	OCN 3011
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including est proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6½" hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½" OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl <sub>2</sub> . Ep.m. 6-25-76. Wait on cement. Wait on completion rig.	-ZON-1ZW OR PARISH 13. STATE
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  Obscribe Proposed or complete operations (Clearly state all pertinent details, and give pertinent dates, including est proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6¼ hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½ 0D 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl2. Ep.m. 6-25-76. Wait on cement. Wait on completion rig.	n New Mexico
NOTICE OF INTENTION TO:  TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  T. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including est proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)*  Drilled 64 hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½ " OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl p.m. 6-25-76. Wait on cement. Wait on completion rig.	<u> </u>
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  DESCRIBE PROPOSED OR COMPLETE OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including est proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6¼" hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½" OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl p.m. 6-25-76. Wait on cement. Wait on completion rig.	
FRACTURE TREAT SHOOT OR ACIDIZE  REPAIR WELL (Other)  T. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent datas, including est proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6½ hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½ OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl p.m. 6-25-76. Wait on cement. Wait on completion rig.	or:
SHOOT OR ACIDIZE  REPAIR WELL  (Other)  CHANGE PLANS  (Other)  (Other)  Change Plans  (Other)  (Note: Report results of multiple of Completion or Recompletion Report of Composed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6½ hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½ OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl p.m. 6-25-76. Wait on cement. Wait on completion rig.	REPAIRING WELL
REPAIR WELL  (Other)  CHANGE PLANS  (Other)  COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including est proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 6¼" hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½" OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl p.m. 6-25-76. Wait on cement. Wait on completion rig.	ALTERING CASING
(Other)  (Ot	ABANDONMENT*
(Other)  DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including est proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for nent to this work.)  Drilled 64" hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½" OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl <sub>2</sub> . Ep.m. 6-25-76. Wait on cement. Wait on completion rig.	completion on Well
Drilled 6¼" hole to 1300 feet - total depth 12:00 p.m. 6-24-76. Ran logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½" OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl <sub>2</sub> . Ep.m. 6-25-76. Wait on cement. Wait on completion rig.	and Log form.)
logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½" OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl. Ep.m. 6-25-76. Wait on cement. Wait on completion rig.	all markers and zones perti-
logs IEL, FDC-CNL, GR and caliper. Ran 29 joints 4½" OD 10.5 casing 1242. Cemented with 100 sacks class "G" with 4% gel and 2% CaCl. Ep.m. 6-25-76. Wait on cement. Wait on completion rig.	Open hole
p.m. 6-25-76. Wait on cement. Wait on completion rig.	<del>-</del>
p.m. 6-25-76. Wait on cement. Wait on completion rig.	
RECEIVE RELIEF	_
RELEIVE ON THE ONE	
RILLIVE SUR J. S. DIST. DIST.	
RECEIVE ON TO DIST	
RECEIVE ON TO DIST	• •
RECEIVE ON THE CONTROL OF THE CONTRO	
RELLEY ON TO DIST	
RIULI'S ON DIST	
TU CON DIST	-e
at con pist	810
OIST CON	-014
OIST DIST	· 💇 /
	3
8. I hereby certify that the foregoing is true and correct	
Signed Wellea T. Well. T. Jones Title Agent DATE	6-30-76

DATE .

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_\_\_\_ CONDITIONS OF APPROVAL, IF ANY: