## 5 BLM 1 File

Form 3160-5 (June 1990)

## UNITED STATES

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135

Expires: March 31,1993

Water Shut-Off

Dispose Water (Note: Report results of multiple completion on Wel Completion or Recompletion Report and Log form.)

Conversion to Injection

N 55	5. Lease Designation and Senal
SUNDRY NOTICES AND REPORTS ON WELLS	NM-17781
•	

Do not use this form for proposals to			6. If Indian, Allotted or Tribe Name
	R PERMIT -" for such propo N TRIPLICATE	sais	
1. Type of Weil Oil Gas Well X Weil	Other	JAN 2002	A)If Unit or CA, Agreement Designation
2. Name of Operator	Į.	OF COLUMN	8. Well Name and No.
Dugan Production Corp		E OF OF	∯aul Revere #202
3. Address and Telephone No.	-		9. API Well No.
P.O. Box 420 , Farmington, NM	87499 (505) 325 - 1	821 62 82 17 90	30 045 22412
Location of Well (Footage, Sec., T., R., M., or Survey Description)			10. Field and Pool, or Exploratory Area
790' FNL & 990" FEL			WAW Fruitland Sand PC
Sec. 23, T26N, R13W			11. County or Parish, State
			San Juan, New Mexico
12. CHECK APPROPRIATE BOX(s) TO INC	ICATE NATURE OF NO	TICE, REPORT, OR C	THER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Notice of Intent	X Abandonment		Change of Plans
	Recompletion		New Construction
Subsequent Report	Plugging Back		Non-Routine Fracturing

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Casing Repair

Altering Casing

Other

## Plugged well as follows:

Final Abandonment Notice

- 1) Pumped 40 sx. (47.2 cu.ft.) Class "B" neat cement w/ 2% Calcium Chloride from surface to Picture Cliff perforations (1,154' 1,189'). Tagged cement @ 250'.
- 2) Perforated below surface casing @ 188', pump 44 sx. (51.92 cu.ft.) Class "B" cement, would not circulate out braidenhead. Perforate @ 90', pump 30 sx. (35.4 cu.ft.) cement, would not circulate. Perforate @ 45', establish circulation out braidenhead, fill casing & surface pipe w/12 sx. (14.16 cu.ft.) cement. Totals for surface plug 86 sx. (101.48 cu.ft.) cement.
- 3) Job complete 12/28/01.

14. I hereby certify that the foregoing is true and cor	rect			
Signed Forty Kochis	Title	Petroleum Engineer	Date	1/3/2002
(This space for Federal or State office use)			ACCEPTED FOR RECOR!	
Approved by	Title		Date	
Conditions of approval, if any:				197 2
				Chan