

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DI, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO.	30-045-22575
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	LG-3735
7. Lease Name or Unit Agreement Name	STATE
8. Well No.	#1
9. Pool name or Wildcat	WAW FRTLND SAND-PC & BASIN FRTLND COAL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER ☐	2. Name of Operator COLEMAN OIL & GAS, INC.
3. Address of Operator PO DRAWER 3337, FARMINGTON, NM 87499-3337	4. Well Location Unit Letter <u>A</u> : <u>790</u> Feet From The <u>NORTH</u> Line and <u>790</u> Feet From The <u>EAST</u> Line Section <u>2</u> Township <u>26N</u> Range <u>13W</u> NMPM <u>SAN JUAN</u> County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 6006 GR	

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
11. NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒	REMEDIAL WORK ☐ ALTERING CASING ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	CASING TEST AND CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent date, including estimated date of starting any proposed work) SEE RULE 1103.

RIGGED UP AMERICAN ENERGY TO 2 7/8" CASING. ESTABLISHED RATE INTO PERFORATIONS.
MIXED AND PUMPED 40 SACKS CLASS B CEMENT. FIRST 10 SACKS OF CEMENT HAD 1/2# PER SACK CELLOFLAKE.
PRESSURE INCREASED TO 500# PSIG & HELD. TOPPED OFF 2 7/8" & 5 1/2" WITH CEMENT.
CUT OFF 2 FEET BELOW GROUND LEVEL AND INSTALLED MARKER PLATE.

MARKER PLATE INSTALLED BELOW GROUND LEVEL DUE TO CONGESTED LOCATION AS APPROVED.

SEE ATTACHMENTS: WELLBORE SCHEMATIC, LOCATION PLAT-STATE #1.

AMERICAN ENERGY REPORT

I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNATURE	<u>Wendy Rogers</u>	TITLE	PROD. ACCT.
DATE	02/21/02	TELEPHONE NO.	(505) 327-0356
TYPE OR PRINT NAME		WENDY ROGERS	

(This space for State Use) APPROVED BY CHARLES T. PERRON

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

I TALKED TO MIKE HANSON ABOUT P&A MARKER 2-22-02

DEPT. OF ENERGY & NATURAL RESOURCES
FEB 22 2002

LEASE NAME: STATE #1
LOCATION: SEC 2 T26N R13W
SAN JUAN, N.M.

DATE: AUGUST 06, 2001

REFERENCE: PLUG AND ABANDON STATE #1.

1. MOL AND RU WORKOVER RIG. TAGG UP AND POOH WITH TUBING, LAY TUBING DOWN.
2. RIG UP CEMENTERS. ESTABLISH RATE INTO PERFORATIONS. MIX AND PUMP 40 SACKS CLASS B, FIRST 10 SACKS MIX $\frac{1}{2}$ # PER SACK OF CELLOFLAKE.
3. DISPLACE WITH 7 BARRELS OF FRESH WATER OR IF 2 7/8" PRESSURES UP TO 500 PSIG
5. CUT OFF BRAIDEN HEAD AND 2 7/8". TOP OFF WITH SACK CEMENT AND INSTALL DRY HOLE MARKER

*** REQUEST TO INSTALL MARKER PLATE BELOW GROUND LEVEL RATHER THAN POST STYLE DRY HOLE MARKER DO TO CONGESTED LOCATION. 

***SEE WELLBORE SCHEMATIC.

PREPARED BY: MICHAEL T. HANSON
PAGE #1

**COLEMAN OIL GAS, INC.
STATE #1**

**HOLE SIZE- 7 7/8"
SURFACE CASING
5 1/2' 15.5#/FT. CSG. @ 60 FT.
CEMENTED WITH 10 SXS**

**HOLE SIZE- 4 3/4"
PRODUCTION CASING
2 7/8", 6.4#, J-55, @ 1285 FT KB.
CEMENTED WITH 100 SXS**

**322-328 HOLE SQUEEZED TO 2000 PSIG
WITH 100 SXS CLASS B (118 CU FT)
TESTED TO 1700 PSIG 9/12/96**

**2 7/8" TUBING .03250 CU FT/ LIN FT
TOTAL CU FT = 40.11
TOTAL SACKS REQUIRED= 33.99
TOTAL SACKS PLUS 12% 38.07**


**FISH LEFT IN HOLE 11/12/97
TOP OF FISH @ 1222 FT.
5.5 FEET 1 1/2" TUBING
CHANGE-OVER
BIT- SUB
2 3/8" BIT**

FLOAT @ 1253 FT. GL.

T.D. @ 1300 FT. GL.

**BASIN FRUITLAND COAL
PERFORATIONS @
1191-1206**

**WAW FRUITLAND SAND PC
PERFORATIONS @
1212-1214
1214-1218
1226-1234**



[illegible]