

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA
1235 LA PLATA HIGHWAY
FARMINGTON, NEW MEXICO 87401

Attachment to Notice of

Re: Permanent Abandonment

Intention to Abandon

Well: 2 Hankel Federal

CONDITIONS OF APPROVAL

1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal Leases."
2. Mark Kelly with the Farmington Office is to be notified at least 24 hours before the plugging operations commence (505) 326-6201.
3. Blowout prevention equipment is required.
4. The following modifications to your plugging program are to be made (when applicable):

Office Hours: 7:45 a.m. to 4:30 p.m.

GENERAL REQUIREMENTS FOR
PERMANENT ABANDONMENT OF WELLS ON FEDERAL AND INDIAN LEASES
FARMINGTON RESOURCE AREA

1. Secure prior approval either on a Sundry Notice (Form 3160-5) or verbally from the Fluids Drilling & Production Section at this office before changing the approved plugging program.
2. Plugging equipment used shall have separate mixing and displacement pumps and a calibrated tank to assure proper displacement of plugs. The Operator is responsible for providing all measuring devices needed to assure proper measurement of materials being used.
3. A proper tank or pit will be used to contain all fluids pumped from the well during plugging operations. Unattended pits are to be fenced.
4. All cement plugs are to be placed through tubing (or drillpipe) and shall be a minimum of 100 feet in length with 50% excess inside casing or 100% excess when plug is set in open hole or squeezed into perforations. 15.6#/gal slurry weight is to be used when using class B neat cement or when CaCl_2 is used. Use the recommended slurry weight of other type cements when they are used (Class C, Pozzolan etc.).
5. Any cement plugs placed when well is not full of fluid, or when well may be taking fluid, (i.e. across perms-unless bridge plug or retainer is used, across bad csg., or fresh water formations) will be tagged (touched) after cement has set to verify proper location.
 - 5a. Testing The first plug below the surface plug shall generally be tested by either tagging the plug with the working pipe string, or pressuring to a minimum pump (surface) pressure of 1000 psig, with no more than a 10 percent drop during a 15-minute period (cased hole only). If the integrity of any other plug is questioned, it must be tested in the same manner. Also, any cement plug which is the only isolating medium for a fresh water interval or a zone containing a valuable mineral deposit should be tested by tagging with the drill string.
6. Mud must be placed between plugs. Plugging mud is to be made up with a minimum of 15 lbs/bbl of sodium bentonite, and a nonfermenting polymer. Minimum consistency of plugging mud must be 9 lbs/gal and with a minimum viscosity of 50 sec/qt. Fresh water is to be utilized for mixing mud.
7. Following the placement of a cement plug, the withdrawal rate for at least the length of the cement plug shall not exceed 30 ft/min, in order to minimize the contamination of the plug.

8. Within 30 days after plugging work is completed, file a Sundry Notice (Subsequent Report of Abandonment, Form 3160-5), in quintuplicate with Area Manager, Bureau of Land Management, 1235 La Plata Highway, Farmington, NM 87401. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. Show date well was plugged.

9. All permanently abandoned wells are to be marked with a regulation marker (4" pipe extending 4' above the ground line) containing the information as specified in 43 CFR 3162.6(d). Unless otherwise approved.

10. After plugging work is completed the surface is to be rehabilitated in accord with instructions from the Fluids Surface Management Section of the Farmington Resource Area Office.

All above are minimum requirements. The period of liability under the bond of record will not be terminated until the lease is inspected and surface work approved.

Please advise this office when the well location is ready for final inspection.

Failure to comply with the above conditions of approval may result in an assessment for noncompliance and/or a Shut-in Order being issued pursuant to 43 CFR 3163.1.

You are further advised that any instructions, orders or decisions issued by the Bureau of Land Management are subject to administrative review pursuant to 43 CFR 3165.3 and appeal pursuant to 43 CFR 3165.4 and 43 CFR 4.700.

Distribution: 0+4 (BLM); 1 (Well File)

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Merrion Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 840, Farmington, New Mexico 87499

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

790' FNL & 790' FEL (NENE)
Section 31, T26N, R12W

FORM APPROVED

Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-16473

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Hanlad Federal #2

9. API Well No.

30-045-22658

10. Field and Pool, or Exploratory Area

WAW Fruitland P.C. Sand

11. County or Parish, State

San Juan, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other See below

☒ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

In response to your letter dated November 3, 1992, Merrion Oil & Gas Corporation has scheduled to commence plugging operations on this well before the end of this year.

14. I hereby certify that the foregoing is true and correct

Signed

Title

OPS MGR
STEVEN S. DUNN

Date

11/10/92

(This space for Federal or State office use)

Approved by

Title

Conditions of approval, if any:

APPROVED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

NMOCD

NOV 19 1992
AREA MANAGER

DISTRICT II
P.O. Drawer DD, Artesia, NM 88211-0719

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Submit original and 4 copies to the appropriate district office.

APPLICATION FOR APPROVAL TO USE AN ALTERNATE GAS MEASUREMENT METHOD
Rule 403.B(1) or (2)

Operator Name: MERRION OIL & GAS CORPORATION Operator No. 5997
Operator Address: P. O. Box 840, Farmington, NM 87499
Lease Name: Hanlad Federal 2 Type: State Federal ☒ Fee ☐
Location: (A) Section 31, T26N, R12W, San Juan, NM
Pool: WAW Fruitland Sand Pictured Cliffs
Requested Effective Time Period: Beginning Ending DEC 17 1992

RECEIVED
DEC 17 1992

APPROVAL PROCEDURE: RULE 403.B.(1)
Please attach a separate sheet with the following information:

OIL CON. DIV
1 DIST. 3

- 1) A list of the wells (including well name, number, ULSTR location, and API No.) included in this application.
- 2) A one year production history of each well included in this application (showing the annual and daily volumes).
- 3) The established or agreed-upon daily producing rate for each well and the effective time period.
- 4) Designate wells to be equipped with a flow device (required for wells capable of producing 5 MCF per day or more).
- 5) The gas transporter(s) connected to each well.

APPROVAL PROCEDURE: RULE 403.B.(2)
Please attach a separate sheet with the following information.


A separate application is required for each Central Point Delivery (CPD). Working interest, royalty and overriding royalty ownership must be common for all wells to be connected to the subject CPD.

- 1) An ownership plat showing a description of the lease and all of the wells to be produced through this CPD.
 - a) List the wells which will be metered separately, including API No.
 - b) List the wells which will not be metered separately, including API No.
- 2) Describe the proposed method of allocating production from non-metered wells.
- 3) A one year production history of the wells which will not be metered showing the annual and daily volumes.
- 4) The gas transporter(s) connected to this CPD.

Applicant will be responsible for filing OCD Form C-111 for the CPD.

OPERATOR

I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 
Steven S. Dunn

Printed Name & Title: Operations Manager
10-16-92

OIL CONSERVATION DIVISION

This approval may be cancelled at anytime that operating conditions indicate that re-tests may be necessary to prevent waste and protect correlative rights.

Approved Until: Further notice
By: Original Signed by FRANK T. CHAVEZ
Title: SUPERVISOR DISTRICT # 3

ATTACHMENT TO C-136

HANLAD FEDERAL No. 2

NM-16473

(A) Section 31, T26N, R12W

San Juan County, New Mexico

WAW Fruitland Sand Pictured Cliffs

API: 30-045-22658

Gas Transporter: EPNG

PRODUCTION HISTORY

HANLAD FEDERAL No. 2

	GAS <u>MCF</u>
January, 1992	0
February, 1992	33
March, 1992	20
April, 1992	0
May, 1992	0
June, 1992	0
July, 1992	0
August, 1992	0
September, 1992	2
October, 1992	2

DATE : Ref Agreement dated 1-22-92Page 1 of 1REV DATE: 9-8-92ATTACHMENT
ALTERNATIVE METHOD

LOW FLOW WELL LISTING

Operator Code 5997
Operator Name Merrion Oil & Gas Corp.

METER NO.	WELL NAME	STATE	AREA LOCATION	TEST PERIOD MCF	TEST PERIOD FLOW HOURS	TIME CALC. HOURLY RATE MCF	AGREED VOLUME DAILY RATE MCF	WELL VOLUME CLOSED CONDITIONS
02-625	Chaco Plant 1 & 2 CPD	NM-31	Aztec	1068	2618.5	0.4	9.6	TC
75-864	Rock House Canyon #1	NM-31	Chaco	20	39.2	0.51	12.24	TC
90-282	Jicarilla 428 # 7	NM-31	Chaco	1302	2761.9	0.47	11.28	TC
90-739	Hanlad Fed #2 FR PC CMGLD	NM-31	Chaco	53	568.5	0.09	0.72	Code 29 off 33% AV
93-106	Hi-Roll #2R	NM-31	Aztec	2354	4107.2	0.57	13.68	TC
93-288	East Lindrith #3	NM-31	Chaco	678	1195.9	0.56	13.44	TC
93-791	Bonanza #5	NM-31	Chaco	1438	2429.1	0.59	14.16	TC
94-052	Bonanza #6	NM-31	Chaco	1422	2326.7	0.61	14.64	TC
94-180	Salazar G-34 #1	NM-31	Chaco	200	354.9	0.56	13.44	TC
94-303	Dome Federal 18-27-13 #2	NM-31	Aztec	761	1837.1	0.41	9.84	TC
94-566	Rita Com #1	NM-31	Chaco	510	2086.1	0.24	5.76	TC
94-722	Salazar G Com 26 #1	NM-31	Chaco	594	1002.4	0.59	14.16	TC

TC = Time Calculated Volume (Hourly)

AV = Agreed Upon Volume (Daily)

ACCEPTED BY : _____