

NEW MEXICO OIL CONSERVATION COMMISSION

NO. OF COPIES RECEIVED	6
DISTRIBUTION	
SANTA FE	1
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	4

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
E-3148-7

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator ODESSA NATURAL CORPORATION Attn: John Strojek	8. Farm or Lease Name Burroughs-State
3. Address of Operator P. O. Box 3908 Odessa, Texas 79760	9. Well No. No. 2-E
4. Location of Well UNIT LETTER J, 1460' FEET FROM THE South LINE AND 1460' FEET FROM THE East LINE, SECTION 36 TOWNSHIP 26N RANGE 11W NMPM.	10. Field and Pool, or Wildcat Basin Dakota
15. Elevation (Show whether DF, RT, GR, etc.) 6392' K.B.	12. County San Juan

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

9/24/79 Spud Well

9/24/79 T.D. 288' Ran 7 joints 8-5/8", 24.0 lb., K-55 casing (274.11) set at 288.95' with 275 sacks Class "B" cement with 3% Calcium Chloride and 1/4 lb. Flocele per sack. Test circulated. Pressure test with 500 psig. Test ok.

10/5/79 T.D. 6335'. Ran 159 joints 4-1/2", 10.50 & 11.60, K-55 casing (6322.42) set at 6324.67 with:

First Stage: 410 sacks 50/50 Pozmix with 6-1/4 lbs. Gilsonite and 6 lbs. salt per sack.

Second Stage: 350 sacks 65-35 Pozmix (12% Gel) with 6-1/4 lbs. Gilsonite per sack, followed by 50 sacks Class "B" Neat Cement. Stage Collar at 4411'.

Third Stage: 350 sacks 65-35 Pozmix (12% Gel) with 6-1/4 lbs. Gilsonite per sack, followed by 50 sacks Class "B" Neat Cement. Stage Collar at 1950'

FOR: ODESSA NATURAL CORPORATION

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

ORIGINAL SIGNED BY  
EWELL N. WALSH

President, Walsh Engr. &  
Prod. Corp.

SIGNED Ewell N. Walsh, P.E.

TITLE

DATE 10/12/79

Original Signed by A. R. Kendrick

SUPERVISOR DISTRICT #3

APPROVED BY

TITLE

DATE OCT 15 1979

CONDITIONS OF APPROVAL, IF ANY: