

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☒MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Energy Reserves Group, Inc.

3. ADDRESS OF OPERATOR

Box 3280 Casper, Wyoming 82602

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface

At proposed prod. zone 1820' FNL & 1710' FEL

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 16½ miles south of Bloomfield, New Mexico

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

1980'

16. NO. OF ACRES IN LEASE

1920

17. NO. OF ACRES ASSIGNED
TO THIS WELL

E/320

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

3000'

19. PROPOSED DEPTH

6350'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

6366

22. APPROX. DATE WORK WILL START*

October, 1979

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12½"	8 5/8"	20#	700'	Cement to Surface
7 7/8"	4½"	10.5#	6350'	500 sx

Energy Reserves Group, Inc. proposes to drill the above referenced well with rotary tools from surface to T.D. Proposed zone of completion is the Dakota "A" Sand @ 6280',

gas in debris

SEP 18 1979

U. S. GEOLOGICAL SURVEY

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

William J. [Signature]

TITLE Field Services Adminst.

DATE September 10, 1979

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ok Frank

*See Instructions On Reverse Side

OIL CONSERVATION DIVISION

P. O. BOX 2088

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

SANTA FE, NEW MEXICO 87501

Form C-102
Revised 10-1-78

All distances must be from the outer boundaries of the Section.


Operator ENERGY RESERVES GROUP			Lease RANDALL		Well No. 6
Unit Letter G	Section 15	Township 26N	Range 11W	County San Juan	
Actual Footage Location of Well: 1820 feet from the North line and 1710 feet from the East line					
Ground Level Elev. 6366	Producing Formation Dakota		Pool Basin Dakota		Dedicated Acreage: 320 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Name
William J. Kerr
Position
Field Services Administrator
Company
Energy Reserves Group, Inc.
Date
September 10, 1979

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
August 30, 1979
Registered Professional Engineer
and/or Land Surveyor

Fred B. Kerr
Certificate No.
3550

Supplemental to Form 9-331C

1. The geologic name of the surface formation.
Nacimiento

2. The estimated tops of important geologic markers.
- | | | | |
|------------------------|--------------|-------------------|--------------|
| <i>Farmington</i> | <i>500'</i> | <i>Mancos</i> | <i>4400'</i> |
| <i>Kirtland</i> | <i>650'</i> | <i>Gallup</i> | <i>5275'</i> |
| <i>Pictured Cliffs</i> | <i>1700'</i> | <i>Dakota "A"</i> | <i>6280'</i> |
| <i>Lewis</i> | <i>2000'</i> | <i>T.D.</i> | <i>6350'</i> |
| <i>Mesa Verde</i> | <i>2600'</i> | | |
| <i>Ojo Alamo</i> | <i>580'</i> | | |

3. The estimated depths at which anticipated water, oil, gas, or other mineral-bearing formations are expected to be encountered.

Pictured Cliffs @ 1700' - possible gas
Gallup @ 5275' - possible oil & gas
Dakota @ 6280' - gas
Ojo Alamo @ 580' - water

4. The proposed casing program, including the size, grade, and weight-per-foot of each string and whether new or used.

<i>8 5/8"</i>	<i>K-55</i>	<i>20#</i>	<i>new</i>
<i>4 1/2"</i>	<i>K-55</i>	<i>10.5#</i>	<i>new</i>

5. The lessee's or operator's minimum specifications for pressure control equipment which is to be used, a schematic diagram thereof showing sizes, pressure ratings (or API series), and the testing procedures and testing frequency.

An 8" series 900 dual ram hydraulic BOP will be used. It will be pressure tested to 800 psi after installation and prior to drilling out from under surface casing. The BOP will be operated on each trip.

6. The type and characteristics of the proposed circulating medium or mediums to be employed for rotary drilling and the quantities and types of mud and weighting material to be maintained.

A fresh water base chemical gel mud will be used for drilling operations. Adequate supplies will be on location to handle minor lost circulation and blow out prevention.

7. The auxiliary equipment to be used, such as (1) kelly cocks, (2) floats at the bit, (3) monitoring equipment on the mud system, (4) a sub on the floor with a full opening valve to be stabbed into drill pipe when the kelly is not in the string.

A kelly cock, a sub w/drill pipe thread and a full opening valve on rig will be used.

8. The testing, logging, fracing, and coring programs to be followed with provision made for required flexibility.

No coring is planned. Three DST's may be run depending on shows encountered. One of Pictured Cliffs, Gallup, and Dakota. Logs will consist of DIL, Gamma Ray, and Density - Neutron. Fracing will consist of 100,000 gal gel water & 250,000 #20/40 sand.

9. Any anticipated abnormal pressures or temperatures expected to be encountered or potential hazards such as hydrogen sulfide gas, along with plans for mitigating such hazards.

None are anticipated.

10. The anticipated starting date and duration of the operations.

It is expected that the drilling of this well will commence sometime in October of 1979. It will take approximately 15-20 days to drill, complete, and test this well.

1. EXISTING ROADS

- A-E. See attached map
F. Existing roads will not require any improvement to allow for rig traffic. They are currently maintained by Energy Reserves Group, Inc. and Southern Union Refinery Company.

2. PLANNED ACCESS ROADS

Approximately 2000' of new access road will be required.

- (1) Maximum width will be a 20' running surface
- (2) Maximum grade will be less than 2%
- (3) No turn outs are planned
- (4) Drainage will be constructed as per BLM recommendations
- (5) No major cuts or fills are required
- (6) No surfacing is planned
- (7) No gates, cattle guards, or fence cuts are required

3. LOCATION OF EXISTING WELLS

See attached map
Energy Reserves Group, Inc. Lease covers Section 9, 10, & 15

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

A. (Existing)

See attached map

- (1) There are tank batteries located @ Wells #1, #2, & #5
- (2) Wells #1 & #2 are equipped with pumping units. Wells #3 & #5 have a separator only
- (3) Oil gathering lines are very short, running from the well head to the battery located at the edge of the well site.
- (4) Gas is sold to El Paso Natural Gas Company @ the well head. Gathering lines are buried and they belong to El Paso Natural Gas Company
- (5) NA
- (6) NA

B. (Proposed)

- (1&2) See attached plat
It will probably be necessary to set a 200-400 barrel tank at the edge of the well site to collect condensate
- (3) Standard oil field construction methods will be used. No outside construction materials will be needed
- (4) All pits and any rotating machinery will be fenced or guarded so as to protect livestock & wildlife

C. (Rehabilitation)

Those disturbed areas no longer needed after drilling and completion operations will be recontoured and reseeded as per BLM recommendations.

5. LOCATION & TYPE OF WATER SUPPLY

- A. Water will be obtained from the San Juan River located approximately 16 miles north
- B. Water will be hauled by trucks over existing roads.
- C. No water wells are planned

6. SOURCE OF CONSTRUCTION MATERIALS

None needed

7. METHODS OF HANDLING WASTE DISPOSAL

- (1-5) Cuttings, drilling fluids and produced water will be contained in the reserve pit. Any oil produced will be put into tanks. A portable toilet will be used during drilling and completion operations. Garbage and other trash will be placed in a deep pit and buried.
- (6) Upon completion of operations the location will be policed up and all trash and garbage placed in the trash pit. The pit will then be covered to prevent scattering. The reserves pit will be fenced and allowed to dry. After drying it will be back-filled and recontoured to as near its original contour as possible.

8. ANCILLARY FACILITIES

No camps or airstrips are planned

PAGE TWO

9. WELL SITE LAYOUT

See attached

10. PLANS FOR RESTORATION OF THE SURFACE

See 7. (6)

If the drilling results in a dry hole or failure, the entire disturbed area including access road will be contoured and reseeded as per BLM recommendations. The location rehabilitation will commence as soon as the pit has sufficiently dried to allow back-filling.

11. OTHER INFORMATION

The area is generally arid, high desert type country. The area near the location is relatively flat with gentle rolling hills with numerous small gullies and dry washes. Vegetation is sparse, consisting of sage brush and assorted native grasses. Wildlife is also sparse with an occasional mule deer, coyotes, rabbits, badgers, and other small rodents and birds. There are no nearby occupied dwellings. An Archaeological Inspection is planned.

12. LESSEE'S OR OPERATOR'S REPRESENTATIVES

The below listed personnel will be responsible for assuring compliance with the approved surface use plan.

Mr. T.C. Durham

P.O. Box 977

Farmington, New Mexico 87401

Home Phone 505-325-7978

Office Phone 505-327-1639

Mobil Phone 505-325-1873 #539

Mr. Harland Gould

2124 Summit Drive

Farmington, New Mexico 87401

Home Phone 505-325-3235

Office Phone 505-334-6200

Mobil Phone 505-325-0474

Mr. Bill Fiant

P.O. Box 3280

Casper, Wyoming 82602

Home Phone 307-265-2529

Office Phone 307-265-7331

13. CERTIFICATION

See attached

CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by _____

JACK FRITZ
and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


8-31-79

Date

William J. Fenn

FIELD SERVICES ADMINISTRATOR

Name and Title



Blowout preventer is Shaffer double hydraulic equipped with drill pipe rams in the top and blind rams in the bottom.


Blowout preventer closing unit is Koomey 30 gallon accumulator unit.

When choke manifold is used, it will be installed downstream from bleed off valve.


Kill line or bleed off line may be installed at flanged opening in blowout preventer.

G. H. Randle #6 NE 15-26-11

Typical location plat for mesa lands and Dakota wells



DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



Well Name C.H. Randel # 6

Location NE 15-26-11

Formation Dakota

We, the undersigned, have inspected this location and road.

U. S. Forest Service

Date

Dobson Ford
Archaeologist

9/8/79
Date

Bureau of Indian Affairs Representative

Date

B.B. Mal
Bureau of Land Management Representative

9/5/79
Date

J. B. McLean
U. S. Geological Survey Representative

9-5-79
Date

Seed Mixture: II

Equipment Color: Brown

Road and Row: (Same) or (Separate)

Remarks: _____
