### SUBMIT IN TRIPLICATE\*

Form approved.

(()ther instructions on reverse side)

•	Buaget	Burea	u No.	42-R1425.
30	, - 4	13 -	5	3508
5. LEAS	SE DESIG	NATION	AND S	ERIAL NO.

UNITED STATES
DEPARTMENT OF THE INTERIOR

	GEOLOG	ICAL SURVEY				NOO-C-14-20-	7176	
A DDI ICATION			PEN OR	PLUG RA		6. IF INDIAN. ALLOT		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK						NAVAJO		
	L 🗵	DEEPEN 🗆	F	LUG BACK		7. UNIT AGREEMENT	Name	
OIL GA	S X OTHER		SINGLE X	MULTIPLE Zone		8. PARM OR LEASE	NAME	
NAME OF OPERATOR						DOME NAVAJO	13-26-13	
DOME PETROLEUM	CORP.					9. WELL NO.		
ADDRESS OF OPERATOR						4		
501 Airport Dr	ive, Suite 107,	Farmington,	New Mexic	0 87401		10. FIELD AND POOL	, OR WILDCAT	
LOCATION OF WELL (Re	port location clearly and i	n accordance with a	ny State require	ments.*)		WAW FRUITLAN		
1120'	FSL, 790' FWL					AND SURVEY OR		
At proposed prod. zone	?					and 12 mach	D1 2W	
	ND DIRECTION FROM NEAR	PET TOWN OR POST OF	FICE*			SEC. 13, T26N	SH 13. STATE	
						CAN THAN	NEW MEXICO	
25 miles south	of Farmington,	New Mexico	NO. OF ACRES	IN LEASE	17. NO.	SAN JUAN OF ACRES ASSIGNED	NEW PIENTEC	
LOCATION TO NEAREST PROPERTY OR LEASE L	•				то т	HIS WELL		
(Also to nearest drlg	. unit line, if any)	10	160 PROPOSED DEF	TH	20. ROTA	RY OR CABLE TOOLS		
DISTANCE FROM PROP TO NEAREST WELL, DI	RILLING, COMPLETED,	1.5						
OR APPLIED FOR, ON THE			1500 <b>'</b>			ROTARY   22. APPROX. DATE	WORK WILL START*	
ELEVATIONS (Show whe	ther Dr. RI. GR., etc.)					Contombor	15, 1979	
6068' GR						1 September	13, 1979	
•	P	ROPOSED CASING	AND CEMENT	ING PROGRAM	M 			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTI	NG DEPTH		QUANTITY OF CE		
8 3/4"	7"	20#	90'			60 SACKS (CIRCULATED)		
5"	2 7/8"	6.5#	1500			BY CALIPER I	JOG	
						÷		
above. Wait of 5" hole to 150 be Gel-chem we program will hand cemented a cations. The	y tools. Drill on cement 12 hrs 00'. No abnorma eighing 8.5-9.2# be IES, FDC/CNL, as above. If no geologic name of	Install 6 al temperatur /gal. W.L. 8 with GR cal	" 600 ser es or pre -10 cc an iper log. , plug & e formati	ies Blowo ssures ar d viscosi If comm abandonme	out Pr re ant ty of mercia ent wi	eventer and ticipated. Mu 30-50 sec/qu 1, 2 7/8" cas 11 follow U.S	d system will and system will be sing will be something the tops of	
		FRUITLAND	)	828 •			SEP 2419	
		PICTURED	CLIFF	1178'		•	1 Sein C	
_, , ,		. oithor wata	r boaring	or ass		g de	1011. One	
The above for	mations could be s lease is not o	e erther wate	er-bearing	or gas.		40	D'21.	
Gas under this	s lease is not (	SOMMITTEE CO	a contrac			1913	St. Barrell	
ABOVE SPACE DESCRIB one. If proposal is to reventer program, if ar	E PROPOSED PROGRAM: If drill or deepen directions	proposal is to deepen ally, give pertinent d	or plug back, ata on subsurfa	give data on pr lee locations an	resit pro	oductive zone and proped and true vertical.	posed new productiv lepths. Give blowou	
4.						production of the second		
SIGNED H. D. H	OLI MGSWORTH	TITLE	DRILLING	FOREMAN		DATE Aug	ust 27, 1979	
(This space for Fed	eral or State office use;							
<b>-</b> N			APPROVAT.	DATE				
PERMIT NO								

oh Frank

MMOCC

### OIL CONSERVATION DIVISION

# STATE OF NEW MEXICO CHERGY AND MINERALS DEPARTMENT

### P. O. BOX 2088 SANTA FE, NEW MEXICO 87501

Form C-102 Revised 10-1-78

All distances must be from the cuter boundaries of the Section.

`			Lea	se		Well No.
Derator  DOME PETE	OLEUM CORPORA	TTON		DOME-NAVAJO 13	-26-13	), –
Juit Letter	Section	Township		Range	County	
М	13	26N		13W	San Juan	<b></b>
Actual Footage Loc		<del></del>	· · ·			
1120	_	uth	line and	790 fee	et from the West	line
Ground Level Elev.	Producing Fo	rmation	P∞	1		Dedicated Acreage:
6068	PICTURED	CLIFF	WAV	V FRUITLAND-PI	CTURED CLIFF	160 — Acres
2. If more the interest a	nan one lease is nd royalty).	dedicated to	o the well, or	atline each and ide		the plat below.  thereof (both as to working  of all owners been consoli-
If answer	No If a series is "no," list the fracessary.)	owners and t	s;' type of co	etc?  onsolidation  ions which have a  erests have been	ctually been consol	idated. (Use reverse side of
sion.	l i	or until a no	n-standard un	int, eliminating su		en approved by the Commis- CERTIFICATION
	               	Sec.			Name H. D. Position DRILL Company DOME	ING FOREMAN
1120' ©	+		13		shown notes under is tru knowli  Date Sur Aug	ust 10th Adding



## Dome Petroleum Corp.

SUITE 1500, COLORADO STATE BANK BLDG.
1600 BROADWAY
DENVER, COLORADO 80202

Telephone (303) 861-1230

DEVELOPMENT PLAN FOR SURFACE USE

Dome Navajo 13-26-13 #4

1120' FSL and 790' FWL Sec. 13, T26N, R13W San Juan County, New Mex.

#### 1. EXISTING ROADS

The main road to the location is that from Farmington toward Bisti (Bisti highway), leaving this road approx. 23 miles south of Farmington and using existing side roads to the location.

#### 2. PLANNED ACCESS ROADS

The access road, to be routed as shown on the attached map, will be 18' wide with adequate ditch and water bars.

#### 3. EXISTING WELLS

Existing wells within one mile of location are shown on the attached topographic map.

#### 4. LOCATION OF PROPOSED FACILITIES

Development of commercial gas production will require separation facilities on the location pad. Equipment and pits will be fenced as required for protection of livestock and wildlife. Above ground facilities will be painted brown or grey to blend in with the surrounding area as specified by the BLM. The disturbed areas no longer needed for operations after well completion will be restored to natural contour and reseeded.

#### 5. LOCATION AND TYPE OF WATER SUPPLY

To be hauled from El Paso Natural Gas Co. water pit at Chaco Gas Plant, approximately 3 miles east.

#### 6. SOURCE OF CONSTRUCTION MATERIALS

Not applicable.

#### 7. METHOD OF HANDLING WASTE MATERIAL

All garbage and trash that can be burned shall be burned. All trash that cannot be burned will be contained in a trash pit and covered with a minimum of 24 inches of dirt. All drilling waste such as cuttings, overflows of oil, water and drilling fluids will be contained in the reserve pit and buried with adequate cover upon completion of operations. The reserve pit will be fenced until cleanup operations are commenced. Toilet facilities will be provided.

#### 8. ANCILLARY FACILITIES

No camps or airstrips are proposed for this location.

#### 9. WELL SITE LAYOUT

See attached diagram.

#### 10. PLANS FOR RESTORATION OF SURFACE

Cleanup of the location will commence immediately following the removal of the drilling equipment. The reserve pit will be fenced until restoration operations are commenced. The location will be returned to original contour if the well is not productive. Both the road and location will be reseeded in accordance with BLM specifications.

#### 11. OTHER INFORMATION

Topography consists of rolling hills with very sandy soil. Vegetation is composed of Snake Weed, Mormon Tea, Yucca, Prickly Pear and Blue Gramma.

#### 12. LEASEE'S OR OPERATOR'S REPRESENTATIVE

Dome Petroleum Corporation
H. D. Hollingsworth
501 Airport Drive, Suite 107
Farmington, New Mexico 87401
Phone: 505-325-2897 Office
505-327-1548 Home

#### 13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dome Petroleum Corporation and it's contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

H. D. HOLLINGSWORTH, DRILLING FOREMAN


Dome Petroleum Corporation


August 20, 1979

HDH/clp

# BLOWOUT PREVENTENS

JUNE NO.





## Dome Petroleum Corp.

SUITE 1500, COLORADO STATE BANK BLDG. 1600 BROADWAY DENVIR, COLORADO 80202

