Form 3160-5 (Junc 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expired March 11, 1003

Expires: March 31, 1993
5. Lease Designation and Serial No.


NM 16471

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to d Use "APPLICATION FO	6. It indust, Allottoc or Tribe Name		
SUBMI	7. If Unit or CA, Agreement Designation		
1. Type of Well Oil X Gas Well Other	8. Well Name and No.		
2 Name of Operator	Bengal B-6		
J.K. Edwards Associates, Inc	9 API Well No.		
3 Address and Telephone No c/o Walsh Engr.	30-045-23953		
7415 E. Main Farmington,	10 Field and Pool, or Exploratory Area		
4 Location of Well (Footage, Soc. T., R., M., or Survey Description)		S. Gallegos Fr. Sand PC	
		11 County or Parish, State	
790'FSL & 790'FEL P Sec. 2, T26N, R12W	San Juan, NM		
CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REP	ORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTIO	)N	
Noxice of Intent	X Abandonment	Change of Plans	
	Recompletion	New Construction	
Subsequent Report	Plugging Back	Non-Routine Fracturing	
	Casing Repair	Water Shut-Off	
Final Abandonment Notice	Altering Casing	Conversion to Injection	
	Other	Dispose Water  [Note Report results of multiple completion on Well	
		Completion of Recompletion Report and Lor form	

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

J.K. Edwards Associates, Inc. plans to Plug & Abandon the Bengal B-6 well according to the attached plugging procedures.



OIL GON. DIV.



signed and C. The mpas	Tide _	Agent	Date	11/26/97
(This space for Foderal or State Office use)				
Approved by Conditions of approval if any	Title	e de la companya de	Date	DEC - 5 1997

### Walsh Engineering and Production

## P & A Procedure for J. K. Edwards Bengal B #6

Location: SE/4 Sec 2 T26N R12W Date: November 24, 1997

San Juan County, NM

Field: S. Gallegos Fruitland Sand-PC Elev: GL 5926'

Surface: Navajo 2-7/8" @ 1357'

Minerals: BLM NM 16471 PBTD 1324'

#### Procedure:

1. MOL and RU completion rig. Hold safety meeting.

- 2. Blow well down and kill with water if necessary.
- 3. ND tubing head and NU BOP. NU 2-3/8" relief line.
- 4. TOH and lay down 34 joints of 1-1/4" tubing (1125').
- 5. Remove 2-7/8" tubing head.
- 6. Connect cement truck directly to 2-7/8" tubing and fill tubing with 40 sx (47 cu.ft.) of Cl "B" cement. Drop 40 ball sealers in the first 10 sx of cement. Pump cement until tubing stands full.
- 7. Cut off wellhead and install dryhole marker. Reclaim location as per BLM specifications.

Paul C. Thomps -

Paul C. Thompson, P.E.

# SE/4, Section 2, T26N, R12W

## CURRENT STATUS

7", 23# @ 92' Cemented to surface with 50 sx 1 1/4' @ 1127'

Perfs - 1137 - 1150 (29 holes)

PBTD = 1324

2.7/8 , 6.4 @ 1357 Cemented to surface with 214 cu ft

# BENGAL B #6

# SE/4, Section 2, T26N, R12W

## P&A STATUS

