

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

I 149 IND 7971

6. If Indian, Allottee or Tribe Name

NAVAJO

7. If Unit or CA, Agreement Designation

8. Well Name and No.

NAVAJO 2E

9. API Well No.

3004524789

10. Field and Pool, or Exploratory Area

11. County or Parish, State

SAN JUAN, N.M.

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Amoco Production Company

3. Address and Telephone No.

200 Amoco Court, Farmington, N.M. 87401 Tel: (505) 326-9200

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW/SEW SEC. 28, T26N. R11W NMPM
L

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Pit closure
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Pit closure verification - see attached documentation.

BLOW PIT - ABANDONED
PRODUCTION PIT - ABANDONED
SEPARATOR PIT - ABANDONED

Denny B. Faust
DEPUTY OIL & GAS INSPECTOR

JUL 11 8 1996

RECEIVED
APR 11 1995
OIL CON. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct

Signed B. Shaw

Title Enviro. Coordinator

Date 3-17-95

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200

Address: 200 Amoco Court, Farmington, New Mexico 87401

Facility Or: NAVAJO ZE
Well Name

Location: Unit or Qtr/Qtr Sec L Sec 28 T 26N R 11W County SAN JUAN

Pit Type: Separator Dehydrator Other BLOW

Land Type: BLM , State , Fee , Other NAVAJO

Pit Location: Pit dimensions: length MA, width MA, depth MA
(Attach diagram)

Reference: wellhead X, other

Footage from reference: 115

Direction from reference: 0 Degrees East North X
of
 West South

Depth To Ground Water:

(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)

Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 Points) 20

Wellhead Protection Area:

(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)

RECEIVED
APR 11 1995
OIL CON. DIV.
DIST. 3

Yes (20 points)
No (0 points) 0

Distance To Surface Water:

(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)

Less than 200 feet (20 points)
200 feet to 1000 feet (10 points)
Greater than 1000 feet (0 points) 0

RANKING SCORE (TOTAL POINTS): 20

Date Remediation Started: _____ Date Completed: 3-6-95

Remediation Method: Excavation X Approx. cubic yards NA
(Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____
Other _____

Remediation Location: Onsite _____ Offsite NA
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____

Excavation - PIT ASSESSED - NO CONTAMINATION 5-25-93

CHECKED AGAIN BY EXCAVATION 3-6-95 NO EVIDENCE OF CONTAMINATION.

Ground Water Encountered: No _____ Yes X Depth 8'

Final Pit: Sample location see Attached Documents

Closure Sampling:
(if multiple samples, attach sample results and diagram of sample locations and depths)

Sample depth 6'

Sample date 5-25-93 Sample time _____

Sample Results

Benzene(ppm) ND

Total BTEX(ppm) 0.102

Field headspace(ppm) 0

TPH 18 ppm

Ground Water Sample: Yes X No _____ (If yes, attach sample results)


I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 3-17-95

SIGNATURE B. Shaw

PRINTED NAME
AND TITLE

Buddy D. Shaw
ENVIRONMENTAL COORDINATOR



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 6'	Date Sampled:	05-25-93
Laboratory Number:	5333	Date Received:	05-25-93
Sample Matrix:	Soil	Date Analyzed:	05-27-93
Preservative:	Cool	Date Reported:	05-28-93
Condition:	Cool & Intact	Analysis Needed:	TPH

Parameter -----	Concentration (mg/kg) -----	Det. Limit (mg/kg) -----
Total Petroleum Hydrocarbons	18	5


ND = Parameter not detected at the stated detection limit.
N/A = Not applicable

Method: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Navajo 2E Abandoned Blow Pit 94877

Heila Peltman
Analyst

Maris D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 6'	Date Reported:	05-26-93
Laboratory Number:	5333	Date Sampled:	05-25-93
Sample Matrix:	Soil	Date Received:	05-25-93
Preservative:	Cool	Date Extracted:	05-26-93
Condition:	Cool & Intact	Date Analyzed:	05-26-93
		Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	20.1
Toluene	61	40.2
Ethylbenzene	ND	20.1
p,m-Xylene	40.5	40.2
o-Xylene	ND	30.2

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	101 %
	Bromofluorobenzene	93 %

Method: Method 5030, Purge-and-Trap, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.


Method 8020, Aromatic Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: Navajo 2E, Abandoned Blow Pit, 94877.

C. Chahariz
Analyst

M. D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ GW	Date Reported:	05-26-93
Laboratory Number:	5334	Date Sampled:	05-25-93
Sample Matrix:	Water	Date Received:	05-25-93
Preservative:	HgCl and Cool	Date Analyzed:	05-26-93
Condition:	Cool and Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/L)	Det. Limit (ug/L)
Benzene	ND	0.2
Toluene	ND	0.4
Ethylbenzene	ND	0.2
p,m-Xylene	ND	0.4
o-Xylene	ND	0.3

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	102 %
	Bromofluorobenzene	97 %

Method: Method 5030, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

Method 8020, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Navajo 2E, Abandoned Blow Pit, 94877.

A. Chahaling
Analyst

Marion D. Young
Review

District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200

Address: 200 Amoco Court, Farmington, New Mexico 87401

Facility Or: MAVAJO 2E

Well Name _____

Location: Unit or Qtr/Qtr Sec L Sec 28 T 26N R 11W County SAN JUAN

Pit Type: Separator Dehydrator Other PROD. TANK

Land Type: BLM , State , Fee , Other MAVAJO

Pit Location: Pit dimensions: length MA, width MA, depth MA
(Attach diagram) Reference: wellhead X, other _____
Footage from reference: 114
Direction from reference: 23 Degrees X East North _____
of
West South X

Depth To Ground Water:	Less than 50 feet	(20 points)	
(Vertical distance from	50 feet to 99 feet	(10 points)	
contaminants to seasonal	Greater than 100 feet	(0 Points)	<u>20</u>
high water elevation of			
ground water)			

Wellhead Protection Area: Yes (20 points)
(Less than 200 feet from a private No (0 points) 0
domestic water source, or; less than
1000 feet from all other water sources)

Distance To Surface Water:	Less than 200 feet	(20 points)	
(Horizontal distance to perennial	200 feet to 1000 feet	(10 points)	
lakes, ponds, rivers, streams, creeks,	Greater than 1000 feet	(0 points)	<u>0</u>
irrigation canals and ditches)			

RANKING SCORE (TOTAL POINTS): 20

Date Remediation Started: _____ Date Completed: 3-6-95

Remediation Method: Excavation ☒ Approx. cubic yards NA
(Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____
Other _____

Remediation Location: Onsite _____ Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____
Excavation - PIT ASSESSED 5-6-93 - NO CONTAMINATION.

EXCAVATED & OBSERVED 3-6-95 . NO EVIDENCE OF CONTAMINATION.

Ground Water Encountered: No _____ Yes ☒ Depth 10'

Final Pit: Sample location see Attached Documents

Closure Sampling:
(if multiple samples, attach sample results and diagram of sample locations and depths)
Sample depth 3'

Sample date 5-6-93 Sample time _____

Sample Results

Benzene(ppm) ND

Total BTEX(ppm) 0.232

Field headspace(ppm) 0

TPH 21 ppm

Ground Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 3-17-95

SIGNATURE

B. Shaw

PRINTED NAME
AND TITLE

Buddy D. Shaw
ENVIRONMENTAL COORDINATOR

ENVIROTECH Inc.

5798 US HWY. 84, FARMINGTON, NM 87401
(505) 832-0815

B0247

94834

FIELD REPORT: SITE ASSESSMENT

JOB No: 92140
PAGE No: 1 of 1

PROJECT: PIT ASSESSMENTS & CLOSURE
CLIENT: AMOCO PRODUCTION COMPANY
CONTRACTOR: ENVIROTECH INC.
EQUIPMENT USED: EXTENDER C

DATE STARTED: 5/2/90
DATE FINISHED: 5/6/90
ENVIRO. SPCLT: N
OPERATOR: BW
ASSISTANT: TE

LOCATION: LSE: NAVAJO WELL: ZE CD: NW/4 SW/4 (L)
SEC: 28 TWP: 26N RNG: 11W PM: NM CNTY: SAN JUAN ST: NM PIT: PROD

PIT LAND USE: RANGE

SURFACE CONDITIONS: SAND, PALE YELLOWISH ORANGE, NO STAINING, EARTHEN, INACTIVE

FIELD NOTES & REMARKS: PIT LOCATION: 105 FT. SOUTH, 45 FT. EAST OF WELL HI
TIC3 - FINE YELLOWISH BROWN SAND, SLIGHTLY MOIST, MEDIUM GRAIN,
NON-COHESIVE, LOOSE

T1@9' - MODERATE YELLOWISH BROWN, SAND AND GRAVEL, COARSE GRAIN
NON-COHESIVE, LOOSE, SATURATED

TIC12' - PALE YELLOWISH BROWN SAND, SATURATED, COARSE GRAIN - COHESIVE, LOOSE.

PIT APPEARS TO BE CLEAN. NEED TO INSTALL TANK OR CLOSE AS IS

SAMPLE INVENTORY:

[illegible]


2092

SCALE



0 10 FEET


SITE DIAGRAM



TEST HOLE LOGS:

[illegible]

SOIL TYPE: C - Clay, M - Silty, S - Sand, G - Gravel Plantings: L - Native, N - Exotic Coverings: P - Pavement, S - Soil



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 3'	Date Sampled:	05-06-93
Laboratory Number:	5150	Date Received:	05-06-93
Sample Matrix:	Soil	Date Analyzed:	05-07-93
Preservative:	Cool	Date Reported:	05-07-93
Condition:	Cool & Intact	Analysis Needed:	TPH

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----	-----	-----
Total Petroleum Hydrocarbons	21	5


ND = Parameter not detected at the stated detection limit.
N/A = Not applicable

Method: Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and
Waste, USEPA Storet No.4551, 1978

Comments: Navajo 2E Prod. Pit 94834

Heila Feltma
Analyst

Morris D Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 3'	Date Reported:	05-10-93
Laboratory Number:	5150	Date Sampled:	05-06-93
Sample Matrix:	Soil	Date Received:	05-06-93
Preservative:	Cool	Date Extracted:	05-07-93
Condition:	Cool & Intact	Date Analyzed:	05-10-93
		Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	19.8
Toluene	59	29.6
Ethylbenzene	ND	19.8
p,m-Xylene	127	29.6
o-Xylene	45.5	29.6

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	99 %
	Bromofluorobenzene	95 %

Method: Method 5030, Purge-and-Trap, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

Method 8020, Aromatic Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: Navajo 2E, Production Pit, 94834.

Lu Chahung
Analyst

Marion D. Young
Review

District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200
Address: 200 Amoco Court, Farmington, New Mexico 87401
Facility Or: NAVAJO 2E
Well Name
Location: Unit or Qtr/Qtr Sec L Sec 28 T26N R 11W County SAN JUAN
Pit Type: Separator X Dehydrator Other
Land Type: BLM , State , Fee , Other NAVAJO

Pit Location: Pit dimensions: length MA, width MA, depth MA
(Attach diagram) Reference: wellhead X, other
Footage from reference: 75
Direction from reference: 37 Degrees East North
of
X West South X

Depth To Ground Water: Less than 50 feet (20 points)
(Vertical distance from 50 feet to 99 feet (10 points)
contaminants to seasonal Greater than 100 feet (0 Points) 20
high water elevation of
ground water)

Wellhead Protection Area: Yes (20 points)
(Less than 200 feet from a private No (0 points) 0
domestic water source, or; less than
1000 feet from all other water sources)

Distance To Surface Water: Less than 200 feet (20 points)
(Horizontal distance to perennial 200 feet to 1000 feet (10 points)
lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) 0
irrigation canals and ditches)

RANKING SCORE (TOTAL POINTS): 20

Date Remediation Started: _____ Date Completed: 3-6-95

Remediation Method: Excavation X Approx. cubic yards MA
 (Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____

Other _____

Remediation Location: Onsite _____ Offsite _____
 (ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____

Excavation - ASSESSED 5-6-93 NO CONTAMINATION

EXCAVATED + CLEARED 3-6-95 - NO EVIDENCE OF CONTAMINATION.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit: Sample location see Attached Documents

Closure Sampling: _____
 (if multiple samples, attach sample results and diagram of sample locations and depths)

Sample depth 5'

Sample date 5-6-93 Sample time _____

Sample Results

Benzene(ppm) ND

Total BTEX(ppm) 0.155

Field headspace(ppm) 0

TPH 31 ppm

Ground Water Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 3-17-95

SIGNATURE

B. Shaw

PRINTED NAME
AND TITLE

Buddy D. Shaw
ENVIRONMENTAL COORDINATOR

WATER

ENVIROTECH Inc.

80247

5798 US HWY. 84, FARMINGTON, NM 87401
(505) 832-0815

94835

FIELD REPORT: SITE ASSESSMENT

JOB No: 92140
PAGE No: 1 of 1

PROJECT: PIT ASSESSMENTS & CLOSURE

CLIENT: AMOCO PRODUCTION COMPANY

CONTRACTOR: ENVIROTECH INC.

EQUIPMENT USED: EXTENDABLE CASE ESP

DATE STARTED: 5/6/

DATE FINISHED: 5/6/

ENVIRO. SPCLT: NY

OPERATOR: BW

ASSISTANT: TC

LOCATION: LSE: NAVATO

WELL: 2E

QD: NW/4 SW/4 (L)

SEC: 28 TWP: 26N RNG: 11W PM: NM CNTY: SAN JUAN PIT: SEP.

LAND USE: RANGE

SURFACE CONDITIONS: SAND, VEGETATION, EARTHEN, INACTIVE

FIELD NOTES & REMARKS: PIT LOCATION: 60 FT. SOUTH, 45 FT. WEST OF WELL HEAD.

TIE 5' DARK YELLOWISH ORANGE SAND, SLIGHTLY MOIST, COARSE GRAIN, NO COHESIVE, LOOSE

TIE 9' DARK YELLOWISH BROWN SAND, MOIST, COARSE GRAIN, NON-COHESIVE, LOOSE

TIE 11' SAME AS TIE 9'

PIT APPEARS TO BE CLEAN. NEED TO INSTALL TANK OR CLOSE AS IS.


SAMPLE INVENTORY:

SAMPL ID:	SAMPL TYPE:	LABORATORY ANALYSIS:
TIE 6'	SOIL	8015, 8020, 418.1

SCALE

0 10 FEET


SITE DIAGRAM



TEST HOLE LOGS:

TH#:	SOIL TYPE:	SAMPL OVN/TYPE:	TPH	TH#:	SOIL TYPE:	SAMPL OVN/TYPE:	TPH	TH#:	SOIL TYPE:	SAMPL OVN/TYPE:	TPH	TH#:	SOIL TYPE:	SAMPL OVN/TYPE:	TPH
1	PIT														
2	EXCAV.														
3															
4															
5	SP		0.0												
6															
7															
8															
9	SP		0.0												
10															
11	SP		0.0												
12	TD		11'												
	GW		NR												

SOIL TYPE: C - Clay, M - Silt, S - Sand, G - Gravel, P - Peat, L - Loose, H - Hard, F - Fines, G - Gravel, P - Peat, F - Fines



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 5'	Date Sampled:	05-06-93
Laboratory Number:	5152	Date Received:	05-06-93
Sample Matrix:	Soil	Date Analyzed:	05-07-93
Preservative:	Cool	Date Reported:	05-07-93
Condition:	Cool & Intact	Analysis Needed:	TPH

Parameter -----	Concentration (mg/kg) -----	Det. Limit (mg/kg) -----
Total Petroleum Hydrocarbons	31	5


ND = Parameter not detected at the stated detection limit.
N/A = Not applicable

Method: Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and
Waste, USEPA Storet No.4551, 1978

Comments: Navajo 2E Sep. Pit 94835

Stella Feltner
Analyst

Marion D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 5'	Date Reported:	05-10-93
Laboratory Number:	5152	Date Sampled:	05-06-93
Sample Matrix:	Soil	Date Received:	05-06-93
Preservative:	Cool	Date Extracted:	05-07-93
Condition:	Cool & Intact	Date Analyzed:	05-10-93
		Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	19.8
Toluene	33.9	29.8
Ethylbenzene	ND	19.8
p,m-Xylene	85	29.8
o-Xylene	36.0	29.8

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	97 %
	Bromofluorobenzene	99 %

Method: Method 5030, Purge-and-Trap, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

Method 8020, Aromatic Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: Navajo 2E, Separator Pit, 94835.

A. Chabaling
Analyst

Maris D. Young
Review