

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

RECEIVED  
97 DEC 11 AM 10:59  
0707... SAN JUAN, NM

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. NM - 61
2. Name of Operator J. K. Edwards and Assoc.	6. If Indian, Allottee or Tribe Name
3. Address and Telephone No. C/O Walsh Engineering & Production Corp. 7415 East Main Farmington, NM 87402 505-327-4892	7. If Unit or CA, Agreement Designation
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1650' FNL & 1850' FEL, Sec. 36, T26N, R12W, Unit G	8. Well Name and No. Cowsaround 36 #7
	9. API Well No. 30-045-28286
	10. Field and Pool, or Exploratory Area Basin Fruitland Coal
	11. County or Parish, State San Juan County, NM.

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent <input type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment	<input checked="" type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input type="checkbox"/> Other <input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

J.K Edwards plans to Plug and Abandon this well according to the attached procedure.

RECEIVED  
DEC 19 1997  
OIL CON. DIV.  
DIST. 3

14. I hereby certify that the foregoing is true and correct

Signed Paul C. Thompson (Paul C. Thompson) Title \_\_\_\_\_ Agent \_\_\_\_\_ Date 12/10/97

(This space for Federal or State office use)

Approved by /s/ Duane W. Spencer Title \_\_\_\_\_ Date DEC 17 1997  
Conditions of approval, if any:

Walsh Engineering and Production

P & A Procedure for  
J. K. Edwards and Associates  
Cowsaround 36 #7

Location: NE/4 Sec 36 T26N R12W  
San Juan County, NM


Date: December 9, 1997

Field: Basin Fruitland Coal  
Surface: Navajo  
Minerals: BLM NM 61

Elev: GL 6260'  
4-1/2" @ 1371'  
PBSD 1371'

Procedure:

1. Blow well down and kill with water if necessary.
2. Remove 4-1/2" tubing head.
3. Connect cement truck directly to 4-1/2" casing and fill casing with 110 sx (130 cu.ft.) of Cl "B" cement. Drop 60 ball sealers in the first 10 sx of cement. Pump cement until casing stands full.
4. Cut off wellhead and install dryhole marker. Reclaim location as per BLM specifications.

\_\_\_\_\_

Paul C. Thompson, P.E.

J. K. Edwards and Associates  
Cowsaround 36 #7  
NE/4 36 26N 12W  
Current Status

7" 23#  
set @ 120'  
Cmt to surf  
with 50 sx

Formation Tops  
Ojo Alamo 262'  
Kirtland 394'  
Fruitland 1005'  
PC 1270'

4-1/2" 9.5# J-55  
set @ 1371'  
Cement w/ 90 sx  
65/35 Poz and 40 sx neat

Perfs: 1012-1188'  
1243-1258'

J. K. Edwards and Associates  
Cowsaround 36 #7  
NE/4 36 26N 12W  
Plugged and Abandoned Status

7" 23#  
set @ 120'  
Cmt to surf  
with 50 sx

Formation Tops  
Ojo Alamo 262'  
Kirtland 394'  
Fruitland 1005'  
PC 1270'

4-1/2" 9.5# J-55  
set @ 1371'  
Cement w/ 90 sx  
65/35 Poz and 40 sx neat

Perfs: 1012-1188'  
1243-1258'