1-E.P.N.G.-(Gelloway)
1-L. G. Truby
1-W. R. Johnston
1-File

## NEW MEXICO OIL CONSERVATION COMMISSION

Form C-122

			MU.	LTI-I	POINT B	ACH PRE	SSURE TE	ST FOR GA	S WELLS		Revised 12-	L <b>-</b> 5:
Poo	ol Blanco	For	recoion Mesaverde				County_	Pio A	rriba			
In	Initial xx Annual				Special				Date of	Test	3-29-57	
Con	mpany <b>Pacific</b>	Northwe	est Pipe	line	Corp.	Lease	28-6	5	We	Ll No	51 <b>-2</b> 9	
	it <u>K</u> 5	27										<b>P</b> •
Cas	sing 5 1/2 V	Vt	I.D.		Set	t at <b>563</b>	9 <b>9</b> Pe	erf. 49	06	То	5560	
Tub	oing 2 W	Vt	I.D.	·	Set	at_ <b>55</b>	<b>43.6</b> Pe	erf		То		
Gas	s Pay: From_	4906	ľo <u>556</u>	io	L		G <b>.650</b>			Bar.Pr	ess12	
Pro	oducing Thru:	Casi	ng		Tul	oing <b>x</b>		Type W	ell <b>Si</b> n	gle		
Dat	ce of Complet	ion:		n of Malaya, an An Song, inch	Packer	^	Sir	ngle-Brad Reserv	enhead-G. oir Temp.	G. or	G.O. Dual	
							ED DATA				•	
Tes	sted Through	(Proma	r) (Chok	e) (	Meor)	Shut	in 7 de	ys	Type Tar	s		
	Flow Data				Tubing Data				Casing I	T		
No.	(Prover) (Line)			ss.	Diff.	Temp.		Temp.		Temp.	Duration of Flo	
_	Size	Size		ig	h <sub>w</sub>	°F.		°F.	<del></del>	°F∙	Hr.	
SI 1.		3/4	i	35		60	1087	<del></del>	1099 513	<del> </del>	3	
2. 3.				7								
4.				丰								
		<u> </u>				T 611 617		<u></u>	<u> </u>	<u> </u>		
No.	Coefficient Pre				FLOW CALCULATIONS essure Flow Temp. Grav:			Gravity	Compre	Rate of Flow	ī	
	(24-Hour)		$h_{\mathbf{w}}\mathbf{p_f}$	p <sub>f</sub> psia		Factor Ft		Factor F <sub>g</sub>	Facto F <sub>pv</sub>	r	Q-MCFPD @ 15.025 psia	
1. 2. 3. 4. 5.	14.1605				47	1.000		9608	1.05	5	2110	
3.												
5.												
					PRE	SSURE C	ALCU ATI	ONS				
	Liquid Hydro ity of Liqui					cf/bbl. deg.		Spec: Spec:	ific Gravi ific Gravi	ty Sepa tv Flow	rator Gas	
			(1-e <sup>=</sup>	s			•	Pc-	1111	P <sub>c</sub> <sup>2</sup> 1	ving Fluid	
	$P_{\mathbf{w}}$		<del></del>	<del></del>		- 1		<b>5</b> 25	Υ"	<del></del>		
No.	Pt (psia)	$P_{\mathbf{t}}^{2}$	$F_{\mathbf{c}}^{\mathbf{Q}}$		$(F_cQ)^2$	(F	c <sup>Q)<sup>2</sup> −e−s)</sup>	P <sub>w</sub> 2	$P_c^2 - P_w^2$	1	Pw Pc	
1. 2.	rt (psia)					(1		75,625	958,696	I	P <sub>C</sub> 1.29	
3.												
4. 5.												
	olute Potent:						n_ •75/	1.2104		3000	5	
ADDI	RESS 405	ic North West Br	oadway.	Fart	mington	. New M	exico			KL		
AGE	NT and TITLE	C. R. W	amer -	Well	Test	Inginee	r				i i indi	
		eso Neta		Com	PARY	REM	ARKS				ON. COM.	
						£ UEJE'N				· ·	IST. 3	

## INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

## NOMENCLATURE

- Q  $\equiv$  Actual rate of flow at end of flow period at W. H. working pressure (P<sub>W</sub>). MCF/da. @ 15.025 psia and 60° F.
- PcI 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater. psia
- Pw Static wellhead working pressure as determined at the end of flow period. (Casing if flowing thru tubing, tubing if flowing thru casing.) psia
- $P_t$  Flowing wellhead pressure (tubing if flowing through tubing, casing if flowing through casing.) psia
- $P_{f}$  Meter pressure, psia.
- hw Differential meter pressure, inches water.
- Fg Gravity correction factor.
- Ft Flowing temperature correction factor.
- $F_{pv}$  Supercompressability factor.
- n I Slope of back pressure curve.

Note: If Pw cannot be taken because of manner of completion or condition of well, then Pw must be calculated by adding the pressure drop due to friction within the flow string to buservation commission

AZTEC DISTRICT OFFICE

No. Copies Received S

O STATE LONG

Onclon Case

State Land Office

J S G. S.

Transporter

File