Form 9-881a (Feb. 1951)

	_		
1			
			<i>-</i>
ł :			
•			
l		1	i
	1	i	•

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 079521-A
Unit San Juan 28-5 Unit
15-09-001-949

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X		RT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE	PLANS	SUBSEQUENT REPO	RT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WA	TER SHUT-OFF	ll '	RT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL	L OR REPAIR WELL	ll	RT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT O	OR ACIDIZE		RT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR	ALTER CASING	SUPPLEMENTARY W	ELL HISTORY
NOTICE OF INTENTION TO ABANDON	N WELL		
(INDIC	CATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOT	ICE, OR OTHER DATA)
			January 17 , 19 57
Vell No. 23 is loca	ated 1650 ft. from	$-\begin{cases} N \\ S \end{cases}$ line and 99	Q ft. from E line of sec. 25
ME Section 25	281	94 194	A OFFICE
(1/ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)
Ri en co		Rio Arriba	(State or Terrator
Elenco (Field)	(County o	r Subdivision)	
he elevation of the derric	1 (1	l :. 6700 ft	OIL CO
He elevation of the defrie	in moor above out to		CON CON
	DETAI	LS OF WORK	787 COM
			of proposed chings; indicate mudding jobs, cemen
a			
State names of and expected depths	ing points, and all o	ther important proposed	(work)
State names of and expected depths Tt. 18 intended to d	ing points, and all o	ther important proposed	thru the Mesa Verde formation
State names of and expected depths It is intended to di Wed circulation wil	ing points, and all o rill a well with 1 be used thru t	rotary tools he Fictured Ci	thru the Mesh Verds formationiffs and set intermediate on
Mid circulation wil	bear of the m	thru the Mess	Actes and blockeryou company
t Con elemilable	bear of the m	thru the Mess	Acade end blocktrop cering
ing. Gas circulativill be set. Fossi	on will be used ble productive i	thru the Mess	thru the Mesh Verde formation iffs and set intermediate car Verde and production casing be perforated and fractured.
t Con elemilable	on will be used ble productive i	thru the Mess	Actes and hiconcine coming
ing. Gas circulativill be set. Fossi Estimated Total Dep	on will be used ble productive i th 5900'.	thru the Mesa atervals VIII	Verde and production casing be perforated and fractured.
ing. Gas circulativill be set. Foss! Estimated Total Dep	on will be used ble productive i th 5900'.	thru the Mesa atervals VIII	Verde and production casing be perforated and fractured.
ing. Gas circulativill be set. Foss! Estimated Total Dep Casing Program: 10 3/4" at	on will be used ble productive i th 5900'. 170' with 125 sa	thre the Mesa atervals vill acks commut cir	Aside and hiddrefrom corrida
ing. Ges circulativill be set. Possi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3	on will be used ble productive i th 5900'. 170' with 125 sa 1655' with 250 sa	thru the Mesa atervals Vill acks coment cir acks coment.	Verde and production casing be perforated and fractured.
ing. Ges circulativill be set. Possi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3	on will be used ble productive i th 5900'. 170' with 125 sa	thru the Mesa atervals Vill acks coment cir acks coment.	Verde and production casing be perforated and fractured.
ing. Ges circulativill be set. Possi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2 at 5	on will be used ble productive i th 5900'. 170' with 125 sa 655' with 250 sa 6900' with 150 sa	thru the Mesa atervals Vill acks coment cir acks coment. acks coment.	Verde and production casing be perforated and fractured. culated to the surface.
ing. Ges circulativill be set. Possi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2 at 5	on will be used ble productive i th 5900'. 170' with 125 sa 655' with 250 sa 6900' with 150 sa	thru the Mesa atervals Vill acks coment cir acks coment. acks coment.	Verde and production casing be perforated and fractured. culated to the surface.
ing. Ges circulativill be set. Fossi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2 at 5 The H/2 of Jection H/2 SF 079521-A (W/	on will be used ble productive i th 5900'. 170' with 125 sa 655' with 250 sa 6900' with 150 sa 26 is dedicated (284,5884,6488);	thru the Mesa ntervals vill acks coment cir acks coment. acks coment. to this vell. Fee-Harace F.	Verde and production casing be perforated and fractured. realisted to the surface. Heksy Jr. (MEE: ,E/25E,5ME).
ing. Ges circulativill be set. Fossi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2 at 5 The H/2 of Jection H/2 SF 079521-A (W/	on will be used ble productive i th 5900'. 170' with 125 sa 655' with 250 sa 6900' with 150 sa 26 is dedicated (284,5884,6488);	thru the Mesa ntervals vill acks coment cir acks coment. acks coment. to this vell. Fee-Harace F.	Verde and production casing be perforated and fractured. culated to the surface.
ing. Ges circulativill be set. Fossi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2" at 5 The H/2 of section H/2 SF 079521-A (W/	on will be used the productive i th 5900'. 170' with 125 sa 555' with 250 sa 5900' with 150 sa 26 is dedicated 280', SEEN', SWEE); ork must receive approval in	thru the Hesa atervals vill acks coment cir acks coment. acks coment. to this well. Fee-Haraca F.	Verde and production casing be perforated and fractured. Toulated to the surface. Heksy Jr. (MEE: ,E/25E,SAME).
ing. Ges circulativill be set. Possi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2" at 5 The H/2 of settion H/2 SF 079521-A (W/1 anderstand that this plan of we Company El Paso Material Paso	on will be used ble productive i th 5900'. 170' with 125 sa 555' with 250 sa 5900' with 150 sa 26 is dedicated 284,5884,8488); ork must receive approval in	thru the Hesa atervals vill acks coment cir acks coment. acks coment. to this well. Fee-Haraca F.	be perforated and fractured. reulated to the surface. Hekey Jr. (NEW ,E/25E, SIME). al Survey before operations may be commenced.
ing. Ges circulativill be set. Possi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2" at 5 The H/2 of settion H/2 SF 079521-A (W/I understand that this plan of w Company El Paso Nat	on will be used ble productive i th 5900'. 170' with 125 sa 555' with 250 sa 5900' with 150 sa 26 is dedicated 284,5884,8488); ork must receive approval in	thru the Hesa atervals vill acks coment cir acks coment. acks coment. to this well. Fee-Haraca F.	Verde and production casing be perforated and fractured. realisted to the surface. Heksy Jr. (MRE::,E/28E,SAME).
ing. Ges circulativill be set. Possi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2" at 5 The H/2 of section H/2 SF 079521-A (W/1 understand that this plan of we Company El Paso Mat Address Box 997	on will be used ble productive i th 5900'. 170' with 125 sa 555' with 250 sa 5900' with 150 sa 20 is dedicated (284', SESH', SMSE); ork must receive approval in turnal Cas Company	thru the Hesa atervals vill acks coment cir acks coment. acks coment. to this well. Fee-Harace F.	be perforated and fractured. realated to the surface. Hekey Jr. (NEE), E/25E, SAME). al Survey before operations may be commenced. Usiginal Signed EWELL N. WALSH
ing. Gas circulativill be set. Possif Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2" at 5 The H/2 of section H/2 SF 079521-A (W/1 understand that this plan of w Company El Paso Mat Address Box 997	on will be used ble productive i th 5900'. 170' with 125 sa 555' with 250 sa 5900' with 150 sa 26 is dedicated 284,5884,8488); ork must receive approval in	thru the Hesa ntervals vill acks coment cir acks coment. to this vell. Per-Harace F. a writing by the Geologic	be perforated and fractured. Culated to the surface. Hekey Jr. (MEN.) #/258,55ME). al Survey before operations may be commenced. Usiginal Signed EWELL N. WALSH
ing. Ges circulativill be set. Possi Estimated Total Dep Casing Program: 10 3/4" at 7 5/8" at 3 5 1/2" at 5 The H/2 of section H/2 SF 079521-A (W/1 understand that this plan of we Company El Paso Mat Address Box 997	on will be used ble productive i th 5900'. 170' with 125 sa 555' with 250 sa 5900' with 150 sa 20 is dedicated (284', SESH', SMSE); ork must receive approval in turnal Cas Company	thru the Hesa ntervals vill acks coment cir acks coment. to this vell. Per-Harace F. a writing by the Geologic	be perforated and fractured be perforated and fractured realisted to the surface. Hekey Jr. (NEW, E/25E, SAME) al Survey before operations may be commenced. Usiginal Signed EWELL N. WALS



NEW MEXICO OIL CONSERVATION COMMISSION

WELL LOCATION AND/OR GAS PROPATION PLAT

JANUARY 15, 1957 SERVICE EL PASO NATURAL GAS COMPANY ELLA SE SAN JUAN 28-5 UNIT SF 079521-A **5-₩** NM 9 EL MATELL 1650 BEFOREM NORTH DE 990 EL MILEREM EAST LENE Control of Armenia (Linear Control of Contro RIO ARRIBA TO MESA VERUE BLANCO DEL CHATER ALBERTA 320 ACRES March Edward Mark St. (1917 PLAT) FRE - H.F. McKAY, JR. 15 SF 079521-A NOFE This section of form is to be used for gas wells only Scale I mehes equal I mile This is to certify that the above plat was prepared from 1. Is this well a Dual Comp. Yes _____No X field notes of actual surveys made by me or under my supervision and that the same are true and correct to the 2. If the answer to Question 4 best of my knowledge and belief. is ves, are there any other dually completed wells within the dedicated acreage. JANUARY 8, 1957 Date Surveyed _ Name Original Signed EWELL N. WALSH Position_Fetroleum Engineer Representing El Paso Hetural Gas Co. Address Box 997, Farmington, I.N.

(Seal)