



(SUBMIT IN TRIPPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Form approved.
Budget Bureau No. 42-B359.4.

Indian Agency Jicarilla

Allottee _____

Lease No. Jicarilla 298

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL <input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 11, 1962

Well No. 1 is located 757 ft. from N line and 589 ft. from E line of sec. 10

SE/4 of SE/4 Sec. 10
(1/4 Sec. and Sec. No.)

T-28-N; R-1-W
(Twp.) (Range)

N.M.P.M.
(Meridian)

Boulder Lake Mancos
(Field)

Rio Arriba
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 7362 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- (1) Surface Casing: 9-5/8" - 32.30 lb. H-40 @ 200' Cement circulated to surface
- (2) Drill 8-3/4" hole to 4200', rotary method with oil-water emulsion.
- (3) Run ES-induction log for correlation
- (4) Drill to approximately 4300', depth to be determined by correlation in (3) and set 7" 23 lb. J-55 casing at top of Gallup "A" Pay. Cement with 250 sx.
- (5) Drill 6-3/4" hole with air to approximately 4800'. Exact depth to be determined by bit samples.
- (6) Run 4-1/2" 9.5 lb. J-55 blank liner to T.D. land on neoprene packoff hanger.
- (7) Perforate selected intervals in liner and fracture formation. (Gallup Pay Zone) With untreated lease crude (2,000 bbls.)
- (8) Run 2-3/8" 4.3 lb. tubing, pump & rods and complete as a producer from Gallup Zone.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation, Roswell District

Address P. O. Box 1938

Roswell, New Mexico

By Carl C. Von Elm
Carl C. Von Elm
Title District Drilling Engineer



