

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Bex 965 Farmington, New Mexico

September 29, 1955

El Paso Natural Gas Company Box 997 Farmington, New Mexico

> Re: Santa Fe 080430 14-08-001-1051

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated September 28, 1955 covering your well No. 28 San Juan 28-6 Unit in NE' SW1 sec. 18, T. 28 N., R. 6 W., N. M. P. M., Rid Arriba County, New Mexico, Elanco pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1962, a copy of which will be sent to you on request, and subject to the following conditions:

- Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

Very truly yours,

Jerry W. Long Acting District Engineer

JwLong:ac





UNITED STATES DEPARTMEN, OF THE INTERNOL

マミクえしき じょうけいぐ エンぞむ

•

 $\frac{1}{2} \left(\frac{1}{2} \right) \right) \right) \right)}{1} \right) \right) \right)}{1} \right) \right) \right)} \right) \right) \right)} \right) \right) \right)} \right) \right)} \right) \right)}$

•

Form (Feb	9-33 . 1951	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	iente	.Pe.	
Lease No.	08043	Ø	
Unit An	juan	2:-6	Unit
<u> </u>	20-OCI	-105	į.

				ON WELLS
NOTICE OF INTENTION TO BOIL!		X cuper	FOURNT DEPORT OF	WATER SHUT-OFF
NOTICE OF INTENTION TO DRILL		1.		SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WA			·	ALTERING CASING
OTICE OF INTENTION TO RE-DRILL		1		RE-DRILLING OR REPAIR
OTICE OF INTENTION TO SHOOT O		· II		ABANDONMENT
IOTICE OF INTENTION TO PULL OR		i	*	ISTORY
NOTICE OF INTENTION TO ABANDON			THE THE PARTY OF T	
TOTICE OF INTENTION TO ADMINOU				
(indic	CATE ABOVE BY CHECK N	MARK NATURE OF	REPORT, NOTICE, OF	•
ell No. 🎎 is loca	ated 1 590 ft.f	rom o lir	ne and 1130	ft. from wy line of sec. 13
Dection 18	201	(S)	MA	(W) ****
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meri	dian)
enco		o Ageriba		New Hexico
(Field)	(Cor	unty or Subdivision	n)	(State or Territory)
ate names of and expected depths	to objective sands; sho ing points, and	ow sizes, weights, i all other import	and lengths of prop ant proposed work	posed casings; indicate mudding jobs, comer)
t is intended to dri id circulation will asing. Gas circulat ng will be set. Pos	ill a well wi be used thru tion will be	th rotary the Picta used thru	tools thru gred Cliffs the Ness Yo	the Mesa Verde formation and set intermediate rule and production cas- be perforated and fractur
t is intended to drived circulation will saing. Gas circulating will be set. For otal Depth 5750'. asing Program: 13 3/6" at 9 5/8" at 3	ill a well wi be used thru tion will be : saible produc	th retary the Picts used thru tive inter O sacks or O sacks or	tools thru wed Cliffs the Mosa W 'vals will I ment circul ment.	the Mess Verde formation and set intermediate orde end production cas-
t is intended to drive in circulation will be set. For otal Depth 5750'. seing Program: 13 3/6" at 9 5/8" at 3 7 at 5750'	the used thru be used thru tion will be mathle product 170' with 35 530' with 250 sec	th retary the Picts used thru tive lates 0 sacks of cks ofment	tools thru ged Cliffs the Moss We vals will ! ment circul ment.	the Mesa Verde formation and set intermediate orde and production cas- be perforated and fractur
t is intended to drive in circulation will be set. For otal Depth 5750'. Ising Program: 13 3/6" at 9 5/8" at 3 7 at 5750' 26 W/2 of Section 18 6/2) SF 080k30.	the used thru tion will be used thru tion will be saible product 170' with 350' with 250 me. It dedicates	th retary the Picts used thru tive inter O sacks or cks cement d to this	tools thru wed Cliffs the Mosa W 'vals will i ment circul ment	the Mesa Verde formation and set intermediate orde and production cas- be perforated and fractur
t is intended to drived to drived the circulation will be set. For the circulation will be set. For the circulation of the circ	the used thru tion will be used thru tion will be saible product 170' with 350' with 250 me. It dedicates	the retary the Picts used thru tive inter O sacks of Caseks of Ca	tools thru wed Cliffs the Mosa W 'vals will i ment circul ment	the Mesa Verde formation and set intermediate rie and production cases perforated and fracture to the surface.
t is intended to drived circulation will saing. Gas circulating will be set. For otal Depth 5750'. asing Program: 13 3/6" at 9 5/8" at 3 7 at 5750' he w/2 of Section 16 k/2) SF 080430. Tunderstand that this plan of wo	be used thru ica will be saible product 170' with 350 530' with 250 seconds is dedicate	the retary the Picts used thru tive inter O sacks of Caseks of Ca	tools thru wed Cliffs the Mosa W 'vals will i ment circul ment	the Mesa Verde formation and set intermediate rie and production cases perforated and fracture to the surface.
t is intended to drive defined circulation will be set. For other parts of the set of th	be used thru ica will be saible product 170' with 350 530' with 250 seconds is dedicate	the retary the Picts used thru tive inter O sacks of Caseks of Ca	tools thru wed Cliffs the Mosa W 'vals will i ment circul ment	the Mesa Verde formation and set intermediate rie and production cases perforated and fracture to the surface.