



COPY TO O. G. C.

IN REPLY REFER TO:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
P. O. Box 965
Farmington, New Mexico

September 12, 1955

Pacific Northwest Pipeline Corp.
413 1/2 West Main Street
Farmington, New Mexico

Re: Santa Fe 079727-4
14-08-001-933

Gentlemen:

Your "Notice of Intention to Change Plans" covering your well No. 6-11 San Juan 28-4 Unit, located in the SE 1/4 SE 1/4 sec. 11, T. 28 N., R. 4 W., N. M. P. M., Rio Arriba County, New Mexico, is hereby approved subject to the approval of the New Mexico Oil Conservation Commission of the unorthodox location and of the dual completion.

Very truly yours,

P. T. McGrath

P. T. McGrath
District Engineer


PTMcGrath:sac



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

COPY TO 1000





(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Santa Fe
Lease No. 079727A
Unit San Juan 28-4
#14-08-001-933

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 6, 1955

Well No. 6-11 is located 1075 ft. from SW line and 925 ft. from E line of sec. 11
SE 1/4 28N 14W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat - Blanco Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the Ungraded Ground ~~derrick floor~~ above sea level is 7346.9 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to change plans and do the following: To drill 15" hole to 175' set 10-3/4" casing cemented with 150 sx 16% gel. Drill with water or minimum mud to 4058', set 7-5/8" CD casing cemented with 175 sx 8% gel and 100 sx neat on bottom, then drill with gas to total depth of 6550' & set 5-1/2" casing with 200 sx 2% gel. Sand Frac Cliff House 6055-6115 w/20,000 gals. 1-1/4# to 1-1/2# sd/gal.. Menefee 6120-6380 to be sand frac with 10,000 gals. 1-1/4# to 1-1/2# sd/gal.. Point Lookout to be sand frac w/20,000 gals. 1-1/4# to 1-1/2# sd/gal.. Pictured Cliff to be tested for natural gas as drilling progresses, if gas is found in commercial quantities in this formation, we will make dual completion on well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PACIFIC NORTHWEST PIPELINE CORPORATIONAddress 413-1/2 West Main StreetFarmington, New MexicoBy /s/ T.A.DuganTitle District Engineer

