

## UNITED STATES DEPARTMENT OF THE INTERIOR

### GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Mexico

July 5, 1956

Pacific Northwest Pipeline Corporation 413 West Main Street Farmington, New Mexico

Re: Jicarilla Contract #59
Tract 113

Gentlemen:

Your "Subsequent Report of Abandonment" dated July 8, 1955, covering your well No. 1 Indian "F", located in the NW sec. 4, T. 28 N., R. 3 W., N.M.P.M., Rio Arriba County, New Mexico, is hereby approved.

Very truly yours,

(Orig. Sgd.) P. T. McGRATH

P. T. McGrath
District Engineer

JUL 25 1956
OIL CON. COM.
DIST 2

PTMcGrath:ac cc - Jicarilla Agency

Inspected by: P.T.McGrath July 5, 1956

10L 25 1053

OIL CON. COM



#### UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

2. C. Boy 9/5 enist see . Meder horse

A STATE OF STATE

molektoran em burgi in in inn gallem peri Therefore the highest things and the second

TOBY TOBY IN SUBSTRICT TO SEE EM DORTO

1.10年中代。 第1.10年中代

Data a local of some or state to dispose the empty of the permit

ကြောင့် ရှင်းများကို သင်္ဂလာလုပ် ရွက်သင့် ကျားသင်းသြားသည်။ များသည် ရှိသည်နေသည် ကျောက်သည် တွေ့သည်။ နှင့် နှင့်

ending on engaged address sprigers are engaged from each fill of engine

· The series of the east part

Commence of the second

17 12 10 10

100 to 100 to 100 to 10 001 011 N 011 - W

FOFI (A)	pril 19	531 D 52):	*
	1		

#### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

App	revai expires .	12-81-00.	
Indian Ages	Jio	ăriii.	
Cont.			
Allottee			
Lanes We	India	ara	

SUNDKI	NOTICES A	NU KEP	JK 12 UN V	vells 
OTICE OF INTENTION TO DRILL		SUBSEQUENT	REPORT OF WATER SHUT	-OFF
OTICE OF INTENTION TO CHANGE PLA	ANS	- 11	REPORT OF SHOOTING O	1
OTICE OF INTENTION TO TEST WATER		11	REPORT OF ALTERING CA	
OTICE OF INTENTION TO REDRILL OR		II	REPORT OF REDRILLING	
OTICE OF INTENTION TO SHOOT OR A OTICE OF INTENTION TO PULL OR ALT		1 31	REPORT OF ABANDONME	NT
OTICE OF INTENTION TO ABANDON W		SUPPLEMENTA	RY WELL-HISTORY	
(INDICATE	ABOVE BY CHECK MARK N	VATURE OF REPORT	, NOTICE, OR OTHER DATA	3
			July 8	, 19 <b>_5</b>
Ni/li Section k (4 Sec. and Sec. No.)	28 N	(Range)	N.M.P.M. (Meridian)	line of seck
Wildest (Field)	Rio Arrib	s Subdivision)	Nev No	CK160 ate of Territory)
ate names of and expected depths to o	objective sands; show size	el is 7161.7  LS OF WOR	K rths of proposed casings:	indicate mudding jobs, ceme:
tate names of and expected depths to o		LS OF WOR	K rths of proposed casings:	indicate mudding jobs, ceme
•	phiective sands; show sizes ing points, and all of plug from 360? 5-1/2° 14 # 67 mud to 177°.	LS OF WORL  s, weights, and lengther important pro  Oo! to 3245  pasing, Set  Set 10sx p  le 10 sx pl	K  The of proposed casings;  Shot casings;  Shot casings;  Shot casings;  Ing from 177*	ng off at 2580. om 1535'-lljsh' a to llj'; filled
Set 30ex Recovered 152h' of filled with heavey surface with heave h"Kh' marker on su	phictive sands; show size ing points, and all of points, and all of points; po	LS OF WORL  a, weights, and lengther important pro  Oo! to 3245  paging. Set  Set 10sx p  le 10 sx pl	K  The of proposed casings;  The Shot casings;  The	g off at 2580. on 1535'-1454' at to 145'; filled w/ convention  JUL 25 1956 OIL CON. CO DIST. 8
Set 30sx Recovered 152h' of filled with heavey surface with heave h"Kh' marker on su  I understand that this plan of work n ompany Pagific Horthu	objective sands; show size ing points, and all of replug from 360? 5-1/2° 14 # 67 mud to 177°.  by mud to 177°.  by mud, and made arrace of casing the same of casing the same street of casing the same	LS OF WORL  a, weights, and lengther important pro  Oo! to 3245  paging. Set  Set 10sx p  le 10 sx pl	K  The of proposed casings;  The Shot casings;  The	g off at 2580. on 1535'-1454' at to 145'; filled w/ convention  JUL 25 1956 OIL CON. CO DIST. 8
Set 30ex Recovered 152h' of filled with heavey surface with heave h"Th' marker on su  I understand that this plan of work n ompany Pagific Northw  Idress 113-1/2 West M	objective sands; show size ing points, and all of the plug from 360? 5-1/2° 14 # 0 mud to 177'.  Ty mud to 177'.  Ty mud, and made of casing the plug from 5 casing the points.	LS OF WORL  a, weights, and lengther important pro  O' to 3215  casing. Set  Set 10sx p  le 10 sx pl	K  gths of proposed casings;  posed work)  * Shot casings;  25 sx plug fr  lug from 177*  ug at surface  logical Survey before ope	off at 2580. on 1535'-1454' at to 145'; filled w/ convention  JUL 25 1956 Oil CON. CO DIST. 8
Set 30sx Recovered 152h' of filled with heavey surface with heave h"Th' marker on su  I understand that this plan of work n ompany Pacific Northw	objective sands; show size ing points, and all of the plug from 360? 5-1/2° 14 # 0 mud to 177'.  Ty mud to 177'.  Ty mud, and made of casing the plug from 5 casing the points.	LS OF WORL  a, weights, and lengther important pro  O' to 3215  casing. Set  Set 10sx p  le 10 sx pl	K  gths of proposed casings;  posed work)  *• Shot casings;  25 sx plug from 177*  ug at surface  logical Survey before ope	off at 2580. on 1535'-1454' at to 145'; filled w/ convention  JUL 25 1956 Oil CON. CO DIST. 8

U. S. GOVERNMENT PRINTING OFFICE 16-8487b-8

ALLESSIBLE ONL COM.

en en en 18 de general de la companya del companya de la companya de la companya del companya de la companya de

ing the second of the second o

4 37 . 2 - 4 g