UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	SUNDRY NOTICES AND REP	ORTS ON WELLS
1. TYPE OF WELL GAS		5. LEASE NUMBER SF-079193 6. IF INDIAN, ALL. OR TRIBE NAME
2. OPERATOR EL PASO NATURAL GAS CO. N. 6.7		7. UNIT AGREEMENT NAME SAN JUAN 28-6 UNIT
3. ADDRESS & PHONE NO. OF OPERATOR P O BOX 4289 FARMINGTON, NM 87499		8. FARM OR LEASE NAME SAN JUAN 28-6 UNIT 9. WELL NO. 456
4. LOCATION OF WELL 1665'FNL 1295'FEL		10. FIELD, POOL, OR WILDCAT BASIN FRUITLAND COAL 11. SEC. T. R. M OR BLK. SEC. 19 T28N R06W NMPM
14. PERMIT NO. 30-039-24412	15. ELEVATIONS 6623'GL	12. COUNTY 13. STATE RIO ARRIBA NM
16. SUBSEQUENT REPORT OF: SPUD		
SPUD DATE: 092790 SPUD TIME: 1200 TD 230', Ran 5 jts of 8 5/8" 24.0# K-55 casing, 211' set @ 225'. Cemented with 210 sacks of Class B cement with 1/4# Flocele/sack and 3% calcium chloride, (248 cu ft.). Circulated 20 bbls to surface. WOC 12 hours. Pressure tested to 600 psi for 30 minutes. Held OK.		
Set guide shoe First stage con 2% calcium chi Tailed with 90 Second stage con 2% calcium chi Tailed with 60 Tai	e @ 3406' and float collar ement with 50 sacks of Class loride, 5# gilsonite/sack, sacks of Class B cement with 500 sacks of Class oride, 5# gilsonite/sack, sacks of Class B cement with 500 sacks of	55 casing, 3393' set @ 3407'. @ 3365'. Set stage tool @ 2764. ss B cement, 65/35 Poz, 6% gel, and 1/4# Flocele/sack, (89 cu ft.). vith 2% calcium chloride, (106 cu ft.). lass B cement, 65/35 Poz, 6% gel, and 1/4# Flocele/sack, (885 cu ft.). vith 2% calcium chloride, (71 cu ft.). DATE S BLM FORM 3166CCEPTED FOR RECORD S BLM FORM 3166CCEPTED FOR RECORD
APPROVED BY	TITLE	DATE DATE
CONDITION OF APPROVE	AL, IF ANY:	BY Commence of the second of t

in .