

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

1. TYPE OF WELL GAS		5. LEASE NUMBER SF-079050-D	
2. OPERATOR EL PASO NATURAL GAS CO.		6. IF INDIAN, ALL. OR TRIBE NAME	
3. ADDRESS & PHONE NO. OF OPERATOR P O BOX 4289 FARMINGTON, NM 87499		7. UNIT AGREEMENT NAME SAN JUAN 28-6 UNIT	
4. LOCATION OF WELL 940' FSL 1405' FWL		8. FARM OR LEASE NAME SAN JUAN 28-6 UNIT	
14. PERMIT NO. 30-039-25003		12. COUNTY RIO ARRIBA	
15. ELEVATIONS 6587' GL		13. STATE NM	
16. SUBSEQUENT REPORT OF: SPUD			

17. Describe proposed or completed operations

SPUD DATE: 120190 SPUD TIME: 1300

TD 231'. Ran 5 jts of 8 5/8" 24.0# K-55 casing, 210' set @ 222'. Cemented with 210 sacks of Class B cement with 3% calcium chloride and 1/4# Flocele/sack (248 cu ft.). Circulated 26 bbls to surface. WOC 12 hours. Pressure tested to 600 psi for 30 minutes. Held OK.

DATE: 120590

TD 3367'. Ran 78 jts of 5 1/2" 15.5# K-55 casing, 3353' set @ 3365'. Set DV tool @ 2780', insert baffle @ 3274', float collar @ 3319', and float shoe @ 3365'. First stage lead with 50 sacks of Class B 65/35 Poz, 6% gel, 2% calcium chloride, 5# gilsonite/sack, and 1/4# Flocele/sack, (89 cu ft.). Tailed by 90 sacks of Class B cement with 2% calcium chloride, (106 cu ft.). Circulated 12 bbls to surface. Second stage lead with 500 sacks of Class B 65/35 Poz, 6% gel, 2% calcium chloride, 5# gilsonite/sack, and 1/4# Flocele/sack, (885 cu ft.). Tailed by 60 sacks of Class B cement with 2% calcium chloride, (71 cu ft.). Circulated 45 bbls to surface.

18. AUTHORIZED BY:   
REGULATORY AFFAIRS

12-26-98  
DATE

NOTE: THIS FORMAT IS ISSUED IN LIEU OF US BLM FORM 3160-5.

=====  
(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITION OF APPROVAL, IF ANY: \_\_\_\_\_

Smm