

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Nexico

May 25, 1956

Ti Poso Natural Gas Company Eox 997 Parmington, New Merico

he: Santa Fe 079232

Centlement

Drill" data as 2%, 195" covering your well No. 5-C Belack in SE sec. 3. 1. 27 N., R. S.W., W. D. M., San Juan County, New Mexico, Lo Blauco 1. 1.

Your proposed work is hereby approved subject to compliance with the provisions of the "Dil and Gas operating Regulations" revised hay 25, 1920, a copy of which will be sent to you on request, and subject to the following conditions:

- 1. ording operations so authorized are subject to the at maked sheet for general conditions of approval.
- 2. Apprish copies of all logs.


Very truly yours,

(Orig. Sed.) 9. 3, ord 1000

P. T. McGrath District Engineer

Michrathian

UNITED STATES SEPARTMENT OF THE INTERIOR



(Feb. 1951)					
	·-				
		! !			
			! 		

 $S_{k}(x,y) = \sum_{i=1}^{k} S_{k}(x,y)$

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Senta Pe
Lease No	079232
Unit	Bolack

SUNDRY NOTICES	AND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT.
(INDICATE ABOVE BY CHECK MA	IARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
SE Section 3() (1/4 Sec. and Sec. No.) So. Blanco F. C. (Field) (Coun	inty or Subdivision) (State of Territory)
he elevation of the derrick floor above sea	
	TAILS OF WORK w sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemental other important proposed work)
It is intended to drill a well ti	hru the Fistured Cliff formation using rotary fracture possible producing somes. Estimated
	5 sacks regular cement circulated to surface. 5 sacks regular cement, 75 sacks Pozmir. ted to this well.
I understand that this plan of work must receive approv	val in writing by the Geological Survey before operations may be commenced.
Address Box 997 Formington, New Mexico	
	Title Petroleum Fhrineer
	OVERNMENT PRINTING OFFICE 10-2437-6