GPO 862040

I	 -	
1		
1	 X	 
Į		

5-USGS 1-WD 1-D (SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office	
Lease No. SF-078890	5
Unit	
Mudge Federal	l

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		JODSEQUENT	CLICKL OF MALER SHU	T-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		ll .	REPORT OF SHOOTING (		
NOTICE OF INTENTION TO TEST WATER SHUT		III	REPORT OF ALTERING C		
NOTICE OF INTENTION TO RE-DRILL OR REPA			REPORT OF RE-DRILLING		
NOTICE OF INTENTION TO SHOOT OR ACIDIZ			REPORT OF ABANDONME		
NOTICE OF INTENTION TO PULL OR ALTER CA	1		RY WELL HISTORY		
OTICE OF INTENTION TO ABANDON WELL					
(INDICATE ABOV	E BY CHECK MARK NA	ATURE OF REPORT,	NOTICE, OR OTHER DATA	A)	<u></u> -  <u></u>
	-	·	April 21		, 1961
ell No. #3 is located	1850 ft. from	S line and	1850 ft. from	W line of sec.	29
\$ SN\$ 50c. 29			Marm Marm	, ,	
		ange)	(Meridian)	-	
sin Dakota (Field)	San Ju (County or S	an ubdivision	Now	Mexico e or Territory)	
	re sands; show sizes, g points, and all othe		hs of proposed casings; sed work)	. tosi	
Propose to drill with rot the Dakota formation. Ca	re sands; show sizes, g points, and all other	weights, and lengter important propo	chs of proposed casings; used work)	. tosi	
Propose to drill with rot	re sands; show sizes, points, and all other cary tools to ising program to at approximate with 3 to the protect	weights, and lengter important properties of an approximately 200 sex comments of the	kinste depth (as follows:  O' with 250 sont;  Pictured Cl:	of 6500' or coment. to cover	on
Propose to drill with rot the Dakota formation. Ca  10 3/4" 32.50# surface so 4½" 10.50# set at total d Gallup formation.  A DV tool will be set for Will perforate and sand-w	re sands; show sizes, points, and all other cary tools to ising program to the protect the protect that free times.	weights, and lengter important properties of an approximately 200 50 sx center then of the behots:	kinate depth (as follows:  o' with 250 a:  nt, or coment  Pictured Cl:  formation.	of 6500' or '  x cement. te cover	on
Propose to drill with rot the Dakota formation. Ca 10 3/4" 32.50# surface so 4½" 10.50# set at total d Gallup formation. A DV tool will be set for	re sands; show sizes, points, and all other tary tools to saing program of at approximately with 3:  the protect tare free times to serve approval in writing the protect tare free times approval in writing the same approximated the same approximated the same approximated the s	weights, and lengter important property.  O an appropriate will be important be important property.  So an appropriate will be important be importan	kinate depth (as follows:  o' with 250 a:  nt, or coment  Pictured Cl:  formation.	of 6500' or '  x cement. te cover	on
Propose to drill with rot the Dakota formation. Ca  10 3/4" 32.50# surface se 4½" 10.50# set at total d Gallup formation.  A DV tool will be set for Will perforate and sand-w	tary tools to size, points, and all other tary tools to size program of at approximately with 3:  the protection fraction company to the protection	weights, and lengter important property.  O an appropriate will be important be important property.  So an appropriate will be important be importan	wimate depth (s. follows:  o' with 250 so  nt, or coment  Pictured Cl:  formation.	of 6500' or comment.  to cover  Iffs formatic	On. 25 CON
Propose to drill with rot the Dakota formation. Can 10 3/4" 32.50# surface set 42" 10.50# set at total drill perforation.  A DV tool will be set for the set for t	tary tools to size, points, and all other tary tools to size program of at approximately with 3:  the protection fraction companies aldg.,	weights, and lengter important property of an appropriate ly 200 single language of the langua	wimate depth (as follows:  o' with 250 as (a) or coment  Pictured Cl:  formation.	of 6500' or '  x cement. te cover	On. 25 CON

NUMBER OF COPI	ES RECEI	VED		
01:	TRIBUTIO	ON		
SANTA FF				
FILE			7	
U.S.G.S.				
LAND OFFICE				
TRANSPORTER	OIL			
TRANSPORTER	GAS			
PRORATION OFFI	CE			
~~~				

## NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128 Revised 5/1/57

LAND OFFICE	L l-	"						
TRANSPORTER GAS		SE	E INSTRUCTION	S FOR COL	APLETING TI	HIS FORM ON	I THE REV	ERSE SIDE
PRORATION OFFICE	1							
		<del></del>		<u> </u>				
Operator	<del></del>			Lease	DN A		· · · · · · · · · · · · · · · · · · ·	Well No.
SOUTHWEST PRODUCTION COMPANY				NUMBER PEDERAL SP-078896			Well No.	
Unit Letter	Section	ı	wnship	Ran		County		
K Actual Footage I	29		7 NORTH		LWEST	SAN	JUAN	
1850	feet fron		line an	. 10	<b>X</b> EO (.		1.00 cm	
Ground Level Ele		ducing Format		Pool	\$50 fe	et from the	WEST	line
6184.5		DAKOTA		_   1001	Basin Da	KOTA		Dedicated Acreage:  Acres
Ref: GLO pl	at date	d 19 July	1915	outlined on	the plat helo	W VEC X	NO	. ("Ouner" means the person
who has the r	ight to dril	l into and to p	roduce from any po	ol and to a	the plat below	n. 125	ither for hi	mself or for himself and
another. (65-	–3–29 (e) i	NMSA 1935 Co	mp.)					
2. If the answer	to question	one is "no,"	have the interests	of all the	owners been	consolidated	by commun	itization agreement or other-
wise? YES_	NO _	If ansv	ver is ''yes,'' Typ	e of Consol	lidation			
	to question	two is "no,"	list all the owner	s and their	respective in	terests below	<b>/:</b>	The state of the s
Owner					Land Descri	ption		<u> </u>
								OIL COM. COM
<del></del>				<u>_</u>				nist 3
<b></b>	<del></del>	S	ECTION B					CERTIFICATION
	i				İ	I	I hereby	certify that the information
	ļ		l l		Į.			ION A above is true and com-
	ļ				1	ļ		the best of my knowledge and
#	!		1		I I		belief.	
	Ï				j			
							Name	Original signed by Carl W. Smith
			The second				Position Procu	ction Superintendent
							Company	west Production Co.
			. E for experience		1		Date	4/21/61
	1		And Control			İ	L	7 - 4 0 .
	<del>-  -</del>		29		<del> </del>			
Traces	i		0.00 0.00		i	j		
į.	Ì							certify that the well location
M	!	_	Part of the second		1			the plat in SECTION B was
1850'		ο			1	ł		om field notes of actual nade by me or under my
6	}	1	4		-			on, and that the same is true
	ļ	ļ	3		!			ct to the best of my knowledge
	+-				+		and belie	
	İ		Comment of the		İ	l	ar Li	
		, o,	# # P				Date Surv	
	 	99	6. E		1	]		April 1961 ed Professional Engineer
	Ì	•			İ			and Surveyor
							Spen	es P. Leese
0 330 660 0	90 1320	1650 1980 Z	310 2640 200	00 1500	1000	500 0	Certificat	e No.
			20,0 20,0	1500	1000		Son Tree	1463
						ì	oan Juan	Engineering Company

## INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.