

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. SF 077941-A
Unit C. A. McAdams "B"

SUNDRY NOTICES AND REPORTS ON WELLS


NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	APR 27 1959
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

C. A. McAdams "B"

Farmington, New Mexico April 24, 1959

Well No. 2 is located 1850 ft. from N line and 790 ft. from W line of NE 1/4 of Section 28
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Angel Peak Dakota San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)



The elevation of the derrick floor above sea level is _____ ft. (to be reported later.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill C. A. McAdams "B" Well No. 2 to an approximate total depth of 6700' with rotary tools to evaluate Gallup and Dakota prospects. Stimulation and completion will be as indicated upon reaching this formation.

The following casing program is proposed:

SIZE	DEPTH	CEMENT	REMARKS
9-5/8"	500'	—	Heat circulate.
7"	6700'		First stage 4% gel cement followed by neat, second stage 4% gel cement. 7" casing will be 2-stage with DV tool set 100' below Pictured Cliffs. First stage fill 200 - 300 feet above top of Gallup and second stage 200-300 feet above top of Pictured Cliffs.

Copies of location plat are attached. A copy of any survey run will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Box 487

Farmington, New Mexico

ORIGINAL SIGNED BY
R. M. Bauer, Jr.

By _____
Title Field Engineer

				1.2
				1.4
				1.6
				1.8
				2.0
				2.2
				2.4
				2.6
				2.8
				3.0
				3.2
				3.4
				3.6
				3.8
				4.0
				4.2
				4.4
				4.6
				4.8
				5.0
				5.2
				5.4
				5.6
				5.8
				6.0
				6.2
				6.4
				6.6
				6.8
				7.0
				7.2
				7.4
				7.6
				7.8
				8.0
				8.2
				8.4
				8.6
				8.8
				9.0
				9.2
				9.4
				9.6
				9.8
				10.0

Well Location and Acreage Dedication Plat

Section A.

Date March 30, 1959

Operator PAN AMERICAN PETROLEUM CORPORATION Lease G. A. Mc Adams "B"
 Well No. 2 Unit Letter B Section 28 Township 27 NORTH Range 10 WEST NMPM
 Located 1850 Feet From NORTH Line, 790 Feet From WEST Line
 County SAN JUAN G. L. Elevation # Dedicated Acreage 320 Acres
 Name of Producing Formation DAKOTA Pool ANGELS PEAK DAKOTA


1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?
 Yes _____ No X ***TO BE REPORTED LATER**
2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes X No _____. If answer is "yes", Type of Consolidation.

JOINT ACREAGE HOLDINGS

3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner

Land Description



Section B.

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

PAN AMERICAN PETROLEUM CORPORATION

(Operator)


R. H. BAUER, JR. *RH Bauer*

(Representative)

BOX 487, FARMINGTON, NEW MEXICO

(Address)

Note: All distances must be from outer boundaries of section.



0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0

Scale 4 inches equal 1 mile



This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 27 March 1959*James P. Leese*
Registered Professional Engineer and/or Land Surveyor

James P. Leese N. Mex. Reg. No. 1463

