

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. C. Box 965 Farmington, New Mexico

April 17, 1956

J. Glenn Turner Bex 728 Farmington, New Mexico

Re: Santa Fe 078356

Centlement

Receipt is asknowledged of your "Notice of Intention to Drill" dated April 17, 1956 covering your well No. 55-23 Huerfanito Unit in SW2 sec. 23, T. 27 N., R. 9 W., N. M. P. M., San Juan County, New Mexico, So. Blanco P.C.

Your proposed work is hereby approved subject to compliance with the previsions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:

- 1. Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

Very truly yours,

Company of the second

Jerry W. Long Acting District Engineer

JWLongias





UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

The State of the S

and the second s

The second of th

48 48 6

Asset in



For (I	m 'eb		
		_	_



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa Fe
Lease No.	0 7 8356
Unit	SW/L

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	xxx	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		
/**************************************		4 S 360 4
(INDICATE ABOVE BY CHECK	MARK NATU	RE OF REPORT, NOTICE, OR OTHER PARTS
		April 17 1014
Huerfanito Unit		April 17, 1956 , 19, 19
nuerianito unit	_ (1 %)	Ŭ
well INO. 25-43 is located 16-90 ft. f	rom_S	line and $\frac{1190}{\text{ ft. from }} \begin{cases} \mathbb{E}^{X} \\ \mathbb{W} \end{cases}$ line of sec. 23
SW// Sec 23		• •
(1/2 Sec and Sec No.)	R 9-W (Range	N.M.P.M.
So. Blanco P. C. San J	Tuan Cor	(Metidial)
(Field) (Con	unty or Subd	ivision) New Mexice (State or Territory)
The almost told to the		••
The elevation of the derrick floor above sea	a level is	6288 ft.
DF.	TAHS	OF WORK
State names of and expected depths to objective candon be		this, and lengths of proposed casings; indicate mudding jobs, cement- sportant proposed work)
\mathbb{W}/\mathbb{U} of Section 23 dedicated to the	is well	Propose to speed with the same
W/h of Section 23 dedicated to the hen drill with rotary tools to the expected between 1,900 feet and 2,2 ith cable tools - and sand oil fraitro-glycerin as conditions warrances asing Program: 90 feet 8-5/8" 0.1 ement to surface, using at least 7-1/2" 0. D. 11# J-55 casing to be exemented with 100 sacks regular cement to be set within 20 foot	is well e top of 200 fee acturin nt. Onew 70 sack set on nent.	Propose to spud with cable tools; if the Pictured Cliffs Formation - t below the surface. Completion g or shooting with soldified 8 rd. thd. 24# casing. Circulates of cement.
W/h of Section 23 dedicated to the hen drill with rotary tools to the expected between 1,900 feet and 2,2 ith cable tools - and sand oil fraitro-glycerin as conditions warrances asing Program: 90 feet 8-5/8" 0.1 ement to surface, using at least 7 -1/2" 0. D. 11# J-55 casing to be emented with 100 sacks regular cem tubing to be set within 20 feet I understand that this plan of work must receive approval	is well e top of 200 fee acturin nt. Onew 70 sack set on ment. of tota	Propose to spud with cable tools; if the Pictured Cliffs Formation - t below the surface. Completion g or shooting with soldified 8 rd. thd. 24# casing. Circulates of cement. top of Pictured Cliffs Formation,
W/h of Section 23 dedicated to the hen drill with rotary tools to the expected between 1,900 feet and 2,2 ith cable tools - and sand oil fraitro-glycerin as conditions warrances asing Program: 90 feet 8-5/8" 0.1 ement to surface, using at least 7-1/2" 0. D. 11# J-55 casing to be expented with 100 sacks regular cem	is well e top of 200 fee acturin nt. Onew 70 sack set on ment. of tota	Propose to spud with cable tools; if the Pictured Cliffs Formation - t below the surface. Completion g or shooting with soldified 8 rd. thd. 24# casing. Circulates of cement. top of Pictured Cliffs Formation,
W/h of Section 23 dedicated to the hen drill with rotary tools to the xpected between 1,900 feet and 2,2 ith cable tools - and sand oil fraitro-glycerin as conditions warrantsing Program: 90 feet 8-5/8" 0.1 ement to surface, using at least 7-1/2" 0. D. 11# J-55 casing to be emented with 100 sacks regular cem tubing to be set within 20 feet I understand that this plan of work must receive approval ompany J. Glern Turner - Unit Open	is well e top of 200 fee acturin nt. Onew 70 sack set on ment. of tota	Propose to spud with cable tools; if the Pictured Cliffs Formation - t below the surface. Completion g or shooting with soldified 8 rd. thd. 24# casing. Circulates of cement. top of Pictured Cliffs Formation,
W/h of Section 23 dedicated to the hen drill with rotary tools to the expected between 1,900 feet and 2,2 ith cable tools - and sand oil fraitro-glycerin as conditions warrances asing Program: 90 feet 8-5/8" 0.1 ement to surface, using at least 7 -1/2" 0. D. 11# J-55 casing to be emented with 100 sacks regular cem tubing to be set within 20 feet I understand that this plan of work must receive approval	is well e top of 200 fee acturin nt. Onew 70 sack set on ment. of tota	Propose to spud with cable tools; if the Pictured Cliffs Formation - t below the surface. Completion g or shooting with soldified 8 rd. thd. 24# casing. Circulates of cement.
W/h of Section 23 dedicated to the hen drill with rotary tools to the expected between 1,900 feet and 2,2 ith cable tools - and sand oil fraitro-glycerin as conditions warrant asing Program: 90 feet 8-5/8" 0.1 ement to surface, using at least 7 ement to surface, using at least 7 emented with 100 sacks regular cement to be set within 20 feet I understand that this plan of work must receive approval company J. Glern Turner - Unit Opendares P. O. Box 728	is well e top of 200 fee acturin nt. Onew 70 sack set on ment. of tota	Propose to spud with cable tools; if the Pictured Cliffs Formation - t below the surface. Completion g or shooting with soldified 8 rd. thd. 24# casing. Circulates of cement. top of Pictured Cliffs Formation,
W/h of Section 23 dedicated to the hen drill with rotary tools to the xpected between 1,900 feet and 2,2 ith cable tools - and sand oil fraitro-glycerin as conditions warrantsing Program: 90 feet 8-5/8" 0.1 ement to surface, using at least 7-1/2" 0. D. 11# J-55 casing to be emented with 100 sacks regular cem tubing to be set within 20 feet I understand that this plan of work must receive approval ompany J. Glern Turner - Unit Open	is well e top of 200 fee acturin nt. Onew 70 sack set on ment. of tota	Propose to spud with cable tools; If the Pictured Cliffs Formation - t below the surface. Completion g or shooting with soldified 8 rd. thd. 24# casing. Circulates of cement. top of Pictured Cliffs Formation, all depth for production. By the Geological Survey before operations may be commenced.
W/h of Section 23 dedicated to the hen drill with rotary tools to the expected between 1,900 feet and 2,2 ith cable tools - and sand oil fraitro-glycerin as conditions warrant asing Program: 90 feet 8-5/8" 0.1 ement to surface, using at least 7 ement to surface, using at least 7 emented with 100 sacks regular cement to be set within 20 feet I understand that this plan of work must receive approval company J. Glern Turner - Unit Opendares P. O. Box 728	is well e top of 200 fee acturin nt. Onew 70 sack set on ment. of tota	Propose to spud with cable tools; if the Pictured Cliffs Formation - t below the surface. Completion g or shooting with soldified 8 rd. thd. 24# casing. Circulates of cement. top of Pictured Cliffs Formation,

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Omerates		_		Date April 17, 1956
_	GLENN TURNER		ease HUMRIA	
Well No. 55-23	Section 23	Townsh	nip	Range NMPM
Located 1640	Feet From th	e SOUTH Li	ne, <u>1190</u>	Feet From the WEST Line,
	SAN JUAN Cou	nty, New Me	xico. G. L. I	Elevation 6280.0
Name of Product	ing Formation Ficture		30. Blan	
	(Note: All distances			
		mast se mor	n outer bounda.	ries of Section)
	,		j	The state of the s
	1		1	
			1	STATES STATES
				COLKEN MAN WENTED
			! 	
	1		1	
	 		į	
		2	3	
	•			
	1190′0		į	
			1	
	1640		 	(ATIAFO)
	7 1		1	0.1 0.7 27 195e
-		s	i	SON. COM.
L	SCALE: 1"=1000'			31.3
	Dual Comp. ? Yes	No 🗶 .	This is to cer	tify that the above plat was
2. If the answer	to Question 1 is yes,	are there	prepared from	field notes of actual surveys
any other duall	y completed wells wi	thin the	that the same	r under my supervision and are true and correct to the
dedicated agre	age? Yes No	7 ·	best of my kno	owledge and belief.
Name Control	W/11 eal		Date Surveyed	February 23, 1956
Position. C. Beek Representing	m Meel, igent in Fa. J. Clenn Turner	· united	Registered P	P deero
	- Ferndagton, New Mic	tice	Land Surveyor	rofessional Engineer and/or JAMES P. LERSE N. Max. Reg. No. 1463