

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**LOG OF OIL OR GAS WELL**

LOCATE WELL CORRECTLY

Company **R & G DRILLING CO., INC.** Address **Box 1848, Farmington, N. M.**  
 Lessor or Tract **Marron** **2-3-27N-8W** Field **MPM** State **San Juan**  
 Well No. **1560** Sec. **N T. R. 915** Meridian **W** County **23** Elevation **5946**  
 Location ft. **1560** of **N** Line and ft. **915** of **W** Line of \_\_\_\_\_ Elevation \_\_\_\_\_  
(Derrick base relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date **May 24, 1957** Signed \_\_\_\_\_ Title **President**


The summary on this page is for the condition of the well at above date. **March 21 57** **May 12 57**  
 Commenced drilling \_\_\_\_\_, 19\_\_\_\_ Finished drilling \_\_\_\_\_, 19\_\_\_\_

**OIL OR GAS SANDS OR ZONES**

**2136** **2196** (Denote gas by G)  
 No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_  
 No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_

**IMPORTANT WATER SANDS**

**400**  
 No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 3, from \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_



**CASING RECORD**

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
8 5/8	22	8	CPI	180	None				
5 1/2	14	8	CPI	2232	Point		2136	2196	production

**MUDDING AND CEMENTING RECORD**

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8 5/8	180	75	Halliburton		25
5 1/2	2232	200	Halliburton		None

**PLUGS AND ADAPTERS**

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
 Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**Surface TOOLS USED**

Rotary tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

**May 12 57** DATES **no connection**  
 Put to producing \_\_\_\_\_, 19\_\_\_\_

The production for the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, °Bé. \_\_\_\_\_


If gas well, cu. ft. per 24 hours **3500 MCF** Gallons gasoline per 1,000 cu. ft. of gas **870#**  
 Rock pressure, lbs. per sq. in. \_\_\_\_\_

**EMPLOYEES**

\_\_\_\_\_, Driller \_\_\_\_\_, Driller  
 \_\_\_\_\_, Driller \_\_\_\_\_, Driller

**FORMATION RECORD**

FROM-	TO-	TOTAL FEET	FORMATION
2136	2196	60	Pictured Cliffs



LOCATE WELL CORRECTLY

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Name, Field, State, County, Township, Range, Section, and well location details.

Information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Oil or Gas Sands or Zones, No. of feet, and other well characteristics.



Rotary tools from surface to 100 ft - water jet perforations - 4 per foot. Sand-water flux x 40,000 gals water and 40,000 # sand.

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results.

HISTORY OF OIL OR GAS WELL

Table with columns for FROM, TO, TOTAL FEET, and FORMATION. Includes sections for MUDDING AND CEMENTING RECORD, PLUGS AND ADAPTERS, SHOOTING RECORD, TOOLS USED, EMPLOYEES, and FORMATION RECORD.