(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

| NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF MATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. | SUBSECUENT DEPORT OF WATER SHAPE OF |
|---|---|
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY. | SUBSEQUENT REPORT OF ALTERING CASING |
| IOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF REDRILLING OR REPAIR |
| OTICE OF INTENTION TO PULL OR ALTER CASING | SUBSEQUENT REPORT OF ABANDONMENT |
| IOTICE OF INTENTION TO ABANDON WELL | SUPPLEMENTARY WELL HISTORY. |
| | |
| | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

| C Sci M | X | | *************************************** | Mirrory 15 | , 19. |
|--------------|--------------------------|-----------|---|----------------------|-------|
| Well No. | is located | 990 | ft. from Nine and | ft. from line of | sec. |
| 111/4 | 21. | 27 | | (W) | |
| | ec. and Sec. No.) | (Twp.) | (Range) | (Meridian) | |
| S.W. | Kate ungen Gy | <i>'</i> | an Juan | Now Mex. | 2 |
| | (Field) | | County or Subdivision) | (State or Territory) | |
| The elevat | tion of the derrick floo | r above s | ea level isf | Charle Aust | |

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 1. Symbood 1/2/32.
- 2. Her 5 juints (202°) of \$-5/6° maring as frillows
 1 joint (20°) 6-5/6° CD, 205/70., 20 °7° lap init easing.
 4 joints (62°) 6-5/6° CD, 29.355/70., 2nd this, manifest AFI contag.
 Satal 202° set at 111°CD with 75 make of regular current circulated to the
- 3. Tested making with 5000 pressure held for 30 minutes and showed no drop in
- 4. After drilling plans, tested for 30 minutes with 300%. The water local remained statements.

| that this plan of work must receive approval in writing by the | Geological Survey before operations may be commenced. |
|--|---|
| AND RESIDENT MELADON | |
| PERTE, COLORADO | By Denman & Fellman |
| | Title |