


STATE OF NEW MEXICO  
OIL CONSERVATION  
COMMISSION  
DISTRICT NO. 3  
Phone 99 P. O. Box 697  
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 97729  
Unit Ev. E. #1



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	DIST <u>3</u>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<u>1</u>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, November 1, 1951

Well No. 421 is located 1650 ft. from (N) line and 2310 ft. from (E) line of sec. 14

1/4 of Section 14 T-27-S R-13-E (Range)

Fulcher-Lots San Juan County (State or Territory)

The elevation of the derrick floor above sea level is 6174 ft. (G.L.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well was drilled to a total depth of 2160 feet with rotary tools. Cable tools were moved into well and well cleaned out to bottom.

Well was plugged back with pea gravel from 2160 to 2133 feet and shot with 512 quarts S&W by dump method from 2133 to 2050 feet with gravel tamp from 2050 to 2043 feet and cal seal plug from 2043 to 2007 feet. Shot was detonated at 9:10 A.M., October 1, 1951. Well was cleaned out to total depth and 1 1/2" tubing landed at 2108 feet. Well was shut in 72 hours. Shut in casing pressure 505. Well measured 1450 MCF per day after 3 hour blow down through 2" casing outlet with pitot tube through 2" outlet on October 13, 1951.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas Company

Address Box 427

Farmington, New Mexico

By T.O. Johnson

Title Production Foreman



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lease No. \_\_\_\_\_  
Unit \_\_\_\_\_



STANDARD FORM NO. 100-10  
SURVEY NOTICE AND REPORTS ON WELLS

1	2	3	4	5	6	7	8	9	10	11	12
[Blank space for well information]											

(INDICATE BY CHECKING ONE OF THE FOLLOWING BOXES)

1. This well is located \_\_\_\_\_ ft. from \_\_\_\_\_ and \_\_\_\_\_ ft. from \_\_\_\_\_.

2. The elevation of the bench mark is \_\_\_\_\_ ft.

DETAILS OF WORK

General notes of work and exposed logs to be submitted to the Geological Survey by the Contractor in accordance with the following instructions:

I hereby certify that this form of work report has been received by the Contractor in accordance with the following instructions:

By \_\_\_\_\_  
This \_\_\_\_\_

Company \_\_\_\_\_  
Address \_\_\_\_\_

1	2	3	4	5	6	7	8	9	10	11	12
[Blank space for details of work]											