


STATE OF NEW MEXICO
**OIL CONSERVATION
 COMMISSION**
 DISTRICT NO. 3
 Phone 93 P. O. Box 697
 AZTEC, NEW MEXICO

(**SUBMIT IN TRIPPLICATE**)
**UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY**

Land Office _____
 Lease No. 079596
 Unit Original Lease Unit



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____		SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL _____		SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____		SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____		SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, July 25, 1951

Well No. _____ is located 000 ft. from N line and 390 ft. from E line of sec. 15

14-1 (4 Sec. and Sec. No.) 1-77-3 (Twp.) 1-10-1 (Range) 10-2-W (Meridian)
1-10-1 (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 4300 ft. (G.L.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to an approximate depth of 7000' to the sandstone formation by rotary tools. Reverse rotary rig will be used. If an out well is needed, it will be shot with H₂O for stimulation. The following formations will be drilled: Tesler, Pictured Cliffs, Washford, etc. The bit will be diamond core.

The following program will be used:

Casing Size	Depth	Quantity
10-3/4"	300'	375 sacks - 20% of estimated fill to circulate
7"	6420'	200 sacks

Copies of location and elevation plate are attached.

A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Manhasset Oil and Gas Company

Address Box 487

Farmington, New Mexico

By [Signature]

Title Productive Director

..... 1-1-1952
.....
.....

REPUBLIC OF INDIA
MINISTRY OF DEFENCE
DEPARTMENT OF DEFENCE
NEW DELHI

.....
.....
.....

REPLY TO THE MEMORANDUM DATED 15.12.51

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....

.....

.....

.....
.....
.....
.....

.....
.....
.....


1

Company Stanolind Oil & Gas Company

Lease Angel Peak Unit Well No. 1


Sec. 15 T. 27 N., R. 10 W., N.M.P.M.

Location 990' from the North line and 990' from the East line.



San Juan County

New Mexico



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Charles J. Finklea

Seal:

Registered Professional Engineer and Land Surveyor. Chas. J. Finklea N. Mex. Reg. No. 1302

Surveyed June 23, 19 51