
UNITED STATES

| DEPARTMENT OF THE INTERIOR | | |
|--|---|--|
| GEOLOGICAL SURVEY | IF INDIAN, ALLOTTEE OR TRIBE NAME UNIT AGREEMENT NAME | |
| SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different | | |
| (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) | 8. FARM OR LEASE NAME | |
| 1. oil gas 👽 | H. K. Riddle | |
| well well with other | 9. WELL NO. | |
| 2. NAME OF OPERATOR | 1 | |
| Mobil Producing Texas & New Mexico Inc. | 10. FIELD OR WILDCAT NAME | |
| 3. ADDRESS OF OPERATOR | Basin Dakota Gas | |
| 9 Greenway Plaza, Suite 2700, Hous., TX 7704 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 | 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA | |
| below.) | Sec. 7, T27N, R12W | |
| AT SURFACE: Unit Letter M 660 FWL & 660 FSL AT TOP PROD. INTERVAL: Same as surface | 12. COUNTY OR PARISH 13. STATE New Mexico | |
| AT TOTAL DEPTH: same as surface | 14. API NO. | |
| 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, | | |
| REPORT, OR OTHER DATA | 15. ELEVATIONS (SHOW DF, KDB, AND WD) NA | |
| REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: | | |
| TEST WATER SHUT-OFF | (NOTE: Report results of multiple completion or zone change on Form 9–330.) | |

5. LEASE

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker and zones pertinent to this work.)*



oh Fuh

*See Instructions on Reverse Side


DISTRICT OIL & GAS SUPERVISOR

No. 17.

- 1. Unseat 7" Baker R-3 Packer, Kill well and completely fill wellbore $w/9.5\ lb/gal.$ mud laiden fluid containing 25 lbs Gel/ 1000 gallon.
- 2. P.O.H. w/ tubing and Packer.
- 3. R.I.H. w/ cement retainer on 2-3/8 tubing and set inside 4-1/2" liner @ \pm 5766. Squeeze the Basin Dakota 6-1/4" O.H. and bottom 50' of liner w/ 22 sks of class H neat cement.
- 4. Spot a 35' plug on top of retainer \pm (5766-5731) w/ 3 sks of class H neat cement.
- 5. Spot cement plug 50' above and 50' below liner top using 13 sks class H neat cement \pm (5030-5130).
- 6. Spot 100' cement plug from \pm (3890-3990) using 19 sks of class H neat cement.
- 7. Spot 100' cement plug from \pm (2710-2810) using 19 sks of class H neat cement.
- 8. Spot 100' cement plug from \pm (400-500) using 19 sks of class H neat cement.
- 9. Spot 100' cement plug from + (0-100') using 19 sks of class H neat cement.
- 10. Erect 10' * 4" P&A marker 4' above the well head.
- 11. Clear location & remove all lines.

Notes: *Procedure verbally approved by Earl Beechum USGS Farmington N.M. (505-325-4572)

H.K. Riddle Well No 660 FWL, 660 FSL, Unit M, Soct 7, T27N, R12W Basin Dakota Pool San Tuan County, New Mexico



mre 8/31/29

STATEMENT OF SURFACE RESTORATION INTENTION ATTACHMENT TO USGS FORM 9-331, SUNDRY NOTICE OF INTENT TO ABANDON

| Applicable To: | | cing Texas & New Mexico Inc. ay Plaza, Suite 2700 77046 |
|----------------|-------------|---|
| | Lease Name: | H. K. Riddle |
| | Well No: | 1 |
| | Location: | Unit Letter M Sec. 7, T27N, R12W |

This is to advise your office that surface restoration associated with the above described proposed plugging and abandonment will be conducted in accordance with applicable rules and regulations of the United States Geological Survey and the New Mexico Oil Conservation Commission; and in accordance with any existent agreement with the surface landowner, or in a manner arrived at by agreement with the surface landowner.

Such restoration work will include:

Backfilling of all pits and cellar. Levelling or contouring the location site. Clearing the location area of junk.

FORM 9-331 Dated: January 3, 1980