


STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SANTA FE
Land Office **STOUT A**

Lease No. _____
Unit _____

FS BELL
C-51118 SH



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

JUNE 12 19**51**

Well No. **5** is located **1650** ft. from **XXI** line and **1650** ft. from **IX** line of sec. **9**
34/4 **9** **278** **IX** **N.M.P.M**

Y. LOTS

(Twp.) **SAN JUAN** (Range)

(Meridian) **NEW MEXICO**

(Field)

(County or Subdivision)

(State or Territory)

NOT DETERMINED.

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Drill surface hole and run and set approximately 100' 2-5/8" surface casing and cement to surface.
2. Test surface casing, cement plug and drill to base of Pictured Cliffs sandstone at approximately 2000'.
3. Run electric log to total depth.
4. Run and set approximately 1910' of 5 1/2" 2-40 14/ casing top of Pictured Cliffs sandstone and cement with 150 sacks of cement.
5. Move off rotary tools, test production string cement plug, drill cement plug, clean out to bottom and shoot with nitro shot.
6. Clean out after shot and complete well ready for production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

THE FRONTIER MINING COMPANY

Company _____

420 BOSTON BUILDING

Address _____

DENVER, COLORADO

By **E.C. Furcane**

E.C. Furcane, Chief Geologist

Title _____

[illegible]

91

(REVISED 10-2-88)

[illegible]
$$(1.1.1)$$

The elevation of the barometer above sea level is


HOW TO AVOID

(The following information was obtained from the records of the Department of Defense.)

1. The above information was obtained from the records of the [redacted] office.

Содержание

ec:1b1A



Company Frontier Refining Co.


Lease Schmidt-Lefgren A. Black Well No. 15

Sec. 9 T. 27N R. 1W N.M.P.M.

Location 1650' from the South line and
1650' from the West line.

San Juan County

New Mexico



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Charles J. Finkler

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finkler
N.M. Reg. No. 1302

Surveyed June 12, 1951