

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

SUNDRY NOTICES AND REPORTS ON WELLS

|   |   |
|---|---|
| NOTICE OF INTENTION TO DRILL.....                   | SUBSEQUENT REPORT OF WATER SHUT-OFF.....                                    |
| NOTICE OF INTENTION TO CHANGE PLANS.....            | SUBSEQUENT REPORT OF SHOOTING OR <del>ACIDIZING</del> <u>fracingx</u> ..... |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....     | SUBSEQUENT REPORT OF ALTERING CASING.....                                   |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....                             |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....        | SUBSEQUENT REPORT OF ABANDONMENT.....                                       |
| NOTICE OF INTENTION TO PULL OR ALTER CASING.....    | SUPPLEMENTARY WELL HISTORY.....   |
| NOTICE OF INTENTION TO ABANDON WELL.....            |   |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 6, 1962

Well No. 1 is located 1850 ft. from S line and 790 ft. from Ex line of sec. 10

SW/4, Sec. 10

(¼ Sec. and Sec. No.)

T27N

(Twp.)

R12W

(Range)

NMPM

(Meridian)

Basin Dakota

(Field)

San Juan

(County or Subdivision)

New Mexico


(State or Territory)

The elevation of the derrick floor above sea level is 5835 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

P.B.T.D. @ 6135'. Perforated csg. from 6014' to 6042' w/ 4 jets/ft.  
Fraced w/ 50,000 gals. water & 60,000# 20-40 sand. Used 75 ball sealers.  
Breakdown press. - 1600#. Avg. treating rate - 34 BPM @ 2200#.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tidewater Oil Company

Address Box 547

Hobbs, New Mexico

Original Signed By

By G. L. WADE

Title Area Supt.