

COPY FOR
STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 077931
Unit C. A. Meadows
W4/4, Section 5
Designated Drilling Unit

SUNDRY NOTICES AND REPORTS ON WELLS

OCT 1 1951

| | | | |
|--|-------------------------------------|--|--|
| NOTICE OF INTENTION TO DRILL | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | | |

OIL CON. COM.
DIST 3

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

~~Farlington, New Mexico, September 20, 1951~~

Well No. 3 is located 1190 ft. from N line and 1490 ft. from W line of sec. 5

N4/4 W4/4 of Section 5 T-27-N R-10-W 100N
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Fulcher-Rita San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5918 ft. (O.L.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 2100 feet to test the Flinted Cliffs formation. Rotary tools will be used from surface to total depth. Casing will be set on top of pay. Pay will be shot with 580 and hole cleaned out with cable tools.

The following casing program is proposed:

| Size | Depth | Cement | Remarks |
|---------|-------|----------|--|
| 19 3/4" | 100' | 85 sacks | 175% of calculated amount to circulate. |
| 5 1/2" | 1975' | 75 sacks | 100% of calculated amount to fill 600' above shoe. |

Copies of location plate are attached.

A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Itasca Oil and Gas Company

Address Box 487

Farlington, New Mexico

By R. D. Sperry

Title Production Foreman



LTR




Job separation sheet

STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 07791
Unit C. A. McGuire



SUNDRY NOTICES AND REPORTS ON WELLS NOV 3 1951

| | | | |
|--|--|--|--|
| NOTICE OF INTENTION TO DRILL | | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 3 is located 1190 ft. from [N] line and 1650 ft. from [E] line of sec. 5
1/4 of Section 5 (Range) 7-72-3 (Twp.) 11-10-1 (Meridian)
Fulcher Luta (Field) San Juan (County or Subdivision) New Mexico (State or Territory)
The elevation of the derrick floor above sea level is 9910 ft. (C.I.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 6:38 A.M., October 8, 1951, 5 1/2" casing was set at 1853 feet with 75 sacks. Rotary rig was moved off of location and cable tool rig rigged up for drilling cement plug and pay. On October 19, hole was bailed dry and remained dry for two hours. Twenty-seven feet of solid cement was then drilled in bottom of pipe and hole again bailed dry. Hole remained dry for two hours which was considered a satisfactory water shut-off test.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Stanolind Oil and Gas Company

Address Box 487

Farlington, New Mexico


By [Signature]

Title Production Foreman



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
License No. _____
Unit _____



SUNDRY NOTICES AND REPORTS ON WELLS

| | |
|---|--|
| NOTICE OF INTENTION TO DRILL | |
| NOTICE OF INTENTION TO CHANGE FILLS | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | |
| NOTICE OF INTENTION TO REPAIR WELL | |
| NOTICE OF INTENTION TO SHUT OR UNDOZE | |
| NOTICE OF INTENTION TO PULL OF WATER CASING | |
| NOTICE OF INTENTION TO ABANDON WELL | |
| SUPPLEMENTARY WELL HISTORY | |
| SUBSEQUENT REPORT OF ABANDONMENT | |
| SUBSEQUENT REPORT OF REPAIRING OR REPAIR | |
| SUBSEQUENT REPORT OF WATERING CASING | |
| SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| SUBSEQUENT REPORT OF WATER SHUT-OFF | |

(INDICATE ABOVE BY CHECKING IN SPACE OR REPORT, NOTICE, OR OTHER DATA)

Well No. _____ is located _____ ft. from _____ line and _____ line of sec. _____

_____ (Town)
_____ (Range)
_____ (Section or Township)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected details to objective results, show dates, weights, and lengths of proposed casing and other equipment, and other data.)

I understand that this plan of work must receive approval from the Geological Survey before it is carried out.

Company _____

Address _____

By _____

Title _____