

INTER-OFFICE NOTE, PERSONAL AND INFORMAL

FORM G-44 (1-51) 600M

Date

11/28/53

From

The Super C

To

Oil Conservation Commission

- ☐ For your signature
- ☐ For your information
- ☐ For your attention
- ☐ For filing
- ☐ For mailing
- ☐ For approval
- ☐ For checking delivery
- ☐ O.K. the attached and return
- ☐ Attach papers on the subject and return

COMMENTS

IBM The attached copies are returned for your further handling as we have already received approved copies from your office for completion of our files.

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Navajo Tribal
Lease No. I-149-IND-8479
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____
NOTICE OF INTENTION TO ABANDON WELL _____	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Indian Allotted Lands "A"
Well No. 1 is located 660 ft. from N line and 325 ft. from E line of sec. 6
NE1 of Sec. 6 27-N 12-W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
East Kutz-Pictured Cliffs San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5631 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total Depth 1352' shale. Encountered gas in Pictured Cliffs formation from 1289' to 1291'. Gas tested 630' 12". casing cemented at 1282'.

Desire to shoot with 97 qts. of Nitroglycerine from 1338' to 1298'. Shot will be tamped with approx. 12' of gravel and 75' of Cal-seal.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company
Address Box 1221
Pampa, Texas
By J. H. Brown
Title Asst. Dist. Supt.

OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received <u>4</u>		
DISTRIBUTION		
	NO. FURNISHED	
Operator	<u>2</u>	✓
Santa Fe	<u>1</u>	
Exploration Office		
State Land Office		
U. S. G. S.		
Transporter		
File	<u>1</u>	

8/10/61

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Navajo Tribal
Lease No. I-149-IND-3479
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Indian Allotted Lands
Well No. 1 is located 660 ft. from N line and 325 ft. from E line of sec. 6
NE $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec. 6 27-N 12-W NMPN
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
West Kutz-pictured Cliffs San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5681 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total Depth 1352' shale. 7" casing cemented at 1298'.

On 12-12-53 shot Pictured Cliffs sand formation with 97 quarts of nitroglycerine from 1333' to 1298'. Hole was bridged back from 1352' to 1338' with gravel, and the shot was cased with 12' of gravel and 76' of Calseal.

Before shooting Gas tested 630 MCF per day. After shooting and cleaning out to total depth, gas tested 990 MCF per day.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company
Address Box 1221
Pampa, Texas
By Ph. Brown
Title Asst. Dist. Supt.

OIL CONSERVATION COMMISSION

AZTEC DISTRICT OFFICE

No. Copies Received **4**

DISTRIBUTION

	NO. FURNISHED	
Operator	2	<input checked="" type="checkbox"/>
Santa Fe	1	<input type="checkbox"/>
Proration Office		<input type="checkbox"/>
State Land Office		<input type="checkbox"/>
U. S. G. S.		<input type="checkbox"/>
Transporter		<input type="checkbox"/>
File	1	<input type="checkbox"/>
		<input type="checkbox"/>

8/1/21
21