

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **077123**
Unit **Warren**

SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED
AUG 13 1957

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF FILLING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 6, 1957


Well No. **2 (PM)** is located **1450** ft. from **SW** line and **1700** ft. from **W** line of sec. **12**
SW Sec. 12 **20N 9W** **N.M.P.M.**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat & Blanco **San Juan** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5784** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-28-57 Total Depth **4644'**.
Ran 55 joints 5 1/2", 15.5#, J-55 liner from 2296 to 4639 (2343') with 150 sacks regular cement, 150 sacks Pozmix, 2% gel, 1 1/4# sk Flocele. Held 1000# for 30 minutes. Top of cement by temperature survey at 3900'. Squeezed top of liner with 200 sacks neat cement. final squeeze pressure 2000#.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations can be commenced.

Company **El Paso Natural Gas Company**
Address **Box 997**
Farmington, New Mexico

By **Original Signed D. C. Johnston**
Title **Petroleum Engineer**